

SPECIFICATION FOR APPROVAL



CUSTOMER _____

CUSTOMER'S DWG NO. _____

CUSTOMER'S PART NO _____

OUR DWG NO. **HI4501090**

QUANTITY _____

DATE: **30-MAR-2016**



ITEM. **CM100805-102**

	✓	CUSTOMER'S SIGNATURE	NOTE
FULL APPROVED			
CONDITIONAL APPROVED			
REJECTED			

PLEASE RETURN AFTER APPROVING

FLYiNG
INTERNATIONAL

SPECIFICATION FOR APPROVAL

CUSTOMER:				DATE:																									
PART NO: CM100805-102				DWG.NO: HI4501090																									
CUSTOMER PART NO:				CUST.DWG.NO:																									
(1) DIMENSION(UNIT: mm) 				A	8.0 ± 0.3 m/m																								
				B	10.0 ± 0.3 m/m																								
				C	5.2 ± 0.3 m/m																								
				D	10 (REF) m/m																								
				E	4.0 (REF) m/m																								
				F	2.5 (REF) m/m																								
				G	m/m																								
				H	m/m																								
				I	m/m																								
				J	m/m																								
(2)ELECTRICAL REQUIREMENTS <table><tr><td>Z1 (Ω)</td><td>75 (REF)</td><td>TEST FREQ</td><td>1MHz</td></tr><tr><td>Z2 (Ω)</td><td>950 (REF)</td><td>TEST FREQ</td><td>50MHz</td></tr><tr><td>Z3 (Ω)</td><td>1000 (REF)</td><td>TEST FREQ</td><td>100MHz</td></tr><tr><td>RDC (mΩ)</td><td>15 (MAX)</td><td>TEST FREQ</td><td></td></tr><tr><td>IDC (A)</td><td>4.0 (MAX)</td><td>TEST FREQ</td><td></td></tr><tr><td></td><td></td><td></td><td></td></tr></table>				Z1 (Ω)	75 (REF)	TEST FREQ	1MHz	Z2 (Ω)	950 (REF)	TEST FREQ	50MHz	Z3 (Ω)	1000 (REF)	TEST FREQ	100MHz	RDC (mΩ)	15 (MAX)	TEST FREQ		IDC (A)	4.0 (MAX)	TEST FREQ						(3)SCHEMATIC 	
Z1 (Ω)	75 (REF)	TEST FREQ	1MHz																										
Z2 (Ω)	950 (REF)	TEST FREQ	50MHz																										
Z3 (Ω)	1000 (REF)	TEST FREQ	100MHz																										
RDC (mΩ)	15 (MAX)	TEST FREQ																											
IDC (A)	4.0 (MAX)	TEST FREQ																											
APPROVED BY 吳載敏 CHECKED BY 張明德 DRAWN BY Vicky																													

TEST DATA

CUSTOMER:				DATE:			
PART NO: CM100805-102				DWG.NO: HI4501090			
CUSTOMER PART NO :				CUST.DWG.NO :			
ITEM	Z1 (Ω)	Z2 (Ω)	Z3 (Ω)	RDC (mΩ)	IDC (A)		
SPEC	75 (REF)	950 (REF)	1000 (REF)	15 (MAX)	4.0 (MAX)		
TEST FREQ	1MHz	50MHz	100MHz				
1	77.8	947.4	1090	11.50	OK		
2	77.9	946.6	1090	11.52	OK		
3	78.4	950.4	1092	11.49	OK		
4	79.4	945.4	1089	11.54	OK		
5	79.1	943.4	1092	11.51	OK		
6	79.4	949.8	1088	11.52	OK		
7	78.9	947.6	1097	11.51	OK		
8	78.7	949.0	1096	11.56	OK		
9	79.3	946.1	1087	11.51	OK		
10	79.5	944.8	1096	11.53	OK		
$\bar{X}$	78.8	947.1	1092	11.52			
R	1.7	7.0	10	0.07			
TEST INSTRUMENTS HP4286A HP4338B				APPROVED BY 吳載敏			
				CHECKED BY 張明德			
				DRAWN BY Vicky			