

Test Report

號碼(No.): CE/2016/11381 日期(Date): 2016/01/15

頁數(Page): 1 of 9

富致科技股份有限公司 FUZETEC TECHNOLOGY CO., LTD. 新北市五股區五工五路60號

NO. 60, WU-GONG 5 ROAD, WU GU DIST., NEW TAIPEI CITY, TAIWAN 24890

以下測試樣品係由申請廠商所提供及確認 (The following sample(s) was/were submitted and identified by/on behalf of the applicant as):

送樣廠商(Sample Submitted Bv) 富致科技股份有限公司(FUZETEC TECHNOLOGY CO., LTD.)

樣品名稱(Sample Description) POLYMERIC POSITIVE TEMPERATURE COEFFICIENT THERMISTOR (RESETTABLE FUSE)

樣品型號(Style/Item No.) DIP TYPE/FRX SERIES, FRK SERIES, FRX90V SERIES, FBR SERIES, FRU SERIES,

FRT SERIES, FUSB SERIES, FRG SERIES, FHT SERIES, FRHV SERIES, FRH SERIES,

FRVL SERIES, FRV SERIES, FRA SERIES

收件日期(Sample Receiving Date) 2016/01/08

測試期間(Testing Period) 2016/01/08 TO 2016/01/15

測試需求(Test Requested):

(1) 依據客戶指定,參考RoHS2011/65/EU Annex II及其修訂指令(EU) 2015/863測試編、鉛、汞、六價鉻、多溴聯苯、多溴聯苯 醚, DBP, BBP, DEHP, DIBP. (As specified by client, with reference to RoHS 2011/65/EU Annex II and amending Directive (EU) 2015/863 to determine Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs, DBP, DEHP, DIBP contents in the submitted sample.)

(2) 其他測試項目請見下一頁 . (Please refer to next pages for the other item(s).)

請見下一頁 (Please refer to next pages). 測試結果(Test Results) :



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-



Test Report

號碼(No.): CE/2016/11381 日期(Date): 2016/01/15 頁數(Page): 2 of 9

富致科技股份有限公司 FUZETEC TECHNOLOGY CO., LTD. 新北市五股區五工五路60號

NO. 60, WU-GONG 5 ROAD, WU GU DIST., NEW TAIPEI CITY, TAIWAN 24890

測試結果(Test Results)

測試部位(PART NAME)No.1 : 本體 (FRU135-30F) (BODY (FRU135-30F))

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限值	結果 (Result)
鎬 / Cadmium (Cd)	mg/kg	参考IEC 62321-5: 2013方法, 以感應 耦合電漿原子發射光譜儀檢測. / With reference to IEC 62321-5: 2013 and performed by ICP-AES.	(MDL) 2	No. 1 n. d.
鉛 / Lead (Pb)	mg/kg	參考IEC 62321-5: 2013方法, 以感應 耦合電漿原子發射光譜儀檢測. / With reference to IEC 62321-5: 2013 and performed by ICP-AES.	2	n. d.
汞 / Mercury (Hg)	mg/kg	參考IEC 62321-4: 2013方法, 以感應 耦合電漿原子發射光譜儀檢測. / With reference to IEC 62321-4: 2013 and performed by ICP-AES.	2	n. d.
六價鉻 / Hexavalent Chromium Cr(VI)	mg/kg	參考IEC 62321: 2008方法,以UV-VIS 檢測. / With reference to IEC 62321: 2008 and performed by UV- VIS.	2	n. d.
六溴環十二烷及所有主要被辨別出的異構物 / Hexabromocyclododecane (HBCDD) and all major diastereoisomers identified (α – HBCDD, β – HBCDD, γ – HBCDD) (CAS No.: 25637–99–4 and 3194–55–6 (134237–51–7, 134237–50–6, 134237–52–8))	mg/kg	參考IEC 62321: 2008方法,以氣相層析/質譜儀檢測. / With reference to IEC 62321: 2008 method. Analysis was performed by GC/MS.	5	n. d.



Test Report

富致科技股份有限公司 FUZETEC TECHNOLOGY CO., LTD. 新北市五股區五工五路60號 NO. 60, WU-GONG 5 ROAD, WU GU DIST.. NEW TAIPEI CITY, TAIWAN 24890

號碼(No.): CE/2016/11381

方法偵測 結果 (Result) 測試方法 測試項目 單位 極限值 (Test Items) (Method) (Unit) (MDL) No. 1 鄰苯二甲酸丁苯甲酯 / BBP (Butyl 50 n. d. mg/kg Benzyl phthalate) (CAS No.: 85-68-7) 鄰苯二甲酸二丁酯 / DBP (Dibutyl mg/kg 50 n. d. phthalate) (CAS No.: 84-74-2) 鄰苯二甲酸二 (2-乙基己基)酯 / DEHP 50 mg/kg n. d. (Di- (2-ethylhexyl) phthalate) (CAS No.: 117-81-7) 參考IEC 62321-8 (111/321/CD),以氣 鄰苯二甲酸二異丁酯 / DIBP (Di-50 mg/kg n. d. 相層析儀/質譜儀檢測之. / With isobutyl phthalate) (CAS No.: 84-69reference to IEC 62321-8 (111/321/CD). Analysis was 鄰苯二甲酸二異癸酯 / DIDP (Di-50 mg/kg n. d. performed by GC/MS. isodecyl phthalate) (CAS No.: 26761-40-0; 68515-49-1) 鄰苯二甲酸二異壬酯 / DINP (Dimg/kg 50 n. d. isononyl phthalate) (CAS No.: 28553-12-0; 68515-48-0) 鄰苯二甲酸二正辛酯 / DNOP (Di-n-50 n.d. mg/kg octyl phthalate) (CAS No.: 117-84-0) 多溴聯苯總和 / Sum of PBBs mg/kg n. d. 一溴聯苯 / Monobromobiphenyl 5 n. d. mg/kg 二溴聯苯 / Dibromobiphenyl 5 n.d. mg/kg 三溴聯苯 / Tribromobiphenyl 5 mg/kg n. d. 參考IEC 62321-6: 2015方法, 以氣相 5 四溴聯苯 / Tetrabromobiphenyl mg/kg n. d. 層析/質譜儀檢測. / With reference 五溴聯苯 / Pentabromobiphenyl 5 mg/kg n. d. to IEC 62321-6: 2015 and performed 5 六溴聯苯 / Hexabromobiphenyl n. d. mg/kg by GC/MS. 七溴聯苯 / Heptabromobiphenyl 5 n. d. mg/kg 5 八溴聯苯 / Octabromobiphenyl n. d. mg/kg

日期(Date): 2016/01/15

頁數(Page): 3 of 9

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

mg/kg

mg/kg

九溴聯苯 / Nonabromobiphenyl

十溴聯苯 / Decabromobiphenyl

n. d.

n. d.

5

5



Test Report

號碼(No.): CE/2016/11381 日期(Date): 2016/01/15 頁數(Page): 4 of 9

富致科技股份有限公司 FUZETEC TECHNOLOGY CO., LTD. 新北市五股區五工五路60號

NO. 60, WU-GONG 5 ROAD, WU GU DIST., NEW TAIPEI CITY, TAIWAN 24890

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限值 (MDL)	結果 (Result) No.1
多溴聯苯醚總和 / Sum of PBDEs	mg/kg			n. d.
一溴聯苯醚 / Monobromodiphenyl ether	mg/kg	參考IEC 62321-6: 2015方法,以氣相 層析/質譜儀檢測. / With reference to IEC 62321-6: 2015 and performed by GC/MS.	5	n. d.
二溴聯苯醚 / Dibromodiphenyl ether	mg/kg		5	n. d.
三溴聯苯醚 / Tribromodiphenyl ether	mg/kg		5	n. d.
四溴聯苯醚 / Tetrabromodiphenyl ether	mg/kg		5	n. d.
五溴聯苯醚 / Pentabromodiphenyl ether	mg/kg		5	n. d.
六溴聯苯醚 / Hexabromodiphenyl ether	mg/kg		5	n. d.
七溴聯苯醚 / Heptabromodiphenyl ether	mg/kg		5	n. d.
八溴聯苯醚 / Octabromodiphenyl ether	mg/kg		5	n. d.
九溴聯苯醚 / Nonabromodiphenyl ether	mg/kg		5	n. d.
十溴聯苯醚 / Decabromodiphenyl ether	mg/kg		5	n. d.

備註(Note):

- 1. mg/kg = ppm ; 0.1wt% = 1000ppm
- 2. n.d. = Not Detected (未檢出)
- 3. MDL = Method Detection Limit (方法偵測極限值)
- 4. "-" = Not Regulated (無規格值)



Test Report

號碼(No.): CE/2016/11381 日期(Date): 2016/01/15

頁數(Page): 5 of 9


富致科技股份有限公司

FUZETEC TECHNOLOGY CO., LTD.

新北市五股區五工五路60號

NO. 60, WU-GONG 5 ROAD, WU GU DIST., NEW TAIPEI CITY, TAIWAN 24890

- 根據以下的流程圖之條件,樣品已完全溶解。(六價鉻測試方法除外) / These samples were dissolved totally by pre-conditioning method according to below flow chart. (Cr^{6+} test method excluded)
- 測試人員:楊登偉 / Name of the person who made measurement: Climbgreat Yang
- 3) 测試負責人:張啟興 / Name of the person in charge of measurement: Troy Chang



Note** (For IEC 62321)

- (1) 針對非金屬材料加入鹼性消化液,加熱至 90~95℃ 萃取. / For non-metallic material, add alkaline digestion reagent and heat to 90~95℃
- (2) 針對金屬材料加入純水,加熱至沸騰萃取. / For metallic material, add pure water and heat to boiling.



Test Report

富致科技股份有限公司 FUZETEC TECHNOLOGY CO., LTD. 新北市五股區五工五路60號

NO. 60, WU-GONG 5 ROAD, WU GU DIST., NEW TAIPEI CITY, TAIWAN 24890

號碼(No.): CE/2016/11381




頁數(Page): 6 of 9

六溴環十二烷分析流程圖 / HBCDD analytical flow chart

日期(Date): 2016/01/15

- 測試人員: 翁賜彬 / Name of the person who made measurement: Roman Wong
- 測試負責人: 張啟興 / Name of the person in charge of measurement: Troy Chang





Test Report

富致科技股份有限公司 FUZETEC TECHNOLOGY CO., LTD. 新北市五股區五工五路60號 NO. 60, WU-GONG 5 ROAD, WU GU DIST., NEW TAIPEI CITY, TAIWAN 24890

號碼(No.): CE/2016/11381


頁數(Page): 7 of 9

可塑劑分析流程圖 / Analytical flow chart of phthalate content

日期(Date): 2016/01/15

- 測試人員:徐毓明 / Name of the person who made measurement: Andy Shu
- 測試負責人: 張啟興 / Name of the person in charge of measurement: Troy Chang

【測試方法/Test method: IEC 62321-8】





Test Report

富致科技股份有限公司 FUZETEC TECHNOLOGY CO., LTD. 新北市五股區五工五路60號

NO. 60, WU-GONG 5 ROAD, WU GU DIST., NEW TAIPEI CITY, TAIWAN 24890

頁數(Page): 8 of 9

多溴聯苯/多溴聯苯醚分析流程圖 / PBB/PBDE analytical FLOW CHART


日期(Date): 2016/01/15

- 測試人員: 翁賜彬 / Name of the person who made measurement: Roman Wong
- 測試負責人:張啟興 / Name of the person in charge of measurement: Troy Chang

初次測試程序 / First testing process -選擇性篩檢程序 / Optional screen process ••••

確認程序 / Confirmation process - · - · ▶

號碼(No.): CE/2016/11381





Test Report

富致科技股份有限公司 FUZETEC TECHNOLOGY CO., LTD. 新北市五股區五工五路60號 NO. 60, WU-GONG 5 ROAD, WU GU DIST., NEW TAIPEI CITY, TAIWAN 24890

號碼(No.): CE/2016/11381

頁數(Page): 9 of 9

* 照片中如有箭頭標示,則表示為實際檢測之樣品/部位. * (The tested sample / part is marked by an arrow if it's shown on the photo.)

日期(Date): 2016/01/15

CE/2016/11381



** 報告結尾 (End of Report) **