



Revised 14 May 2015

INTERNATIONAL RoHS DECLARATIONS

per 2011/65/EU as amended.

Listed on tabs below by product line is a compliance status report with regard to restricted materials as defined by the European Union, China, and Korea. On each page, the products are listed by AVX part numbers.

No Deca-BDE, PFOS, PFOA, nor ODCs are used in any AVX products.

All AVX products are considered as "articles" under **REACH** and are in compliance with SVHC reporting requirements.

AVX standard letter on REACH is found at:

http://www.avx.com/docs/catalogs/AVX_REACH_Statement.pdf

An official declaration for China and Korea appears at the bottom of this page.

Some, but not all, Kyocera Electronic Devices are listed here. For a complete listing, please visit:

<http://global.kyocera.com/prdct/electro/rohs.html>

or for connectors:

<http://www.kyocera-elco.com/prdct/list.html>

Please forward any questions and material declaration requests to: avxrohs@avx.com

Each tab uses the format below.

ALL COLUMNS

Y = Compliant

N = Not Compliant

None = No Exemption claimed

CHINA RoHS COLUMNS ONLY

Y = Meets China RoHS

N = Fails China RoHS for Lead only

HALOGENS

Y if Cl,Br <900ppm
and Cl+Br <1500ppm
per homogenous

(Part number position)

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

COLUMN HEADINGS

COMPLIANT TO	EU RoHS	COMPLIANT TO	COMPLIANT TO	Sn/Pb	HALOGENS
EU RoHS?	EXEMPTION? (#)	CHINA RoHS?	KOREA RoHS?	TERMINATION?	< 900/1500 ppm?

Tabs at the bottom of this sheet are in the following order:

Click on the item below and you will be taken to the same tab.

DRAFT

[MLCCs <250V-RoHS](#)

[MLCCs - NON-RoHS COMPLIANT](#)

[RF POWER](#)

[Accu-P® THIN FILM CAPACITORS](#)

[CERAMIC AXIAL CAPACITORS](#)

[CERAMIC RADIAL CAPACITORS](#)

[FEEDTHRU](#)

[SLC - SINGLE LAYER CERAMIC CAPACITORS](#)

[SMPS - SWITCH MODE POWER SUPPLY CAPACITORS](#)

[LOW INDUCTANCE CERAMIC CAPACITORS](#)

[THIN FILM/RF/INDUCTORS/COUPLERS/FILTERS/PMC PRODUCTS/AQ/SQ MICROWAVE](#)

[ORGANIC PASSIVES](#)

[CERAMIC CAPACITOR ARRAYS](#)

[CIRCUIT PROTECTION DEVICES](#)

[RESISTIVE PRODUCTS](#)

[TRANSIENT SUPPRESSION DEVICES](#)

[GLASS CAPACITORS](#)

[POLY FILM CAPACITORS](#)

[POWER CAPACITORS](#)

[BestCap® PULSE CAPACITORS](#)

[EMI CAPACITORS AND FILTERS](#)

[ATC PRODUCTS - RoHS COMPLIANT](#)

[ATC PRODUCTS - NON-RoHS COMPLIANT](#)

[TANTALUM CAPACITORS](#)

[NIOBIUM OXIDE / OxiCap®](#)

[CONNECTORS](#)

[SOLDERING PROFILES](#)

Declaration of Products to Meet "China RoHS"

Although "China RoHS" is not the official title of the legislation to restrict certain hazardous materials from entering China in Electronic Information Products, the name has become the commonplace description of the more official title of the law, depending on translation:

ACPEIP – Administration on the Control of Pollution caused by Electronic Information Products

MAPCEIP – Measures for Administration for the Pollution Control of Electronic Information Products

MMCPEIP – Management Methods for Controlling Pollution by Electronic Information Products

By any name, China RoHS requires suppliers to declare whether their products sold in China meet the same limits for Lead, Cadmium, Mercury, Chromium (VI), PBBs, and PBDEs as the European Union law, only without any product exemptions. The list of application exemptions is different as well. These are major areas where the China law differs from the EU law.

For declaration purposes, AVX has divided the products we sell into two categories as required: Those products considered to be "green" and meeting the Chinese regulations today, and those products which contain a restricted material (Lead) in an amount greater than the prescribed limit in any homogenous material.

DRAFT

We have chosen to use the AVX part number as the key identifier so customers can readily determine the compliance status of our many products. Within a part number are critical characters in specific part number positions (1 through 20) which show whether a product is green or is not green. Using these lists will allow our valued Chinese customers to properly categorize their assembly as it travels along the supply chain to the end consumer.

Declaration Format

AVX product families which meet China RoHS using no EU exemptions can be identified by a small version of the "e" logo in the margin. Use of this logo means that homogenous materials in the product contain less than 0.1% Pb, Hg, Cr(VI), PBBs, PBDEs and less than 0.01% Cd.

Disclosure Table



有毒有害物质或元素					
铅 (Pb)	汞 (Hg)	镉 (Cd)	六价铬 (Cr6+)	多溴联苯 (PBB)	多溴二苯醚 (PBDE)
0	0	0	0	0	0

0 表示该有毒有害物质在该部件所有均质材料中的含量均在SJ/T11363-2006 标准规定的限量要求以下。

X 表示该有毒有害物质至少在该部件的某一均质材料中的含量超出SJ/T11363-2006 标准规定的限量要求。

企业可在此处,根据实际情况对上表中打“X”的技术原因进行进一步说明。)

Among AVX products, the only restricted material that may be found is lead (Pb). If Pb is contained in the product above allowed levels, even if permitted under EU exemptions, the Disclosure Table below will apply to any such product.

Disclosure Table



有毒有害物质或元素					
铅 (Pb)	汞 (Hg)	镉 (Cd)	六价铬 (Cr6+)	多溴联苯 (PBB)	多溴二苯醚 (PBDE)
X	0	0	0	0	0

0 表示该有毒有害物质在该部件所有均质材料中的含量均在SJ/T11363-2006 标准规定的限量要求以下。

X 表示该有毒有害物质至少在该部件的某一均质材料中的含量超出SJ/T11363-2006 标准规定的限量要求。

企业可在此处,根据实际情况对上表中打“X”的技术原因进行进一步说明。)

KOREA RoHS

Or The Act for Resource of Recycling of Electrical/Electronic Products and Automobiles (ARREA)

Declaration of Compliance with Restriction on the Use of Hazardous Substances

DRAFT

Declared by: AVX Corporation
801 17th Avenue South
Myrtle Beach, South Carolina, USA, 29577
+843-448-9411

Contact information: avxrohs@avx.com

Products: Passive electronic components including ceramic, tantalum, and niobium capacitors and connectors

AVX Corporation declares that electrical and electronic equipment listed above indicated with "Y" in the "Compliant to Korea RoHS?" column are in compliance with the hazardous materials inclusion standards set forth in Article 11, Paragraph 1 of Enforcement Ordinance of Act on the Resource Recycling of Electrical and Electronic Equipment and Vehicles and in Article 3 of the Enforcement Regulation for said Act.

This declaration is effective from 1 January 2008.

Inquiries on any products not listed here should be sent to: avxrohs@avx.com



MLCCs - RoHS COMPLIANT

Kyocera MLCCs follow AVX part numbers below

Applies to all catalog values. Contact AVX for values outside the catalog

Listed below by manufacturer part number sequence is a compliance status report with regard to restricted materials as defined by the European Union, China, and Korea. Halogen content is also noted.

Please forward any questions and material declaration requests to: avxrohs@avxus.com

MSL = 1 for all MLCCs

JESD-97 labeling data includes: MSL=1, 260°C
max reflow X 3 for 10 seconds, e3 termination

ALL COLUMNS

Y = Compliant

N = Not Compliant

None = No Exemption claimed

CHINA RoHS COLUMNS ONLY

Y = Meets China RoHS

N = Fails China RoHS for Lead only

HALOGENS

Y if Cl,Br <900ppm
and Cl+Br <1500ppm
per homogenous
material

COLUMN HEADINGS

PART NUMBER POSITION																			
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20

COMPLIANT TO	EU RoHS	COMPLIANT TO	COMPLIANT TO	HALOGENS
EU RoHS?	EXEMPTION? (#)	CHINA RoHS?	KOREA RoHS?	< 900/1500 ppm?

Has Sn/Pb
TERMINATION?

AUTOMOTIVE*

					C,F					4	T,U,Z								
A	P				C,F					Q	T,U,Z								
					A*					4	T,Z								

* For Cap Values up to and including 47pF

COMMERCIAL

NPO, X5R, X7R, X8R, X6S, Y5V, X7S, Z5U, U Series

					A,C,D,E,F,G,S,U,W,Z						T,Z								
A	U				C,D,E,F,S,U,W,Z						G, 7								
A	U				A**						G, 7								

** All AU01 size and up to 47pF for all other sizes

M	H																		
---	---	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

KYOCERA MLCCs

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
---	---	---	---	---	---	---	---	---	----	----	----	----	----	----	----	----	----	----	----

C	M																		
C	V																		
C	T																		
C	F																		
D	L																		
D	M																		

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
---	---	---	---	---	---	---	---	---	----	----	----	----	----	----	----	----	----	----	----

C	A			C	H														
C	F			C															
C	F			C															
C	F		X																
C	T																		
D	M																		

Y	None	Y	Y	Y
Y	None	Y	Y	Y
Y	None	Y	Y	Y

N
N
N

Y	None	Y	Y	Y
Y	None	Y	Y	Y
Y	None	Y	Y	Y

N
N
N

Y	None	Y	Y	Y
---	------	---	---	---

N

COMPLIANT TO	EU RoHS	COMPLIANT TO	COMPLIANT TO	HALOGENS
EU RoHS?	EXEMPTION? (#)	CHINA RoHS?	KOREA RoHS?	< 900 ppm?
Y	None	Y	Y	Y
Y	None	Y	Y	Y
Y	None	Y	Y	Y
Y	None	Y	Y	Y
Y	None	Y	Y	Y
Y	None	Y	Y	Y

Has Sn/Pb
TERMINATION?
N
N
N
N
N
N

COMPLIANT TO	EU RoHS	COMPLIANT TO	COMPLIANT TO	HALOGENS
EU RoHS?	EXEMPTION? (#)	CHINA RoHS?	KOREA RoHS?	< 900 ppm?
Y	None	Y	Y	Y
Y	None	Y	Y	Y
Y	None	Y	Y	Y
Y	None	Y	Y	Y
Y	None	Y	Y	Y
Y	None	Y	Y	Y

Has Sn/Pb
TERMINATION?
N
N
N
N
N
N



MLCCs - NON-RoHS COMPLIANT

Applies to all catalog values. Contact AVX for values outside the catalog

Listed below by manufacturer part number sequence is a compliance status report with regard to restricted materials as defined by the European Union, China, and Korea. Halogen content is also noted.

Please forward any questions and material declaration requests to: avxrohs@avxus.com

MSL = 1 for all MLCCs

ALL COLUMNS

Y = Compliant
N = Not Compliant
None = No Exemption claimed

CHINA RoHS COLUMNS ONLY

Y = Meets China RoHS
N = Fails China RoHS for Lead only

HALOGENS

Y if Cl,Br <900ppm
and Cl+Br <1500ppm
per homogenous
material

MLCCs - Non-RoHS Compliant

PART NUMBER POSITION															
1	2	3	4	5	6	7	8	9	#	11	12	#	#	#	#
											B,J,X				
L	D										B				
A	P										B,X				
F	S										X				

				A*							1,7				
A	U			A*							7				

* For all values above 47pF

Automotive

A	P			A							Q**				
				A*							4**				

* For all values above 47pF

** ELV exemption 10c applies for automotive product

C	D	R													
---	---	---	--	--	--	--	--	--	--	--	--	--	--	--	--

COLUMN HEADINGS

COMPLIANT TO	EU RoHS	COMPLIANT TO	COMPLIANT TO	HALOGENS
EU RoHS?	EXEMPTION? (#)	CHINA RoHS?	KOREA RoHS?	< 900/1500 ppm?
N	None	N	N	Y
N	None	N	N	Y
N	None	N	N	Y
N	None	N	N	Y

N	None	N	N	Y
N	None	N	N	Y

N	None	N	N	Y
≤47pF=Y; >47pF=N	None	≤47pF=Y; >47pF=N	≤47pF=Y; >47pF=N	Y

N	None	N	N	Y
---	------	---	---	---

Has Sn/Pb
TERMINATION?
Y
Y
Y
Y

N
N

N
N

Y

RF POWER CAPS

Listed below by manufacturer part number sequence is a compliance status report with regard to restricted materials as defined by the European Union, China, and Korea. Halogen content is also noted.

Please forward any questions and material declaration requests to: avxrohs@avxus.com

MSL = 1 for all MLCCs

JESD-97 labeling data includes: MSL=1, 260°C
max reflow X 3 for 10 seconds, e3 termination

ALL COLUMNS

Y = Compliant
N = Not Compliant
None = No Exemption claimed

CHINA RoHS COLUMNS ONLY

Y = Meets China RoHS
N = Fails China RoHS for Lead only

HALOGENS

Y if Cl,Br <900ppm
and Cl+Br <1500ppm
per homogenous
material

PART NUMBER POSITION																			
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20

RF Power MLCCs - RoHS																			
H	Q	C	C		A						T,7								
H	Q	C	E		A						T,7								
H	Q	C	C		M						T,7								
H	Q	C	E		M						T,7								

RF Power MLCCs - Non-RoHS																			
H	Q	C	C								J								
H	Q	C	E								J								
H	Q	C	C								J								
H	Q	C	E								J								

COLUMN HEADINGS

COMPLIANT TO	EU RoHS	COMPLIANT TO	COMPLIANT TO	HALOGENS
EU RoHS?	EXEMPTION? (#)	CHINA RoHS?	KOREA RoHS?	< 900/1500 ppm?

N	None	N	N	N
N	None	N	N	N
Y	None	Y	N	N
Y	None	Y	N	N

N	None	N	Y	N
N	None	N	Y	N
N	None	N	Y	N
N	None	N	Y	N

Sn/Pb
TERMINATION?

N
N
N
N

Y
Y
Y
Y

ACCU-P® THIN FILM CAPACITORS

Listed below by manufacturer part number sequence is a compliance status report with regard to restricted materials as defined by the European Union, China, and Korea. Halogen content is also noted.

Please forward any questions and material declaration requests to: avxrohs@avxus.com

MSL = 1 for all products

THIN FILM CAPACITORS (ACCU-P®)

*EU RoHS compliant as standard product since 31 December 2004

PART NUMBER POSITION																			
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
0	2	0	1							B	S								
0	4	0	2							B	S								
0	6	0	3							B	S								
0	8	0	5							B	T								
1	2	1	0							B	T								

0	6	0	3							B	T								
---	---	---	---	--	--	--	--	--	--	---	---	--	--	--	--	--	--	--	--

ALL COLUMNS

Y = Compliant
N = Not Compliant
None = No Exemption claimed

CHINA RoHS COLUMNS ONLY HALOGENS

Y = Meets China RoHS
N = Fails China RoHS for Lead or and Cl+Br <1500ppm per homogenous material
Y if Cl,Br <900ppm

COLUMN HEADINGS

COMPLIANT TO	EU RoHS	COMPLIANT TO	COMPLIANT TO	HALOGENS
EU RoHS?	EXEMPTION? (#)	CHINA RoHS?	KOREA RoHS?	< 900/1500 ppm?
Y*	None	Y	Y	Y
Y*	None	Y	Y	Y
Y*	None	Y	Y	Y
Y*	None	Y	Y	Y
Y*	None	Y	Y	Y
Y*	None	Y	Y	Y
N	None	N	N	Y

Sn/Pb
N
N
N
N
N
Y



CERAMIC AXIALS

The plan is for all SA parts to be Pb-free by December 2013.

Listed below by manufacturer part number sequence is a compliance status report with regard to restricted materials as defined by the European Union, China, and Korea. Halogen content is also noted.

JESD-97 labeling data includes: MSL=1, 260°C
max reflow X 3 for 10 seconds, e3 termination

MSL = 1 for all MLCCs

Halogen-free from 01/01/2010

SpinGuard®

ALL COLUMNS

Y = Compliant
N = Not Compliant
None = No Exemption claimed

CHINA RoHS COLUMNS ONLY

Y = Meets China RoHS
N = Fails China RoHS for Lead only

HALOGENS

Y if Cl, Br < 900ppm
and Cl+Br < 1500ppm
per homogenous
material

COLUMN HEADINGS

PART NUMBER POSITION																			
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20

STANDARD PRODUCT

S	A				A														
S	A				C, D, E														

COMPLIANT TO EU RoHS?	EU RoHS EXEMPTION? (#)	COMPLIANT TO CHINA RoHS?	COMPLIANT TO KOREA RoHS?	HALOGENS < 900/1500 ppm?
Y	None	Y	Y	Y
Y	None	Y	Y	Y

Has Sn/Pb TERMINATION?
N
N

AUTOMOTIVE PRODUCT

A	A				C														
A	A				A ^{NOTE}														

NOTE - Up to 56pF is leadfree and compliant; Above 56pF is not RoHS compliant

** ELV exemption 10c applies for automotive product

Y	None	Y	Y	Y
<56pF=Y; >56pF=N	None	<56pF=Y; >56pF=N	<56pF=Y; >56pF=N	Y

N
N

MOLDED AXIAL

M	A																		
---	---	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

N	None	N	N	Y
---	------	---	---	---

Y

CKR11/12/13/14/15/16

C	K	R	1	1															
C	K	R	1	2															
C	K	R	1	3															
C	K	R	1	4															
C	K	R	1	5															
C	K	R	1	6															

N	None	N	N	Y
N	None	N	N	Y
N	None	N	N	Y
N	None	N	N	Y
N	None	N	N	Y
N	None	N	N	Y

Y
Y
Y
Y
Y
Y

CERAMIC RADIALS

Listed below by manufacturer part number sequence is a compliance status report with regard to restricted materials as defined by the European Union, China, and Korea. Halogen content is also noted.

JESD-97 labeling data includes: MSL=1, 260°C max reflow X 3 for 10 seconds, e3 termination

MSL = 1 for all MLCCs

SkyCap® - (SR)/AUTOMOTIVE RADIALS - (AR)

(Part number position)

PART NUMBER POSITION															
1	2	3	4	5	6	7	8	9	#	#	#	#	#	#	#
S	R				C	E									
S	R				A										
S	L								B						

* Up to 10nF is leadfree and compliant. >10nF will be compliant by October 2013

AUTOMOTIVE

A	R				A*					R					
A	R				C	F				R					

* Up to 56pF is leadfree and compliant; Above 56pF is not RoHS compliant

** ELV exemption 10c applies for automotive product

MOLDED RADIAL

M	R														
---	---	--	--	--	--	--	--	--	--	--	--	--	--	--	--

TWO PIN DIP

M	D	0													
C	K	R	2												

CKR04-CKR08

C	K	R	0	4											
C	K	R	0	5											
C	K	R	0	6											
C	K	R	0	7											
C	K	R	0	8											

CK05/CK06

C	K	0	5												
C	K	0	6												

HIGH VOLTAGE MLC (SV STYLE)

S	V									R					
S	V									A					

ALL COLUMNS

Y = Compliant
N = Not Compliant
None = No Exemption claimed

CHINA RoHS COLUMNS ONLY

Y = Meets China RoHS
N = Fails China RoHS for Lead only

HALOGENS

Y if Cl,Br <900ppm
and Cl+Br <1500ppm
per homogenous
material

COLUMN HEADINGS

COMPLIANT TO		COMPLIANT TO	COMPLIANT TO	HALOGENS
EU RoHS?	EXEMPTION? (#)	CHINA RoHS?	KOREA RoHS?	< 900/1500 ppm?
Y	None	Y	Y	Y
Y	None	Y	Y	Y
N	None	N	N	Y

Has Sn/Pb
TERMINATION?
N
N
Y

<56pF=Y; >56pF=N	None	<56pF=Y; >56pF=N	<56pF=Y; >56pF=N	Y
Y	None	N	Y	Y

N
N

N	None	N	N	N
---	------	---	---	---

Y

N	None	N	N	Y
N	None	N	N	Y

Y
Y

N	None	N	N	Y
N	None	N	N	Y
N	None	N	N	Y
N	None	N	N	Y
N	None	N	N	Y

Y
Y
Y
Y
Y

N	None	N	N	Y
N	None	N	N	Y

Y
Y

Y	7c2	N	Y	Y
N	None	N	N	Y

N
Y

FEEDTHRU FILTERS

Listed below by manufacturer part number sequence is a compliance status report with regard to restricted materials as defined by the European Union, China, and Korea. Halogen content is also noted.

JESD-97 labeling data includes: MSL=1, 260°C
max reflow X 3 for 10 seconds, e3 termination

MSL = 1 for all MLCCs

Feedthrus

PART NUMBER POSITION																			
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
W		F.H			C						T								
W		F.H			A						T								
W		F.H			A					4*	T								
L		F.H									B								

* ELV exemption 10c applies for automotive product

ALL COLUMNS

Y = Compliant
N = Not Compliant
None = No Exemption claimed

CHINA RoHS COLUMNS ONLY

Y = Meets China RoHS
N = Fails China RoHS for Lead only

HALOGENS

Y if Cl,Br <900ppm
and Cl+Br <1500ppm
per homogenous
material

COLUMN HEADINGS

COMPLIANT TO	EU RoHS	COMPLIANT TO	COMPLIANT TO	HALOGENS
EU RoHS?	EXEMPTION? (#)	CHINA RoHS?	KOREA RoHS?	< 900/1500 ppm?
Y	None	Y	Y	Y
Y	7c-1	N	N	Y
Y	7c-1	N	N	Y
N	None	N	N	Y

Has Sn/Pb
TERMINATION?
N
N
N
Y



SMPS (SWITCH MODE POWER SUPPLY)

SMPS products are undergoing conversion to leadfree status.

If you would like to know the status of a particular leaded part, please send a part number list for prefix CH, CV, RH, MH to Johnny Wright at:

wrightj@col.avx.com

For all other prefixes, contact Stan Cygan at:

stan.cygan@avx.com

Listed below by manufacturer part number sequence is a compliance status report with regard to restricted materials as defined by the European Union, China, and Korea. Halogen content is also noted.

ALL COLUMNS

Y = Compliant

N = Not Compliant

None = No Exemption claimed

CHINA RoHS COLUMNS ONLY HALOGENS

Y = Meets China RoHS

N = Fails China RoHS for Lead onl and Cl+Br <1500ppm

Y if Cl,Br <900ppm

per homogenous material

COLUMN HEADINGS

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
---	---	---	---	---	---	---	---	---	----	----	----	----	----	----	----	----	----	----	----

SMPS CAPACITORS

*EU RoHS compliant as standard product since 31 December 2009

R	M			<7																
R	M			7 or >																
S	M																			

COMPLIANT TO	EU RoHS	COMPLIANT TO	COMPLIANT TO	HALOGENS
EU RoHS?	EXEMPTION? (#)	CHINA RoHS?	KOREA RoHS?	< 900/1500 ppm?

Y*	None	Y	Y	Y
Y*	Y - (7c2)	N	Y	Y
N	None	N	N	Y

Sn/Pb
TERMINATION?

N
N
Y

SE STYLE EXTENDED COMMERCIAL RADIAL

*EU RoHS compliant as standard product since 31 December 2008

S	E																			
S	E																			

Y*	None	Y	Y	Y
N	None	N	N	Y

N
Y

*EU RoHS compliant as standard product since 31 December 2004												
S	K		<7				R					
S	K		7 or >				R					
S	K						A					

Y*	None	Y	Y	Y
Y*	Y - (7c2)	N	Y	Y
N	None	N	N	Y

N
N
Y

***EU RoHS compliant as standard product since 1 November 2010

***EU RoHS compliant as standard product since 1 November 2010

N	None	N	N	Y
Y**	Y - (7c2)	N	Y	Y
N	None	N	N	Y

Y
N
Y

[illegible]

N	None	N	N	Y
---	------	---	---	---

Y

[illegible][illegible]

Y
Y
N
Y
N
Y
Y
Y
Y
Y

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
---	---	---	---	---	---	---	---	---	----	----	----	----	----	----	----	----	----	----	----



Please forward any questions and material declaration requests to: avxrohs@avxus.com

MSL = 1 for all products

ALL COLUMNS

Y = Compliant
N = Not Compliant
None = No Exemption claimed

CHINA RoHS COLUMNS ONLY

Y = Meets China RoHS
N = Fails China RoHS for Lead only

HALOGENS

Y if Cl, Br < 900ppm
and Cl+Br < 1500ppm
per homogenous
material

LOW INDUCTANCE CERAMIC CAPACITORS

COLUMN HEADINGS

PART NUMBER POSITION																	
1	2	3	4	5	6	7	8	9	#	#	12	#	#	#	#	#	#

COMPLIANT TO	EU RoHS	COMPLIANT TO	COMPLIANT TO	HALOGENS
EU RoHS?	EXEMPTION? (#)	CHINA RoHS?	KOREA RoHS?	< 900/1500 ppm?

Has Sn/Pb
TERMINATION?

[illegible][illegible][illegible]

0	2	0	4							B,J									
0	3	0	6							B,J									
0	5	0	8							B,J									
0	6	1	2							B,J									
L		L								B									
L	D									B									
P	G									B									

[illegible][illegible]



THIN FILM PRODUCTS/RF/INDUCTORS/COUPLERS/FILTERS
PMC PRODUCTS/AQ/SQ/MICROWAVE/U DIELECTRIC

Listed below by manufacturer part number sequence is a compliance status report with regard to restricted materials as defined by the European Union, China, and Korea. Halogen content is also noted.

Please forward any questions and material declaration requests to: avxrohs@avxus.com

MSL = 1 for all products

ALL COLUMNS

Y = Compliant
N = Not Compliant
None = No Exemption claimed

CHINA RoHS COLUMNS ONLY

Y = Meets China RoHS
N = Fails China RoHS for Lead only

HALOGENS

Y if Cl,Br <900ppm
and Cl+Br <1500ppm
per homogenous
material

THIN FILM INDUCTORS

*EU RoHS compliant as standard product since 31 December 2004

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
---	---	---	---	---	---	---	---	---	----	----	----	----	----	----	----	----	----	----	----

L	0	4	0	2						H	N								
L	0	6	0	3						G	S								
L	0	8	0	5						E	S								

L	0	6	0	3						G	W								
L	0	8	0	5						E	W								

IRON CORE INDUCTORS

**EU RoHS compliant as standard product since 15 September 2011

G	L							7											
---	---	--	--	--	--	--	--	---	--	--	--	--	--	--	--	--	--	--	--

COLUMN HEADINGS

COMPLIANT TO	EU RoHS	COMPLIANT TO	COMPLIANT TO	Sn/Pb	HALOGENS
EU RoHS?	EXEMPTION? (#)	CHINA RoHS?	KOREA RoHS?	TERMINATION?	< 900/1500 ppm?
Y*	None	Y	Y	N	Y
Y*	None	Y	Y	N	Y
Y*	None	Y	Y	N	Y
N	None	N	N	Y	Y
N	None	N	N	Y	Y

Y**	None	Y	Y	N	Y
-----	------	---	---	---	---

THIN FILM COUPLERS

C	P	0	4	0	2					N									
C	P	0	4	0	2	P				N									
C	P	0	6	0	3					S									
C	P	0	6	0	3					N									
C	P	0	8	0	5					S									

Y*	None	Y	Y	N	Y
Y*	None	Y	Y	N	Y
Y*	None	Y	Y	N	Y
Y*	None	Y	Y	N	Y
Y*	None	Y	Y	N	Y

C	P	0	4	0	2						L						
C	P	0	6	0	3						W						
C	P	0	6	0	3						L						
C	P	0	8	0	5						W						

N	None	N	N	Y	Y
N	None	N	N	Y	Y
N	None	N	N	Y	Y
N	None	N	N	Y	Y

D	B	0	6	0	3						N									
D	B	0	8	0	5						S									

Y*	None	Y	Y	N	Y
Y*	None	Y	Y	N	Y

[illegible]

N	None	N	N	Y	Y
---	------	---	---	---	---

THIN FILM FILTERS

[illegible]

Y*	None	Y	Y	N	Y
Y*	None	Y	Y	N	Y
Y*	None	Y	Y	N	Y

[illegible]

N	None	N	N	Y	Y
---	------	---	---	---	---

PMC PRODUCTS

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
---	---	---	---	---	---	---	---	---	----	----	----	----	----	----	----	----	----	----	----

M	S																		
M	I																		
N						*		#											
M	E			I												^			
M	X			I												^			

"*" can be A or X

"#" can be A or F or G or U or H

"I" can be S or N

"^" can be A or F or G or U or H

N							C		E										
M	E			X												E			
M	X			X												E			

COMPLIANT TO	EU RoHS	COMPLIANT TO	COMPLIANT TO	Sn/Pb	HALOGENS
EU RoHS?	EXEMPTION? (#)	CHINA RoHS?	KOREA RoHS?	TERMINATION?	< 900 ppm?
Y*	None	Y	Y	N	Y
Y*	None	Y	Y	N	Y
Y*	None	Y	Y	N	Y
Y*	None	Y	Y	N	Y
Y*	None	Y	Y	N	Y

MSL = 1 for all products

AQ/SQ/UQ/UDielectric

*EU RoHS compliant as standard product since 30 June 2003

**EU RoHS compliant as standard product since 30 November 2012

PART NUMBER POSITION																			
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
A	Q										1,7,T								
S	Q										1,7,H,T								
U	Q										T								
				U							T								
C	U										T								

COMPLIANT TO	EU RoHS	COMPLIANT TO	COMPLIANT TO	Sn/Pb	HALOGENS
EU RoHS?	EXEMPTION? (#)	CHINA RoHS?	KOREA RoHS?	TERMINATION?	< 900/1500 ppm?
Y*	None	Y	Y	N	Y
Y*	None	Y	Y	N	Y
Y*	None	Y	Y	N	Y
Y*	None	Y	Y	N	Y
Y*	None	Y	Y	N	Y

A	Q										J								
S	Q										J								
U	Q										J,C								

N	None	N	N	Y	Y
N	None	N	N	Y	Y
N	None	N	N	Y	Y

ORGANIC PASSIVES

Listed below by manufacturer part number sequence is a compliance status report with regard to restricted materials as defined by the European Union, China, and Korea. Halogen content is also noted.

Please forward any questions and material declaration requests to: avxrohs@avxus.com

MSL = 1 for all products

PASSIVE ORGANICS

*EU RoHS compliant as standard product since inception (7 July 2011)

**EU RoHS compliant as standard product since inception (23 August 2011)

PART NUMBER POSITION																			
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
H	L	0	2					T											
H	L	C	0	2				T											
M	L	0	3							T									

ALL COLUMNS

Y = Compliant

N = Not Compliant

None = No Exemption claimed

CHINA RoHS COLUMNS ONLY HALOGENS

Y = Meets China RoHS

N = Fails China RoHS for Lead on and Cl+Br <1500ppm

Y if Cl,Br <900ppm

per homogenous material

COLUMN HEADINGS

COMPLIANT TO	EU RoHS	COMPLIANT TO	COMPLIANT TO	HALOGENS
EU RoHS?	EXEMPTION? (#)	CHINA RoHS?	KOREA RoHS?	< 900/1500 ppm?
Y*	None	Y	Y	Y
Y**	None	Y	Y	Y
Y*	None	Y	Y	Y

Sn/Pb
TERMINATION?
N
N
N



Please forward any questions and material declaration requests to: avxrohs@avxus.com

Y if Cl,Br <900ppm
and Cl+Br <1500ppm
per homogenous

COMPLIANT TO	EU RoHS	COMPLIANT TO	COMPLIANT TO	HALOGENS
EU RoHS?	EXEMPTION? (#)	CHINA RoHS?	KOREA RoHS?	< 900/1500 ppm?
Y	None	N	Y	Y
N	None	N	N	Y
N	None	N	N	Y
Y	None	Y	Y	Y
Y	None	Y	Y	Y
N	None	N	N	Y
N	None	N	N	Y

Has Sn/Pb
TERMINATION:
N
N
N
N
N

Y
Y



CIRCUIT PROTECTION PRODUCTS

Listed below by manufacturer part number sequence is a compliance status report with regard to restricted materials as defined by the European Union, China, and Korea. Halogen content is also noted.

Please forward any questions and material declaration requests to: avxrohs@avxus.com

MSL = 1 for surface mount products

*EU RoHS compliant as standard product since 31 December 2004

**EU RoHS compliant as standard product since 31 June 2012

PART NUMBER POSITION																			
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20

THERMISTORS - LEADED

N	D																		
N	E																		
N	I																		
N	J																		
N	P																		

THERMISTORS - SMD

N	B																		
N	C																		

ALL COLUMNS

Y = Compliant

N = Not Compliant

None = No Exemption claimed

CHINA RoHS COLUMNS ONLY HALOGENS

Y = Meets China RoHS

N = Fails China RoHS for Lead onl and Cl+Br <1500ppm per homogenous

COLUMN HEADINGS

material

COMPLIANT TO	EU RoHS	COMPLIANT TO	COMPLIANT TO	HALOGENS
EU RoHS?	EXEMPTION? (#)	CHINA RoHS?	KOREA RoHS?	< 900/1500 ppm?

Y*	None	Y	Y	Y
Y*	None	Y	Y	Y
Y*	None	Y	Y	Y
Y*	None	Y	Y	Y
Y*	None	Y	Y	Y

Y*	None	Y	Y	Y
Y*	None	Y	Y	Y

Sn/Pb
TERMINATION?

N
N
N
N
N

N
N

[illegible]

Y*	None	Y	Y	Y
----	------	---	---	---

N

F	0	4	0	2	E				F	S									
F	0	4	0	2	G				F	S									
F	0	6	0	3	C				F	S									
F	0	6	0	3	E				F	S									
F	0	8	0	5	B				F	S									
F	1	2	0	6	A				F	S									
F	1	2	0	6	B				F	S									
F	0	6	1	2	D				F	S									

[illegible][illegible]

F	0	4	0	2	E					F	W								
F	0	4	0	2	G					F	W								
F	0	6	0	3	C					F	W								
F	0	6	0	3	E					F	W								
F	0	8	0	5	B					F	W								
F	1	2	0	6	A					F	W								
F	1	2	0	6	B					F	W								
F	0	6	1	2	D					F	W								

[illegible][illegible]

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
---	---	---	---	---	---	---	---	---	----	----	----	----	----	----	----	----	----	----	----

L	M	X	N								T								
L	M	X	S								T								

Y**	None	Y	Y	Y
Y**	None	Y	Y	Y

N
N

RESISTIVE PRODUCTS

Listed below by manufacturer part number sequence is a compliance status report with regard to restricted materials as defined by the European Union, China, and Korea. Halogen content is also noted.

Please forward any questions and material declaration requests to: avxrohs@avxus.com

MSL = 1 for surface mount products

*EU RoHS compliant as standard product since 1 May 2012

PART NUMBER POSITION																			
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20

RESISTIVE PRODUCTS

R	P																		
---	---	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

ALL COLUMNS

Y = Compliant

N = Not Compliant

None = No Exemption claimed

CHINA RoHS COLUMNS ONLY HALOGENS

Y = Meets China RoHS

N = Fails China RoHS for Lead onl and Cl+Br <1500ppm

Y if Cl,Br <900ppm

per homogenous material

COLUMN HEADINGS

COMPLIANT TO	EU RoHS	COMPLIANT TO	COMPLIANT TO	HALOGENS
EU RoHS?	EXEMPTION? (#)	CHINA RoHS?	KOREA RoHS?	< 900/1500 ppm?

Sn/Pb
TERMINATION?

Y*	None	Y	Y	Y
----	------	---	---	---

N

TRANSIENT SUPPRESSION PRODUCTS

Listed below by manufacturer part number sequence is a compliance status report with regard to restricted materials as defined by the European Union, China, and Korea. Halogen content is also noted.

Please forward any questions and material declaration requests to: avxrohs@avxus.com

MSL = 1 for all products

TransGuard®

*EU RoHS compliant as standard product since 30 June 2003

**EU RoHS compliant as standard product since 31 December 2004

***EU RoHS compliant as standard product since 30 September 2009

****EU RoHS compliant as standard product since 31 October 2010

*****EU RoHS compliant as standard product since 31 January 2011

*****EU RoHS compliant as standard product since 31 July 2012

PART NUMBER POSITION																			
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
V	C	0	2	0	1								P						
V	C	0	4	0	2								P						
V	C	0	6	0	3								P						
V	C	0	8	0	5								P						
V	C	1	2	0	6								P						
V	C	1	2	1	0								P						

V	C	0	4	0	2								M						
V	C	0	6	0	3								M						
V	C	0	8	0	5								M						
V	C	1	2	0	6								M						
V	C	1	2	1	0								M						

MultiGuard

M	G	0											P						
---	---	---	--	--	--	--	--	--	--	--	--	--	---	--	--	--	--	--	--

M	G	0											M						
---	---	---	--	--	--	--	--	--	--	--	--	--	---	--	--	--	--	--	--

ALL COLUMNS

Y = Compliant

N = Not Compliant

None = No Exemption claimed

CHINA RoHS COLUMNS ONLY HALOGENS

Y = Meets China RoHS

N = Fails China RoHS for Lead only

Y if Cl,Br <900ppm and Cl+Br <1500ppm per homogenous

COLUMN HEADINGS

material

COMPLIANT TO	EU RoHS	COMPLIANT TO	COMPLIANT TO	HALOGENS
EU RoHS?	EXEMPTION? (#)	CHINA RoHS?	KOREA RoHS?	< 900/1500 ppm?
Y***	None	Y	Y	Y
Y*	None	Y	Y	Y
Y*	None	Y	Y	Y
Y*	None	Y	Y	Y
Y**	None	Y	Y	Y
Y**	None	Y	Y	Y

N	None	N	N	Y
N	None	N	N	Y
N	None	N	N	Y
N	None	N	N	Y
N	None	N	N	Y

Y*	None	Y	Y	Y
----	------	---	---	---

N	None	N	N	Y
---	------	---	---	---

Sn/Pb
TERMINATION?
N
N
N
N
N
N

Y
Y
Y
Y
Y

N

Y

StaticGuard

V	C	0	4	L	C													P											
V	C	0	6	L	C													P											
V	C	0	8	L	C													P											
V	C	1	0	L	C													P											
V	C	1	2	L	C													P											

V	C	0	4	L	C													M											
V	C	0	6	L	C													M											
V	C	0	8	L	C													M											
V	C	1	0	L	C													M											
V	C	1	2	L	C													M											

AntennaGuard

V	C	0	4	A	G													T											
V	C	0	6	A	G													T											
V	C	H	4	A	G													T											

V	C	0	4	A	G													M											
V	C	0	6	A	G													M											

PART NUMBER POSITION																			
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20

TransGuard® Automotive Series

V	C	A	S															T.1											
---	---	---	---	--	--	--	--	--	--	--	--	--	--	--	--	--	--	-----	--	--	--	--	--	--	--	--	--	--	--

CAN BUS

C	A	N																P											
F	L	X																P											

C	A	N																M											
---	---	---	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	---	--	--	--	--	--	--	--	--	--	--	--

Y*	None	Y	Y	Y
Y*	None	Y	Y	Y
Y*	None	Y	Y	Y
Y*	None	Y	Y	Y
Y*	None	Y	Y	Y

N	None	N	N	Y
N	None	N	N	Y
N	None	N	N	Y
N	None	N	N	Y
N	None	N	N	Y

Y*	None	Y	Y	Y
Y*	None	Y	Y	Y
Y***	None	Y	Y	Y

N	None	N	N	Y
N	None	N	N	Y

COMPLIANT TO	EU RoHS	COMPLIANT TO	COMPLIANT TO	HALOGENS
EU RoHS?	EXEMPTION? (#)	CHINA RoHS?	KOREA RoHS?	< 900/1500 ppm?

Y*****	None	Y	Y	Y
--------	------	---	---	---

Y*	None	Y	Y	Y
Y*	None	Y	Y	Y

N	None	N	N	Y
---	------	---	---	---

N
N
N
N
N

Y
Y
Y
Y
Y

N
N
N

Y
Y

Sn/Pb
TERMINATION?

N

N
N

Y

GLASS CAPACITORS

Listed below by manufacturer part number sequence is a compliance status report with regard to restricted materials as defined by the European Union, China, and Korea. Halogen content is also noted.

Please forward any questions and material declaration requests to: avxrohs@avxus.com

MSL = 1 for all products

ALL COLUMNS

Y = Compliant

N = Not Compliant

None = No Exemption claimed

CHINA RoHS COLUMNS ONLY HALOGENS

Y = Meets China RoHS

N = Fails China RoHS for Lead only and Cl+Br <1500ppm

Y if Cl,Br <900ppm
per homogenous
material

COLUMN HEADINGS

1	2	3	4	5	6	7	8	9	10	11	#	13	14	15	16	17	18	19	20
---	---	---	---	---	---	---	---	---	----	----	---	----	----	----	----	----	----	----	----

GLASS CAPACITORS

C	Y	0	6																
C	Y	0	7																
C	Y	0	8																

C	Y	1	0																
C	Y	1	5																
C	Y	F	R	1	0														
C	Y	F	R	1	5														
C	Y	R	5	1															
C	Y	R	5	2															
C	Y	R	5	3															

ET RANGE (ELEVATED TEMPERATURE)

E	T	0	6																
E	T	0	7																
E	T	0	8																

E	T	1	0																
E	T	1	5																

COMPLIANT TO	EU RoHS	COMPLIANT TO	COMPLIANT TO	HALOGENS
EU RoHS?	EXEMPTION? (#)	CHINA RoHS?	KOREA RoHS?	< 900/1500 ppm?

Y	Y (7c1)	N	Y	Y
Y	Y (7c1)	N	Y	Y
Y	Y (7c1)	N	Y	Y

N	None	N	N	Y
N	None	N	N	Y
N	None	N	N	Y
N	None	N	N	Y
N	None	N	N	Y
N	None	N	N	Y
N	None	N	N	Y

Y	Y (7c1)	N	Y	Y
Y	Y (7c1)	N	Y	Y
Y	Y (7c1)	N	Y	Y

N	None	N	N	Y
N	None	N	N	Y

Sn/Pb
TERMINATION?

N
N
N

Y
Y
Y
Y
Y
Y
Y

N
N
N

Y
Y



POLY FILM CAPACITORS

Listed below by manufacturer part number sequence is a compliance status report with regard to restricted materials as defined by the European Union, China, and Korea. Halogen content is also noted.

Please forward any questions and material declaration requests to: avxrohs@avxus.com

MSL = 3 for all products

ALL COLUMNS

Y = Compliant
N = Not Compliant
None = No Exemption claimed

CHINA RoHS COLUMNS ONLY HALOGENS

Y = Meets China RoHS
N = Fails China RoHS for Lead onl and Cl+Br <1500ppm
per homogenous material

*EU RoHS compliant as standard product since 31 December 2004

PART NUMBER POSITION																			
1	2	3	4	5	6	7	8	9	10	11	#	13	14	15	16	17	18	19	20

FILM CHIP

C	B																		
C	L																		

COLUMN HEADINGS

COMPLIANT TO	EU RoHS	COMPLIANT TO	COMPLIANT TO	HALOGENS
EU RoHS?	EXEMPTION? (#)	CHINA RoHS?	KOREA RoHS?	< 900/1500 ppm?
Y*	None	Y	Y	Y
Y*	None	Y	Y	Y

Sn/Pb
TERMINATION?
N
N



Please forward any questions and material declaration requests to: avxrohs@avxus.com

CHINA RoHS COLUMNS ONLY HALOGENS

Y if Cl, Br < 900ppm

ly and Cl+Br <1500ppm

per homogenous

material

POWER CAPACITORS

COLUMN HEADINGS

Sn/Pb
TERMINATION?

[illegible]



LOW INDUCTANCE CERAMIC CAPACITORS

Listed below by manufacturer part number sequence is a compliance status report with regard to restricted materials as defined by the European Union, China, and Korea. Halogen content is also noted.

Please forward any questions and material declaration requests to: avxrohs@avxus.com

MSL = 1 for all products

BestCap® PULSE SUPERCAPACITOR

*EU RoHS compliant as standard product since 31 December 1989

PART NUMBER POSITION																			
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20

B	Z																		
---	---	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

ALL COLUMNS

Y = Compliant

N = Not Compliant

None = No Exemption claimed

CHINA RoHS COLUMNS ONLY HALOGENS

Y = Meets China RoHS

N = Fails China RoHS for Lead on and Cl+Br <1500ppm

Y if Cl,Br <900ppm
per homogenous
material

COLUMN HEADINGS

COMPLIANT TO	EU RoHS	COMPLIANT TO	COMPLIANT TO	HALOGENS
EU RoHS?	EXEMPTION? (#)	CHINA RoHS?	KOREA RoHS?	< 900/1500 ppm?

Y*	None	Y	Y	Y
----	------	---	---	---

Sn/Pb
TERMINATION?

N

200 series has been EU RoHS compliant as standard product since 1970's.

[illegible]

500 series EU RoHS compliant as standard product since 1998.

5	0	0	S					S								
---	---	---	---	--	--	--	--	---	--	--	--	--	--	--	--	--

5	3	0	L	1	0	4	K	T	1	6	T								
---	---	---	---	---	---	---	---	---	---	---	---	--	--	--	--	--	--	--	--

5	4	5	L	1	0	4	K	T	1	6	T								
---	---	---	---	---	---	---	---	---	---	---	---	--	--	--	--	--	--	--	--

[illegible][illegible][illegible][illegible]

700 series has been EU RoHS compliant as standard product since 1970's.

[illegible][illegible]

Y	None	Y	Y
Y	None	Y	Y
Y	Y (7a)	N	Y
Y	Y (7a)	N	Y
Y	Y (7a)	N	Y
Y	Y (7a)	N	Y
Y	Y (7a)	N	Y
Y	None	Y	Y
Y	Y (7a)	N	Y
Y	Y (7a)	N	Y
Y	Y (7a)	N	Y
Y	Y (7a)	N	Y
Y	Y (7a)	N	Y

Y	Y (7cII)	N	Y
---	----------	---	---

Y	None	Y	Y
Y	None	Y	Y
Y	None	Y	Y

Y	None	Y	Y
Y	None	Y	Y
Y	Y (7a)	N	Y
Y	Y (7a)	N	Y
Y	Y (7a)	N	Y
Y	Y (7a)	N	Y
Y	Y (7a)	N	Y
Y	None	Y	Y
Y	Y (7a)	N	Y
Y	Y (7a)	N	Y
Y	Y (7a)	N	Y
Y	Y (7a)	N	Y
Y	Y (7a)	N	Y

[illegible]

N

N
N
N

[illegible]

[illegible][illegible][illegible]

800 series has been EU RoHS compliant as standard product since 31 December 2007

[illegible][illegible]

GENERAL PURPOSE MLCCs (Not all values available in all termination styles, dielectrics, working voltage and case sizes)

MLCCs have been EU RoHS compliant as standard product since 12/31/2005

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
---	---	---	---	---	---	---	---	---	----	----	----	----	----	----	----	----	----	----	----

A	T	C	0	4	0	2													T					
A	T	C	0	5	0	4													T					
A	T	C	0	6	0	3													T					
A	T	C	0	8	0	5													T					
A	T	C	1	2	0	6													T					
A	T	C	1	2	1	0													T					
A	T	C	1	8	1	2													T					
A	T	C	2	2	2	5													T					

[illegible]

COMPLIANT TO	EU RoHS	COMPLIANT TO	HALOGENS
EU RoHS?	EXEMPTION? (#)	CHINA RoHS?	< 900/1500 ppm?
Y	None	Y	Y
Y	Y (7a)	N	Y
Y	Y (7a)	N	Y
Y	None	Y	Y
Y	Y (7a)	N	Y
Y	Y (7a)	N	Y

Y	None	Y	Y
Y	None	Y	Y
Y	Y (7a)	N	Y
Y	Y (7a)	N	Y
Y	Y (7a)	N	Y
Y	Y (7a)	N	Y
Y	None	Y	Y
Y	Y (7a)	N	Y
Y	Y (7a)	N	Y
Y	Y (7a)	N	Y
Y	Y (7a)	N	Y

COMPLIANT TO	EU RoHS	COMPLIANT TO	HALOGENS
EU RoHS?	EXEMPTION? (#)	CHINA RoHS?	< 900/1500 ppm?
Y	None	Y	Y
Y	Y (7a)	N	Y
Y	Y (7a)	N	Y
Y	Y (7a)	N	Y
Y	Y (7a)	N	Y
Y	Y (7a)	N	Y
Y	None	Y	Y

Y	None	Y	Y
---	------	---	---

Y	None	Y	Y
---	------	---	---

[illegible][illegible]

Sn/Pb
TERMINATION?
N
N
N
N
N
N

[illegible][illegible]

N

N

[illegible][illegible]

EU RoHS compliant as standard product since 1980.

[illegible]

Inductors

EU RoHS compliant as standard product since 31 December 2001

[illegible]

EU RoHS compliant as standard product since 31 December 2001

[illegible]

Sn/Pb
TERMINATION?
N
N
N
N
N
N

Sn/Pb
TERMINATION?
N
N
N
N
N

[illegible]

AMERICAN TECHNICAL CERAMICS PARTS

Listed below by manufacturer part number sequence is a compliance status report with regard to restricted materials as defined by the European Union, China, and Korea. Halogen content is also noted.

The page is organized by product lines, then by part number. Key characters are indicated in their respective part number position.

Please forward any questions and material declaration requests to: avxrohs@avxus.com

MSL = 1 for all products

STANDARD CATALOG MLCCs - Non-RoHS Compliant

ALL COLUMNS

Y = Compliant

N = Not Compliant

None = No Exemption claim (See official marking indications at the bottom of this page)

CHINA

Y = Meets China RoHS

N = Fails China RoHS for Lead only and Cl+Br <1500ppm

(See official marking indications at the bottom of this page)

HALOGENS

Y if Cl,Br <900ppm

Y if Cl+Br <1500ppm

per homogenous material

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20

1	0	0	A							W									
1	0	0	A							P									
1	0	0	A							WN									
1	0	0	A							PN									

1	0	0	B							W									
1	0	0	B							P									
1	0	0	B							WN									
1	0	0	B							PN									

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20

1	0	0	C							W									
1	0	0	C							P									
1	0	0	C							PN									

1	0	0	E							W									
1	0	0	E							P									
1	0	0	E							WN									
1	0	0	E							PN									

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20

2	0	0	A							W									
2	0	0	A							P									
2	0	0	A							WN									
2	0	0	A							PN									

2	0	0	B							W									
2	0	0	B							P									
2	0	0	B							WN									
2	0	0	B							PN									

COMPLIANT TO	EU RoHS	COMPLIANT TO	HALOGENS
EU RoHS?	EXEMPTION? (#)	CHINA RoHS?	< 900/1500 ppm?
N	None	N	Y
N	None	N	Y
N	None	N	Y
N	None	N	Y

N	None	N	Y
N	None	N	Y
N	None	N	Y
N	None	N	Y

COMPLIANT TO	EU RoHS	COMPLIANT TO	HALOGENS
EU RoHS?	EXEMPTION? (#)	CHINA RoHS?	< 900/1500 ppm?
N	None	N	Y
N	None	N	Y
N	None	N	Y

N	None	N	Y
N	None	N	Y
N	None	N	Y
N	None	N	Y

COMPLIANT TO	EU RoHS	COMPLIANT TO	HALOGENS
EU RoHS?	EXEMPTION? (#)	CHINA RoHS?	< 900/1500 ppm?
N	None	N	Y
N	None	N	Y
N	None	N	Y
N	None	N	Y

N	None	N	Y
N	None	N	Y
N	None	N	Y
N	None	N	Y

Sn/Pb
TERMINATION?
Y
Y
Y
Y

Y
Y
Y
Y

Sn/Pb
TERMINATION?
Y
Y
Y

Y
Y
Y
Y

Sn/Pb
TERMINATION?
Y
Y
Y
Y

Y
Y
Y
Y

[illegible]



Pb-Free soldering systems are compatible with SnPb soldering systems

Please forward any questions and material declaration requests to: avxrohs@avxus.com

TANTALUM CHIPS - RoHS COMPLIANT

¹EU RoHS compliant as standard product since 31 December 2000

²EU RoHS compliant as standard product since 31 December 2002

³EU RoHS compliant as standard product since 31 December 2003

⁴EU RoHS compliant as standard product since 31 December 2004

⁵EU RoHS compliant as standard product since 31 December 2005

⁶EU RoHS compliant as standard product since 30 September 2007

⁷EU RoHS compliant as standard product since 31 July 2008

⁸EU RoHS compliant as standard product since 30 November 2008

ALL COLUMNS

Y = Compliant

N = Not Compliant

None = No Exemption claimed

CHINA RoHS COLUMNS ONLY

Y = Meets China RoHS

N = Fails China RoHS for Lead only

HALOGENS

Y if Cl, Br < 900 ppm

 γ and Cl+Br <1500ppm

per homogenous
material

COLUMN HEADINGS

"+" can be A, B, R, S, Y or P "^" can be 7 or 9

[illegible]

C	W	R				B														1		Y		None		Y		Y		Y
---	---	---	--	--	--	---	--	--	--	--	--	--	--	--	--	--	--	--	--	---	--	---	--	------	--	---	--	---	--	---

N

MSL

Pentachloro ChlPs - Non-Phenols Comp Data														mg/kg					
T	A	J						#						1 ^o	N	None	N	N	Y
T	A	Z								*				1	N	None	N	N	Y
T	B	C								*				1	N	None	N	N	Y
T	B	J								*				1	N	None	N	N	Y
T	B	M								*				3	N	None	N	N	Y
T	H	J						#						1 ^o	N	None	N	N	N
T	P	M						#						3	N	None	N	N	Y
T	P	S												1 ^o	N	None	N	N	Y
T	R	J						#						1 ^o	N	None	N	N	Y

"#" can be H or K "*" can be 0 or 8

[illegible]

^{***} codes with dry pack special option are MSL3

[illegible]

"+" can be C, H, or K

Y

PART NUMBER POSITION																			
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20

LEADED TANTALUM

[illegible]

Y ^d	None	Y	Y	N*
N	None	N	N	N*

N
Y

WET TANTALUM

[illegible]

N	None	N	N	Y
---	------	---	---	---

Y

*To be halogen free by 12/31/2010



OxiCap® and Niobium Oxide Capacitors

Listed below by manufacturer part number sequence is a compliance status report with regard to restricted materials as defined by the European Union, China, and Korea. Halogen content is also noted.

Please forward any questions and material declaration requests to: avxrohs@avxus.com

ALL COLUMNS

Y = Compliant

N = Not Compliant

None = No Exemption claimed

CHINA RoHS COLUMNS ONLY HALOGENS

Y = Meets China RoHS

N = Fails China RoHS for Lead only and Cl+Br <1500ppm

Y if Cl,Br <900ppm
per homogenous material

OxiCap® (NIOBIUM OXIDE)

*EU RoHS compliant as standard product since 31 December 2000

PART NUMBER POSITION																				MSL	COMPLIANT TO		EU RoHS	COMPLIANT TO		COMPLIANT TO	HALOGENS	Sn/Pb
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20		EU RoHS?	EXEMPTION? (#)	CHINA RoHS?	KOREA RoHS?	< 900/1500 ppm?	TERMINATION?		
N	B	S																		1	Y*	None	Y	Y	Y	N		
N	B	M																		1	Y*	None	Y	Y	Y	N		
N	O	J																		1*	Y*	None	Y	Y	Y	N		
N	O	S																		1*	Y*	None	Y	Y	Y	N		
N	O	M																		1*	Y*	None	Y	Y	Y	N		
N	L	J																		1*	Y*	None	Y	Y	Y	N		
N	P	V																		1*	Y*	None	Y	Y	Y	N		

*1° except for case sizes D, E, X, Y, V or codes with dry pack special option which are MSL 3

NIOBIUM OXIDE NON-RoHS COMPLIANT

N	B	S																		8			1	N	None	N	N	Y	Y
---	---	---	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	---	--	--	---	---	------	---	---	---	---



Please forward any questions and material declaration requests to: avxrohs@avxus.com

*EU RoHS compliant as standard product since 31 December 2004

[illegible]


and Cl+Br <1500ppm
per homogenous
material

COMPLIANT TO		COLUM HEADINGS		
EU RoHS?	EXEMPTION? (#)	CHINA RoHS?	KOREA RoHS?	HALOGENS
Y*	None	Y	Y	N
Y*	None	Y	Y	N
Y*	None	Y	Y	N
Y*	None	Y	Y	N
Y*	None	Y	Y	N
Y*	None	Y	Y	N
Y*	None	Y	Y	N
Y*	None	Y	Y	N
Y*	None	Y	Y	N
Y*	None	Y	Y	N
Y*	None	Y	Y	N
Y*	None	Y	Y	N
Y*	None	Y	Y	N
Y*	None	Y	Y	N
Y*	None	Y	Y	N
Y*	None	Y	Y	N
Y*	Y(6c)	N	Y	N
Y*	Y(6c)	N	Y	N
Y*	Y(6c)	N	Y	N
Y*	Y(6c)	N	Y	N
Y*	Y(6c)	N	Y	N

[illegible]

Recommended Soldering Profiles

Reflow Solder Profiles:



AVX RoHS compliant products utilize termination finishes (e.g. Sn or SnAg) that are compatible with all Pb-Free soldering systems and are fully reverse compatible with SnPb soldering systems. A recommended SnPb profile is shown for comparison; for Pb-Free soldering, IPC / JEDECJ-STD-020C may be referenced. The upper line in the chart shows the maximum envelope to which products are qualified (typically 3x reflow cycles at 260°C max). The center line gives the recommended profile for optimum wettability and soldering in Pb-Free Systems.

Preheat:

The pre-heat stabilizes the part and reduces the temperature differential prior to reflow. The initial ramp to 125°C may be rapid, but from that point (2-3)°C / sec is recommended to allow ceramic parts to heat uniformly and plastic encapsulated parts to stabilize through the glass transition temperature of the body (~ 180°C).


Reflow:

In the reflow phase, the maximum recommended time > 230°C is 40secs. Time at peak reflow is 10secs max.; optimum reflow is achieved at 250°C, (see wetting balance chart opposite) but products are qualified to 260°C max. Please reference individual product datasheets for maximum limits.

Cool Down:

Cool down should not be forced and 6°C / sec is recommended. A slow cool down will result in a finer grain structure of the reflow solder in the solder fillet.

IMPORTANT NOTE: Typical Pb-Free reflow solders have a more dull and grainy appearance compared to traditional SnPb. Elevating the reflow temperature will not change this, but extending the cool down can help improve the visual appearance of the joint.



Wave Solder Profiles:

For wave solder, there is no change in the recommended wave profile; all standard Pb-Free (SnCu / SnCuAg) systems operate at the same 260°C max recommended for SnPb systems.

Preheat:

This is more important for wave solder ; a higher temperature preheat will reduce the thermal shock to SMD parts that are immersed (please consult individual product data sheets for SMD parts that are suited to wave solder). SMD parts should ideally be heated from the bottom-Side prior to wave. PTH (Pin through hole) parts on the topside should not be separately heated.

Wave:

250°C – 260°C recommended for optimum solderability.

Cool Down:

As with reflow solder, cool down should not be forced and 6°C / sec is recommended. Any air knives at the end of the 2nd wave should be heated.

