



AEC-Q101 Qualified



AUTOMOTIVE

Product Catalogue **2019**

IMPORTANT NOTICE

- a) This Catalog contains the specifications, characteristics, data, materials, and structures of product. The contents are as reference for customer only and ensured to be accurate and reliable with reasonable care. PANJIT does not warrant that such information is error-free and PANJIT shall have no responsibility for any damage arising from inaccuracy or misprint of such information. Please contact with PANJIT for updated information.
- b) Although PANJIT is constantly improving product quality and reliability, a very small percentage of semiconductor products might potentially fail. PANJIT shall not have responsibility for any damage or injury arising from non-compliance with the recommended usage condition and specification contained herein.
- c) The products introduced in this Catalog are intended for use in general electronic equipment (i.e. consumer system, entertainment sets, communication). Please contact and consult with PANJIT if products are intended to use in application requiring high degree of reliability such as transportation system (i.e. cars, aircraft), safety equipment, medical system and power transmission system.
- d) For very strict reliability application, please contact with PANJIT to get advanced information of product application.
- e) If there is any question about contents in this Catalog, please contact with PANJIT or its sales agents before using the product. Neither PANJIT nor its agents shall be liable for any injury caused by any use of the products not accordance with instructions set forth herein.
- f) This document may not be recorded, reprinted, and reproduced without the permission from PANJIT.

TABLE OF CONTENT

Schottky

Small Signal Schottky Diodes	02
Power Schottky	04

SiC Schottky

SiC Schottky	06
--------------	----

Diodes

Small Signal Switching Diodes	07
General Purpose Rectifiers	08
Fast Recovery Rectifiers	10
Ultra Fast Recovery Rectifiers	11
Super Fast Recovery Rectifiers	12

Bridge

Bridge Rectifiers	13
-------------------	----

Protection Devices

Zener Diodes	14
ESD Protection	35
Transient Voltage Suppressors	37

MOSEFET

Small Signal MOSFET	47
Low Voltage MOSFET	48
Medium Voltage MOSFET	49

Bipolar Junction Transistors

Small Signal Bipolar Junction Transistors	50
---	----

Appendix

Outline Drawing and Minimum Pad Layout	53
Packing Specifications	62

Small Signal Schottky Diodes

Part Number	V _{RRM} Max.	I _F	I _{FSM}	V _F @ I _F Max.		I _R @ V _R Max.		C _T @ V _R Typ.		Package
	V	A	A	V	mA	μA	V	pF	V	
BAT54FN2-AU	30	0.2	0.6	1	100	2	25	-	-	DFN 2L
SBA0520Q-AU	20	0.5	2	0.48	0.5	100	20	25	4	
SBA0530Q-AU	30	0.5	2	0.52	0.5	100	30	20	4	
SBA0540Q-AU	40	0.5	2	0.6	0.5	50	40	15	4	
RB720M-30-AU	30	0.1	1	0.35	10	20	30	6	4	SOD-923
BAT54TS-AU	30	0.2	0.6	0.6	100	2	30	4	4	SOD-523
RB521S30-AU	30	0.2	1	0.5	200	100	30	8	4	
RB520S40-AU	40	0.25	1	0.6	200	5	30	30	0	
RB751S40-AU	40	0.3	0.5	0.37	1	0.5	30	2	1	
SBA0820CS-AU	20	0.8	2	0.55	800	100	20	25	4	SOD-323
BAT42WS-AU	30	0.2	4	1	200	0.5	30	-	-	
BAT43WS-AU	30	0.2	4	1	200	0.5	30	-	-	
BAT54WS-AU	30	0.2	1	0.6	100	2	25	-	-	
RB551V-30-AU	30	0.5	5	0.49	500	100	30	-	-	
SBA0830CS-AU	30	0.8	2	0.6	800	100	30	20	4	
SD107WS-AU	30	0.2	0.75	0.8	100	1	25	-	-	
BAS40WS-AU	40	0.2	4	1	40	1	40	-	-	
RB751V-40-AU	40	0.3	0.6	0.37	1	0.5	30	3	1	
SBA0840CS-AU	40	0.8	2	0.7	800	50	40	15	4	
SD103AWS-AU	40	0.35	2	0.6	200	5	40	10	4	
RB501V-40-AU	45	0.1	1	0.55	100	100	45	8	4	
BAS70WS-AU	70	0.2	0.6	0.9	15	1	70	-	-	
BAS100CS-AU	100	0.5	5.5	0.85	500	1	100	21	4	
SBA0820AS-AU	20	0.8	2	0.55	800	100	20	25	4	SOD-123
BAT42W-AU	30	0.2	4	1	200	0.5	30	10	0	
SBA0830AS-AU	30	0.8	2	0.6	800	100	30	20	4	
SBA0840AS-AU	40	0.8	2	0.7	800	50	40	15	4	
BAS100AS-AU	100	0.5	5.5	0.85	500	1	100	21	4	
SBA0520CA-AU	20	0.5	2	0.48	500	100	20	25	4	SOT-23
SBA0520SA-AU	20	0.5	2	0.48	500	100	20	15	4	
BAT54A-AU	30	0.2	0.6	0.6	100	2	25	10	1	
BAT54-AU	30	0.2	0.6	0.6	100	2	25	10	1	
BAT54C-AU	30	0.2	0.6	0.6	100	2	25	10	1	
BAT54S-AU	30	0.2	0.6	0.6	100	2	25	10	1	
SBA0530CA-AU	30	0.5	2	0.52	500	100	30	20	4	
SBA0530SA-AU	30	0.5	2	0.52	500	100	30	20	4	
BAS40A-AU	40	0.2	0.6	1	40	1	25	-	-	
BAS40-AU	40	0.2	0.6	1	40	1	25	-	-	
BAS40C-AU	40	0.2	0.6	1	40	1	25	-	-	
BAS40S-AU	40	0.2	0.6	1	40	1	25	-	-	
SBA0540CA-AU	40	0.5	2	0.6	500	50	40	15	4	
SBA0540SA-AU	40	0.5	2	0.6	500	50	40	25	4	
BAS70-AU	70	0.2	0.6	1	15	1	70	-	-	
BAS70A-AU	70	0.2	0.6	1	15	1	70	-	-	
BAS70C-AU	70	0.2	0.6	1	15	1	70	-	-	
BAS70S-AU	70	0.2	0.6	1	15	1	70	-	-	
BAT54W-AU	30	0.2	0.6	0.6	100	2	25	10	1	SOT-323
BAT54AW-AU	30	0.2	0.6	0.6	100	2	25	10	1	
BAT54CW-AU	30	0.2	0.6	0.6	100	2	25	10	1	
BAT54SW-AU	30	0.2	0.6	1	100	2	25	10	1	

Small Signal Schottky Diodes

Part Number	V_{RRM} Max.	I_F	I_{FSM}	$V_F @ I_F$ Max.		$I_R @ V_R$ Max.		$C_T @ V_R$ Typ.		Package
	V	A	A	V	mA	μA	V	pF	V	
BAS40W-AU	40	0.2	0.6	1	40	1	25	-	-	SOT-323
BAS40AW-AU	40	0.2	0.6	1	40	1	25	-	-	
BAS40CW-AU	40	0.2	0.6	1	40	1	25	-	-	
BAS40SW-AU	40	0.2	0.6	1	40	1	25	-	-	
BAS70W-AU	70	0.2	0.6	0.9	15	1	70	2	0	
BAS70AW-AU	70	0.2	0.6	0.9	15	1	70	2	0	
BAS70CW-AU	70	0.2	0.6	0.9	15	1	70	2	0	
BAS70SW-AU	70	0.2	0.6	0.9	15	1	70	2	0	
BAS40TW-AU	40	0.2	0.6	1	40	1	25	-	-	SOT-363
BAS40ADW-AU	40	0.2	0.6	1	40	1	25	-	-	
BAS40CDW-AU	40	0.2	0.6	1	40	1	25	-	-	
BAS40SDW-AU	40	0.2	0.6	1	40	1	25	-	-	
BAS70TW-AU	70	0.2	0.6	0.9	15	0.1	50	-	-	
BAS70ADW-AU	70	0.2	0.6	0.9	15	0.1	50	-	-	
BAS70CDW-AU	70	0.2	0.6	0.9	15	0.1	50	-	-	
BAS70SDW-AU	70	0.2	0.6	0.9	15	0.1	50	-	-	SOT-523
BAT54TB-AU	30	0.2	0.6	1	100	2	25	10	0	
BAT54ATB-AU	30	0.2	0.6	1	100	2	25	10	0	
BAT54CTB-AU	30	0.2	0.6	1	100	2	25	10	0	
BAT54STB-AU	30	0.2	0.6	1	100	2	25	10	0	
BAT54TB6-AU	30	0.2	0.6	0.6	100	2	30	4	4	SOT-563

Power Schottky

Part Number	V _{RRM} Max.	I _F	I _{FSM}	V _F @ I _F Max.		I _R @ V _R Max.		Package
	V	A	A	V	A	μA	V	
SBA120CS-AU	20	1	8	0.45	1	100	20	SOD-323
SBA130CS-AU	30	1	8	0.47	1	100	30	
SBA140CS-AU	40	1	8	0.51	1	100	40	
SS1030HEWS-AU	30	1	22	0.52	1	100	30	SOD-323HE
SS1040HEWS-AU	40	1	22	0.58	1	100	40	
MBR1040HEWS-AU	40	1	22	0.58	1	50	40	
SS1060HEWS-AU	60	1	22	0.68	1	100	60	
SBA120AS-AU	20	1	10	0.45	1	100	20	SOD-123
SBA130AS-AU	30	1	10	0.47	1	100	30	
SBA140AS-AU	40	1	10	0.51	1	100	40	
SS1040-AU	40	1	30	0.55	1	60	40	
MBR1020VL-AU	20	1	45	0.34	1	600	20	SOD-123FL
SS1040FL-AU	40	1	40	0.55	1	30	40	
SS1060XFL-AU	60	1	40	0.54	1	30	60	
SS2060FL-AU	60	2	50	0.7	2	40	60	
SS1060FL-AU	60	1	40	0.7	1	30	60	
SBM260VAL-AU	60	2	50	0.54	2	50	60	
MB1H60AL-AU	60	1	30	0.75	1	3	60	
MB2H60AL-AU	60	2	50	0.75	2	3	60	
SS20100FL-AU	100	2	50	0.85	2	40	100	
SS10100FL-AU	100	1	40	0.8	1	30	100	
SBA220AH-AU	20	2	30	0.46	2	100	20	SOD-123HE
SBA320AH-AU	20	3	50	0.44	3	200	20	
SBA230AH-AU	30	2	30	0.49	2	100	30	
SBA330AH-AU	30	3	50	0.46	3	200	30	
SBA240AH-AU	40	2	30	0.53	2	100	40	
SBA340AH-AU	40	3	50	0.48	3	150	40	
SS1040HE-AU	40	1	30	0.5	1	30	40	
SS3040HE-AU	40	3	80	0.52	3	160	40	
SS2060LHE-AU	60	2	50	0.68	2	100	60	
SS1060HE-AU	60	1	30	0.7	1	30	60	
SSM3060VHE-AU	60	3	80	0.5	3	220	60	
MB3H60AH-AU	60	3	80	0.7	3	5	60	
SS10100HE-AU	100	1	30	0.8	1	30	100	
SS30100HE-AU	100	3	80	0.8	3	30	100	
SS10150HE-AU	150	1	30	0.85	1	30	150	
BX34-AU	40	3	80	0.7	3	50	40	SMA
SS14-AU	40	1	30	0.5	1	200	40	
SX34-AU	40	3	80	0.5	3	200	40	
SR24-AU	40	2	50	0.5	2	200	40	
SS16-AU	60	1	30	0.7	1	100	60	
SX36-AU	60	3	80	0.75	3	100	60	
MS110-AU	100	1	30	0.8	1	5	100	
BR210-AU	100	2	50	0.8	2	50	100	
SBA320AF-AU	20	3	50	0.44	3	200	20	SMAF
SBA330AF-AU	30	3	50	0.46	3	200	30	
SBA340AF-AU	40	3	50	0.48	3	150	40	
SX34F-AU	40	3	80	0.5	3	100	40	
SR24F-AU	40	2	50	0.5	2	100	40	
SX34LF-AU	40	3	100	0.49	3	100	40	

Power Schottky

Part Number	V _{RRM} Max.	I _F	I _{FSM}	V _F @ I _F Max.		I _R @ V _R Max.		Package
	V	A	A	V	A	μA	V	
SX54AF-AU	45	5	100	0.54	5	150	40	SMAF
SX56F-AU	60	5	100	0.66	5	100	60	
SX36F-AU	60	3	80	0.75	3	100	60	
SXM36VF-AU	60	3	80	0.5	3	220	60	
BX310F-AU	100	3	80	0.8	3	50	100	
SK23-AU	30	2	50	0.5	2	90	30	SMB
SK24-AU	40	2	50	0.5	2	90	40	
SK24L-AU	40	2	50	0.45	2	250	40	
MB24-AU	40	2	50	0.7	2	50	40	
SRM54AV-AU	45	5	120	0.49	5	210	45	
BR36-AU	60	3	80	0.74	3	50	60	
SK26-AU	60	2	50	0.7	2	90	60	
BR310-AU	100	3	80	0.8	3	50	100	
S210L-AU	100	2	50	0.74	2	150	100	SMBF
SR54F-AU	40	5	100	0.55	5	100	40	
SR56F-AU	60	5	100	0.7	5	100	60	
SK34-AU	40	3	100	0.5	3	200	40	SMC
SK54-AU	40	5	100	0.55	5	200	40	
SK36-AU	60	3	100	0.75	3	100	60	
MB36-AU	60	3	80	0.74	3	50	60	
MB310-AU	100	3	80	0.8	3	50	100	
MB510-AU	100	5	100	0.8	5	50	100	
MBR2040DC-AU	40	20	200	0.7	10	50	40	TO-263
MBR20100DC-AU	100	20	200	0.8	10	50	100	
MBR3040CT-AU	40	30	275	0.7	15	100	40	TO-220AB

SiC Schottky

Part Number	V_{RRM}	I_F	$V_F @ I_F$ Typ.	$I_R @ V_R$ Typ.	P_D	Q_C	Package
	V	A	V	μA	W	nC	
SiC02A065T-AU	650	2	1.9	5	68	6	TO-220AC
SiC04A065T-AU	650	4	1.9	6	75	11	
SiC06A065T-AU	650	6	1.9	17	88	12	
SiC08A065T-AU	650	8	1.9	20	100	15.5	
SiC10A065T-AU	650	10	1.9	20	115	18	

Small Signal Switching Diodes

Part Number	V _{RRM} Max.	P _{TOT}	trr Max.	I _{FSM} @ tp		V _F @ I _F Max.		I _R @ V _R Max.		C _J Max.	Package
	V	mW	ns	A	ms	V	mA	μA	V	pF	
BAS16TS-AU	100	200	6	4	0.001	0.855	10	1	75	2	SOD-523
BAS116WS-AU	100	200	3000	4	0.001	1.25	150	0.005	75	2	SOD-323
1N4148WS-AU	100	250	4	4	0.001	1.25	150	2.5	75	1.5	
BAS316-AU	100	400	4	4	0.001	1.25	150	0.5	100	1.5	
BAV19WS-AU	120	200	50	4	0.001	1	100	0.1	100	5	
BAV20WS-AU	200	200	50	4	0.001	1	100	0.1	150	5	
BAV21WS-AU	250	200	50	4	0.001	1	100	0.1	200	5	
1N4148W-AU	100	410	4	4	0.001	1.25	150	2.5	75	1.5	SOD-123
1N4448W-AU	100	500	4	4	0.001	1	100	2.5	75	4	
BAV21W-AU	250	410	50	4	1	1	100	0.1	200	5	SOT-563
BAV99STB6-AU	100	200	4	4	0.001	1.25	150	2.5	75	1.5	
BAL99W-AU	100	200	4	4	0.001	1.25	150	2.5	75	1.5	SOT-323
BAV70W-AU	100	200	4	4	0.001	1.25	150	2.5	75	1.5	
BAV99W-AU	100	200	4	4	0.001	1.25	150	2.5	75	1.5	
BAW56W-AU	100	200	4	4	0.001	1.25	150	2.5	75	1.5	
BAS16W-AU	100	200	6	4	0.001	0.855	10	1	75	2	
BAS21W-AU	250	200	50	4	0.001	1	100	0.1	200	5	
BAS16TW-AU	100	200	4	4	0.001	1.25	150	2.5	100	1.5	SOT-363
BAV70DW-AU	100	200	4	4	0.001	1.25	150	2.5	100	1.5	
BAV99S-AU	100	200	4	4	0.001	1.25	150	2.5	100	1.5	
BAW56DW-AU	100	200	4	4	0.001	1.25	150	2.5	100	1.5	
BAL99-AU	100	250	4	4	0.001	1.25	150	2.5	75	1.5	SOT-23
BAS116-AU	100	250	3000	4	0.001	1.25	150	0.005	75	2	
BAS16-AU	100	350	6	2	0.001	0.855	10	1	75	2	
BAV170-AU	100	250	3000	4	0.001	1.25	150	0.005	75	2	
BAV199-AU	100	250	3000	4	0.001	1.25	150	0.005	75	2	
BAV70-AU	100	250	4	4	0.001	1.25	150	2.5	75	1.5	
BAV99-AU	100	250	4	4	0.001	1.25	150	2.5	75	1.5	
BAW56-AU	100	250	4	4	0.001	1.25	150	2.5	75	1.5	
MMBD4148-AU	100	250	4	4	0.001	1.25	150	2.5	75	1.5	
BAS19-AU	120	350	50	2.5	0.001	1	100	0.1	100	1.5	
BAS20-AU	200	350	50	2.5	0.001	1	100	0.1	150	1.5	
BAS21-AU	250	350	50	2.5	0.001	1	100	0.1	200	1.5	
BAS21A-AU	250	250	50	4	0.001	1	100	0.1	200	5	
BAS21C-AU	250	250	50	4	0.001	1	100	0.1	200	5	
BAS21S-AU	250	250	50	4	0.001	1	100	0.1	200	5	

General Purpose Rectifiers

Part Number	I_F	V_{RRM} Max.	I_{FSM}	$V_F @ I_F$ Max.	$I_R @ V_R$ Max.	Package
	A	V	A	V	μA	
GS1000FL-AU	1	50	30	1.1	1	SOD-123FL
GS1001FL-AU	1	100	30	1.1	1	
GS1002FL-AU	1	200	30	1.1	1	
GS1004FL-AU	1	400	30	1.1	1	
GS1006FL-AU	1	600	30	1.1	1	
GS1008FL-AU	1	800	30	1.1	1	
GS1010FL-AU	1	1000	30	1.1	1	
GS1504FL-AU	1.5	400	50	1.1	1	
GS1506FL-AU	1.5	600	50	1.1	1	
GS1508FL-AU	1.5	800	50	1.1	1	
GS1510FL-AU	1.5	1000	50	1.1	1	SOD-123HE
GS1006HE-AU	1	600	30	1.1	1	
GS2004HE-AU	2	400	50	1.1	1	SMA
GH1D-AU	1	200	35	1.1	1	
GH1G-AU	1	400	35	1.1	1	
GS1A-AU	1	50	35	1.1	1	
GS1B-AU	1	100	35	1.1	1	
GS1D-AU	1	200	35	1.1	1	
GS1G-AU	1	400	35	1.1	1	
GS1J-AU	1	600	35	1.1	1	
GS1K-AU	1	800	35	1.1	1	
GS1M-AU	1	1000	35	1.1	1	SMAF
GS1GF-AU	1	400	30	1.1	1	
GS1JF-AU	1	600	30	1.1	1	
GS1KF-AU	1	800	30	1.1	1	
GS1MF-AU	1	1000	30	1.1	1	
GS2GF-AU	2	400	70	1.1	1	SMB
S2A-AU	2	50	60	1.1	1	
S2B-AU	2	100	60	1.1	1	
S2D-AU	2	200	60	1.1	1	
S2G-AU	2	400	60	1.1	1	
S2J-AU	2	600	60	1.1	1	
S2K-AU	2	800	60	1.1	1	
S2M-AU	2	1000	60	1.1	1	SMBF
S1GF-AU	1	400	30	1.1	1	
S2GF-AU	2	400	60	1.1	1	
S2GGF-AU	2	400	70	1.1	1	
S2JGF-AU	2	600	70	1.1	1	
S2KGF-AU	2	800	70	1.1	1	
S2MGF-AU	2	1000	70	1.1	1	SMC
S3A-AU	3	50	200	1.2	1	
S3B-AU	3	100	200	1.2	1	
S3D-AU	3	200	200	1.2	1	
S3G-AU	3	400	200	1.2	1	
S3J-AU	3	600	200	1.2	1	
S3K-AU	3	800	200	1.2	1	
S3M-AU	3	1000	200	1.2	1	
S5A-AU	5	50	275	1.1	10	
S5B-AU	5	100	275	1.1	10	
S5D-AU	5	200	275	1.1	10	

General Purpose Rectifiers

Part Number	I_F	V_{RRM} Max.	I_{FSM}	$V_F @ I_F$ Max.	$I_R @ V_R$ Max.	Package
	A	V	A	V	μA	
S5G-AU	5	400	275	1.1	10	SMC
S5J-AU	5	600	275	1.1	10	
S5M-AU	5	1000	275	1.1	10	
S8K-AU	8	800	400	0.985	10	
S8M-AU	8	1000	400	0.985	10	
PG4001-AU	1	50	30	1.1	1	DO-41
PG4002-AU	1	100	30	1.1	1	
PG4003-AU	1	200	30	1.1	1	
PG4004-AU	1	400	30	1.1	1	
PG4005-AU	1	600	30	1.1	1	
PG4006-AU	1	800	30	1.1	1	
PG4007-AU	1	1000	30	1.1	1	

Fast Recovery Rectifiers

Part Number	I_F	V_{RRM} Max.	t_{rr}	I_{FSM}	$V_F @ I_F$ Max.	$I_R @ V_{RRM}$ Max.	Package
	A	V	ns	A	V	μA	
RS1002FL-AU	1	200	150	30	1.3	1	SOD-123FL
RS1006FL-AU	1	600	250	30	1.3	1	
RS1008FL-AU	1	800	500	30	1.3	1	
RS1010FL-AU	1	1000	500	30	1.3	1	
RS1A-AU	1	50	150	30	1.3	1	SMA
RS1B-AU	1	100	150	30	1.3	1	
RS1D-AU	1	200	150	30	1.3	1	
RS1G-AU	1	400	150	30	1.3	1	
RS1J-AU	1	600	250	30	1.3	1	
FR2A-AU	2	50	150	50	1.3	1	SMB
FR2B-AU	2	100	150	50	1.3	1	
FR2D-AU	2	200	150	50	1.3	1	
FR2G-AU	2	400	150	50	1.3	1	
FR2J-AU	2	600	250	50	1.3	1	

Ultra Fast Recovery Rectifiers

Part Number	I_F	V_{RRM} Max.	t_{rr}	I_{FSM}	$V_F @ I_F$ Max.	$I_R @ V_{RRM}$ Max.	Package
	A	V	ns	A	V	μA	
US1001FL-AU	1	100	50	30	1	1	SOD-123FL
US1002FL-AU	1	200	50	30	1	1	
US1004FL-AU	1	400	50	30	1.4	1	
US1006FL-AU	1	600	100	30	1.7	1	
US1008FL-AU	1	800	100	30	1.7	1	
US1G-AU	1	400	50	30	1.3	1	SMA

Super Fast Recovery Rectifiers

Part Number	I_F	V_{RRM} Max.	t_{rr}	I_{FSM}	$V_F @ I_F$ Max.	$I_R @ V_{RRM}$ Max.	Package
	A	V	ns	A	V	μA	
ES1001FL-AU	1	100	35	30	0.95	1	SOD-123FL
ES1002FL-AU	1	200	35	30	0.95	1	
ES1004FL-AU	1	400	35	30	1.25	1	
ES1006FL-AU	1	600	35	30	1.7	1	
ES1A-AU	1	50	35	30	0.95	1	SMA
ES1B-AU	1	100	35	30	0.95	1	
ES1C-AU	1	150	35	30	0.95	1	
ES1D-AU	1	200	35	30	0.95	1	
ES1E-AU	1	300	35	30	1.25	1	
ES1G-AU	1	400	35	30	1.25	1	
ES1J-AU	1	600	35	30	1.7	1	
ES2A-AU	2	50	35	50	0.95	1	
ES2B-AU	2	100	35	50	0.95	1	
ES2C-AU	2	150	35	50	0.95	1	
ES2D-AU	2	200	35	50	0.95	1	
ES2E-AU	2	300	35	50	1.25	1	
ES2G-AU	2	400	35	50	1.25	1	
ES2J-AU	2	600	35	50	1.7	1	
ES1DF-AU	1	200	35	30	0.95	1	SMAF
ES1JF-AU	1	600	35	30	1.7	1	
ER2DAF-AU	2	200	35	50	0.95	1	
ER2D-AU	2	200	35	50	0.95	1	SMB
ER2DF-AU	2	200	35	50	0.95	1	SMBF
ER3A-AU	3	50	35	100	0.95	1	SMC
ER3B-AU	3	100	35	100	0.95	1	
ER3C-AU	3	150	35	100	0.95	1	
ER3D-AU	3	200	35	100	0.95	1	
ER3E-AU	3	300	35	100	1.25	1	
ER3G-AU	3	400	35	100	1.25	1	
ER3J-AU	3	600	35	100	1.7	1	

Bridge

Part Number	I_F	V_{RRM} Max.	I_{FSM}	$V_F @ I_F$ Max.	$I_R @ V_{RRM}$ Max.	Package
	A	V	A	V	μA	
TS240S-AU	2	40	50	0.5	50	MICRO DIP/TDI
TS360ILS-AU	3	60	60	0.66	65	MICRO DIP/TDI
DI156S-AU	1.5	600	50	1.1	5	SDIP

Zener Diodes

Part Number	P _D	V _Z	V _Z @ I _{ZT} (V)			Z _{VT} @ I _{ZT} Max.	I _{ZT}	Z _{ZK} @ I _{ZK} Max.	I _{ZK}	I _R @ V _R Max.		Package
	mW	%	TYP.	Min.	Max.	Ω	mA	Ω	mA	μA	V	
BZX584C2V4-AU	200	5	2.4	2.28	2.52	100	5	600	1	50	1	SOD-523
BZX584C2V7-AU	200	5	2.7	2.565	2.835	100	5	600	1	20	1	
BZX584C3-AU	200	5	3	2.85	3.15	95	5	600	1	10	1	
BZX584C3V3-AU	200	5	3.3	3.135	3.465	95	5	600	1	5	1	
BZX584C3V6-AU	200	5	3.6	3.42	3.78	90	5	600	1	5	1	
BZX584C3V9-AU	200	5	3.9	3.705	4.095	90	5	600	1	3	1	
BZX584C4V3-AU	200	5	4.3	4.085	4.515	90	5	600	1	3	1	
BZX584C4V7-AU	200	5	4.7	4.465	4.935	80	5	500	1	3	2	
BZX584C5V1-AU	200	5	5.1	4.845	5.355	60	5	480	1	2	2	
BZX584C5V6-AU	200	5	5.6	5.32	5.88	40	5	400	1	1	2	
BZX584C6V2-AU	200	5	6.2	5.89	6.51	10	5	150	1	3	4	
BZX584C6V8-AU	200	5	6.8	6.46	7.14	15	5	80	1	2	4	
BZX584C7V5-AU	200	5	7.5	7.125	7.875	15	5	80	1	1	5	
BZX584C8V2-AU	200	5	8.2	7.79	8.61	15	5	80	1	0.7	5	
BZX584C8V7-AU	200	5	8.7	8.265	9.135	15	5	100	1	0.7	5	
BZX584C9V1-AU	200	5	9.1	8.645	9.555	15	5	100	1	0.5	6	
BZX584C10-AU	200	5	10	9.5	10.5	20	5	150	1	0.2	7	
BZX584C11-AU	200	5	11	10.45	11.55	20	5	150	1	0.1	8	
BZX584C12-AU	200	5	12	11.4	12.6	25	5	150	1	0.1	8	
BZX584C13-AU	200	5	13	12.35	13.65	30	5	170	1	0.1	8	
BZX584C14-AU	200	5	14	13.3	14.7	30	5	170	1	0.05	10	
BZX584C15-AU	200	5	15	14.25	15.75	30	5	200	1	0.05	10.5	
BZX584C16-AU	200	5	16	15.2	16.8	40	5	200	1	0.05	11.2	
BZX584C17-AU	200	5	17	16.15	17.85	40	5	200	1	0.05	12.2	
BZX584C18-AU	200	5	18	17.1	18.9	45	5	225	1	0.05	12.6	
BZX584C20-AU	200	5	20	19	21	55	5	225	1	0.05	14	
BZX584C22-AU	200	5	22	20.9	23.1	55	5	250	1	0.05	15.4	
BZX584C24-AU	200	5	24	22.8	25.2	70	5	250	1	0.05	16.8	
BZX584C27-AU	200	5	27	25.65	28.35	80	5	300	1	0.05	18.9	
BZX584C28-AU	200	5	28	26.6	29.4	80	5	300	1	0.05	20.5	
BZX584C30-AU	200	5	30	28.5	31.5	80	5	300	1	0.05	21	
BZX584C33-AU	200	5	33	31.35	34.65	80	5	325	1	0.05	23.1	
BZX584C36-AU	200	5	36	34.2	37.8	90	5	350	1	0.05	25.2	
BZX584C39-AU	200	5	39	37.05	40.95	130	5	350	1	0.05	27.3	
BZX584C43-AU	200	5	43	40.85	45.15	150	5	375	1	0.05	30.1	
BZX584C47-AU	200	5	47	44.65	49.35	170	5	375	1	0.05	32.9	
BZX584C51-AU	200	5	51	48.45	53.55	100	5	400	1	0.1	38	
BZX584C56-AU	200	5	56	53.2	58.8	135	2.5	1000	1	0.05	42	
BZX584C62-AU	200	5	62	58.9	65.1	150	2.5	1000	1	0.05	46	
BZX584C68-AU	200	5	68	64.6	71.4	200	2.5	1000	1	0.05	51	
BZX584C75-AU	200	5	75	71.25	78.75	250	2.5	1000	1	0.1	56	
MMBZ5234BV-AU	200	5	6.2	5.89	6.51	7	20	1000	0.25	5	4	SOD-323
BZX584B5V1-AU	200	2	5.1	5	5.2	60	5	480	1	2	2	
BZX584B5V6-AU	200	2	5.6	5.49	5.71	40	5	400	1	1	2	
BZX584B8V2-AU	200	2	8.2	8.04	8.36	15	5	80	1	0.7	5	
BZT52-C2V4S-AU	200	5	2.4	2.28	2.52	85	5	600	1	100	1	
BZT52-C2V7S-AU	200	5	2.7	2.57	2.84	83	5	600	1	75	1	SOD-323
BZT52-C3S-AU	200	5	3	2.85	3.15	95	5	600	1	50	1	
BZT52-C3V3S-AU	200	5	3.3	3.14	3.47	95	5	600	1	25	1	
BZT52-C3V6S-AU	200	5	3.6	3.42	3.78	95	5	600	1	15	1	

Zener Diodes

Part Number	P _D	V _Z	V _Z @ I _{ZT} (V)			Z _{YT} @ I _{ZT} Max.	I _{ZT}	Z _{ZK} @ I _{ZK} Max.	I _{ZK}	I _R @ V _R Max.		Package
	mW	%	TYP.	Min.	Max.	Ω	mA	Ω	mA	μA	V	
BZT52-C3V9S-AU	200	5	3.9	3.71	4.1	95	5	600	1	10	1	SOD-323
BZT52-C4V3S-AU	200	5	4.3	4.09	4.52	95	5	600	1	5	1	
BZT52-C4V7S-AU	200	5	4.7	4.47	4.94	78	5	500	1	5	1	
BZT52-C5V1S-AU	200	5	5.1	4.85	5.36	60	5	480	1	0.1	0.8	
BZT52-C5V6S-AU	200	5	5.6	5.32	5.88	40	5	400	1	0.1	1	
BZT52-C6V2S-AU	200	5	6.2	5.89	6.51	10	5	150	1	0.1	2	
BZT52-C6V8S-AU	200	5	6.8	6.46	7.14	8	5	80	1	0.1	3	
BZT52-C7V5S-AU	200	5	7.5	7.13	7.88	7	5	80	1	0.1	5	
BZT52-C8V2S-AU	200	5	8.2	7.79	8.61	7	5	80	1	0.1	6	
BZT52-C8V7S-AU	200	5	8.7	8.27	9.14	7	5	100	1	0.1	6.5	
BZT52-C9V1S-AU	200	5	9.1	8.65	9.56	10	5	100	1	0.1	7	
BZT52-C10S-AU	200	5	10	9.5	10.5	15	5	150	1	0.1	7.5	
BZT52-C11S-AU	200	5	11	10.45	11.55	20	5	150	1	0.1	8.5	
BZT52-C12S-AU	200	5	12	11.4	12.6	20	5	150	1	0.1	9	
BZT52-C13S-AU	200	5	13	12.35	13.65	25	5	170	1	0.1	10	
BZT52-C14S-AU	200	5	14	13.3	14.7	25	5	170	1	0.1	10.5	
BZT52-C15S-AU	200	5	15	14.25	15.75	30	5	200	1	0.1	11	
BZT52-C16S-AU	200	5	16	15.2	16.8	40	5	200	1	0.1	12	
BZT52-C17S-AU	200	5	17	16.15	17.85	40	5	200	1	0.1	13	
BZT52-C18S-AU	200	5	18	17.1	18.9	50	5	225	1	0.1	14	
BZT52-C20S-AU	200	5	20	19	21	50	5	225	1	0.1	15	
BZT52-C22S-AU	200	5	22	20.9	23.1	55	5	250	1	0.1	17	
BZT52-C24S-AU	200	5	24	22.8	25.2	80	5	250	1	0.1	18	
BZT52-C27S-AU	200	5	27	25.65	28.35	80	5	300	1	0.1	20	
BZT52-C28S-AU	200	5	28	26.6	29.4	80	5	300	1	0.1	22	
BZT52-C30S-AU	200	5	30	28.5	31.5	80	5	300	1	0.1	22.5	
BZT52-C33S-AU	200	5	33	31.35	34.65	80	5	325	1	0.1	25	
BZT52-C36S-AU	200	5	36	34.2	37.8	90	5	350	1	0.1	27	
BZT52-C39S-AU	200	5	39	37.05	40.95	90	5	350	1	0.1	29	
BZT52-C43S-AU	200	5	43	40.85	45.15	100	5	375	1	0.1	32	
BZT52-C47S-AU	200	5	47	44.65	49.35	100	5	375	1	0.1	35	
BZT52-C51S-AU	200	5	51	48.45	53.55	100	5	400	1	0.1	38	
BZT52-C56S-AU	200	5	56	53.2	58.8	135	2.5	1000	1	0.1	42	
BZT52-C62S-AU	200	5	62	58.9	65.1	150	2.5	1000	1	0.1	46	
BZT52-C68S-AU	200	5	68	64.6	71.4	200	2.5	1000	1	0.1	51	
BZT52-C75S-AU	200	5	75	71.25	78.75	250	2.5	1000	1	0.1	56	
BZT52-B2V4S-AU	200	2	2.4	2.352	2.448	85	5	600	1	100	1	
BZT52-B2V7S-AU	200	2	2.7	2.64	2.754	83	5	600	1	75	1	
BZT52-B3S-AU	200	2	3	2.94	3.06	95	5	600	1	50	1	
BZT52-B3V3S-AU	200	2	3.3	3.234	3.366	95	5	600	1	25	1	
BZT52-B3V6S-AU	200	2	3.6	3.52	3.672	95	5	600	1	15	1	
BZT52-B3V9S-AU	200	2	3.9	3.822	3.978	95	5	600	1	10	1	
BZT52-B4V3S-AU	200	2	4.3	4.21	4.39	95	5	600	1	5	1	
BZT52-B4V7S-AU	200	2	4.7	4.61	4.79	78	5	500	1	5	1	
BZT52-B5V1S-AU	200	2	5.1	5	5.2	60	5	480	1	0.1	0.8	
BZT52-B5V6S-AU	200	2	5.6	5.49	5.71	40	5	400	1	0.1	1	
BZT52-B5V8S-AU	200	2	5.8	5.68	5.92	30	5	300	1	0.1	1.5	
BZT52-B6V2S-AU	200	2	6.2	6.08	6.32	10	5	150	1	0.1	2	
BZT52-B6V8S-AU	200	2	6.8	6.66	6.94	8	5	80	1	0.1	3	
BZT52-B7V5S-AU	200	2	7.5	7.35	7.65	7	5	80	1	0.1	5	

Zener Diodes

Part Number	P _D	V _Z	V _Z @ I _{ZT} (V)			Z _{VT} @ I _{ZT} Max.	I _{ZT}	Z _{ZK} @ I _{ZK} Max.	I _{ZK}	I _R @ V _R Max.		Package
	mW	%	TYP.	Min.	Max.	Ω	mA	Ω	mA	μA	V	
BZT52-B8V2S-AU	200	2	8.2	8.04	8.36	7	5	80	1	0.1	6	SOD-323
BZT52-B8V7S-AU	200	2	8.7	8.53	8.87	7	5	100	1	0.1	6.5	
BZT52-B9V1S-AU	200	2	9.1	8.92	9.28	10	5	100	1	0.1	7	
BZT52-B10S-AU	200	2	10	9.8	10.2	15	5	150	1	0.1	7.5	
BZT52-B11S-AU	200	2	11	10.78	11.22	20	5	150	1	0.1	8.5	
BZT52-B12S-AU	200	2	12	11.76	12.24	20	5	150	1	0.1	9	
BZT52-B13S-AU	200	2	13	12.74	13.26	25	5	170	1	0.1	10	
BZT52-B14S-AU	200	2	14	13.72	14.28	25	5	170	1	0.1	10.5	
BZT52-B15S-AU	200	2	15	14.7	15.3	30	5	200	1	0.1	11	
BZT52-B16S-AU	200	2	16	15.68	16.32	40	5	200	1	0.1	12	
BZT52-B17S-AU	200	2	17	16.66	17.34	40	5	200	1	0.1	13	
BZT52-B18S-AU	200	2	18	17.64	18.36	50	5	225	1	0.1	14	
BZT52-B20S-AU	200	2	20	19.6	20.4	50	5	225	1	0.1	15	
BZT52-B22S-AU	200	2	22	21.56	22.44	55	5	250	1	0.1	17	
BZT52-B24S-AU	200	2	24	23.52	24.48	80	5	250	1	0.1	18	
BZT52-B27S-AU	200	2	27	26.46	27.54	80	5	300	1	0.1	20	
BZT52-B28S-AU	200	2	28	27.44	28.56	80	5	300	1	0.1	22	
BZT52-B30S-AU	200	2	30	29.4	30.6	80	5	300	1	0.1	22.5	
BZT52-B33S-AU	200	2	33	32.34	33.66	80	5	325	1	0.1	25	
BZT52-B36S-AU	200	2	36	35.28	36.72	90	5	350	1	0.1	27	
BZT52-B39S-AU	200	2	39	38.22	39.78	90	5	350	1	0.1	29	
BZT52-B43S-AU	200	2	43	42.14	43.86	100	5	375	1	0.1	32	
BZT52-B47S-AU	200	2	47	46.06	47.94	100	5	375	1	0.1	35	
BZT52-B51S-AU	200	2	51	49.98	52.02	100	5	400	1	0.1	38	
BZT52-B56S-AU	200	2	56	54.88	57.12	135	2.5	1000	1	0.1	42	
BZT52-B62S-AU	200	2	62	60.76	63.24	150	2.5	1000	1	0.1	46	
BZT52-B68S-AU	200	2	68	66.64	69.36	200	2.5	1000	1	0.1	51	
BZT52-B75S-AU	200	2	75	73.5	76.5	250	2.5	1000	1	0.1	56	
MMSZ4691WS-AU	200	5	6.2	5.89	6.61	-	0.05	-	-	10	5	
MMSZ4692WS-AU	200	5	6.8	6.46	7.14	-	0.05	-	-	10	5.1	
MMSZ4702WS-AU	200	5	15	14.25	15.75	-	0.05	-	-	0.05	11.4	
MMSZ5221BS-AU	200	5	2.4	2.28	2.52	30	20	1200	0.25	100	1	
MMSZ5222BS-AU	200	5	2.5	2.38	2.63	30	20	1250	0.25	100	1	
MMSZ5223BS-AU	200	5	2.7	2.57	2.84	30	20	1300	0.25	75	1	
MMSZ5225BS-AU	200	5	3	2.85	3.15	30	20	1600	0.25	50	1	
MMSZ5226BS-AU	200	5	3.3	3.14	3.47	28	20	1600	0.25	25	1	
MMSZ5227BS-AU	200	5	3.6	3.42	3.78	24	20	1700	0.25	15	1	
MMSZ5228BS-AU	200	5	3.9	3.71	4.1	23	20	1900	0.25	10	1	
MMSZ5229BS-AU	200	5	4.3	4.09	4.52	22	20	2000	0.25	5	1	
MMSZ5230BS-AU	200	5	4.7	4.47	4.94	19	20	1900	0.25	5	2	
MMSZ5231BS-AU	200	5	5.1	4.85	5.36	17	20	1600	0.25	5	2	
MMSZ5232BS-AU	200	5	5.6	5.32	5.88	11	20	1600	0.25	5	3	
MMSZ5234BS-AU	200	5	6.2	5.89	6.51	7	20	1000	0.25	5	4	
MMSZ5235BS-AU	200	5	6.8	6.46	7.14	5	20	750	0.25	3	5	
MMSZ5236BS-AU	200	5	7.5	7.13	7.88	6	20	500	0.25	3	6	
MMSZ5237BS-AU	200	5	8.2	7.79	8.61	8	20	500	0.25	3	6	
MMSZ5238BS-AU	200	5	8.7	8.27	9.14	8	20	600	0.25	3	6.5	
MMSZ5239BS-AU	200	5	9.1	8.65	9.56	10	20	600	0.25	3	6.5	
MMSZ5240BS-AU	200	5	10	9.5	10.5	17	20	600	0.25	3	8	
MMSZ5241BS-AU	200	5	11	10.45	11.55	22	20	600	0.25	2	8.4	

Zener Diodes

Part Number	P _D	V _Z	V _Z @ I _{ZT} (V)			Z _{VT} @ I _{ZT} Max.	I _{ZT}	Z _{ZK} @ I _{ZK} Max.	I _{ZK}	I _R @ V _R Max.		Package
	mW	%	TYP.	Min.	Max.	Ω	mA	Ω	mA	μA	V	
MMSZ5242BS-AU	200	5	12	11.4	12.6	30	20	600	0.25	1	9.1	SOD-323
MMSZ5243BS-AU	200	5	13	12.35	13.65	13	9.5	600	0.25	0.5	9.9	
MMSZ5244BS-AU	200	5	14	13.3	14.7	15	9	600	0.25	0.1	10.5	
MMSZ5245BS-AU	200	5	15	14.25	15.75	16	8.5	600	0.25	0.1	11	
MMSZ5246BS-AU	200	5	16	15.2	16.8	17	7.8	600	0.25	0.1	12	
MMSZ5247BS-AU	200	5	17	16.15	17.85	19	7.5	600	0.25	0.1	13	
MMSZ5248BS-AU	200	5	18	17.1	18.9	21	7	600	0.25	0.1	14	
MMSZ5250BS-AU	200	5	20	19	21	25	6.2	600	0.25	0.1	15	
MMSZ5251BS-AU	200	5	22	20.9	23.1	29	5.6	600	0.25	0.1	17	
MMSZ5252BS-AU	200	5	24	22.8	25.2	33	5.2	600	0.25	0.1	18	
MMSZ5254BS-AU	200	5	27	25.65	28.35	41	5	600	0.25	0.1	21	
MMSZ5255BS-AU	200	5	28	26.6	29.4	44	4.5	600	0.25	0.1	21	
MMSZ5256BS-AU	200	5	30	28.5	31.5	49	4.2	600	0.25	0.1	23	
MMSZ5257BS-AU	200	5	33	31.35	34.65	58	3.8	700	0.25	0.1	25	
MMSZ5258BS-AU	200	5	36	34.2	37.8	70	3.4	700	0.25	0.1	27	
MMSZ5259BS-AU	200	5	39	37.05	40.95	80	3.2	800	0.25	0.1	30	
MMSZ5260BS-AU	200	5	43	40.85	45.15	93	3	900	0.25	0.1	33	
MMSZ5261BS-AU	200	5	47	44.65	49.35	105	2.7	1000	0.25	0.1	36	
MMSZ5262BS-AU	200	5	51	48.45	53.55	125	2.5	1100	0.25	0.1	39	
MMSZ5229AS-AU	200	2	4.3	4.21	4.39	22	20	2000	0.25	5	1	
MMSZ5230AS-AU	200	2	4.7	4.61	4.79	19	20	1900	0.25	5	2	
MMSZ5231AS-AU	200	2	5.1	5	5.2	17	20	1600	0.25	5	2	
MMSZ5232AS-AU	200	2	5.6	5.49	5.71	11	20	1600	0.25	5	3	
MMSZ5234AS-AU	200	2	6.2	6.08	6.32	7	20	1000	0.25	5	4	
MMSZ5235AS-AU	200	2	6.8	6.66	6.94	5	20	750	0.25	3	5	
MMSZ5236AS-AU	200	2	7.5	7.35	7.65	6	20	500	0.25	3	6	
MMSZ5237AS-AU	200	2	8.2	8.04	8.36	8	20	500	0.25	3	6	
MMSZ5238AS-AU	200	2	8.7	8.53	8.87	8	20	600	0.25	3	6.5	
MMSZ5239AS-AU	200	2	9.1	8.92	9.28	10	20	600	0.25	3	6.5	
MMSZ5240AS-AU	200	2	10	9.8	10.2	17	20	600	0.25	3	8	
MMSZ5241AS-AU	200	2	11	10.78	11.22	22	20	600	0.25	2	8.4	
MMSZ5242AS-AU	200	2	12	11.76	12.24	30	20	600	0.25	1	9.1	
MMSZ5243AS-AU	200	2	13	12.74	13.26	13	9.5	600	0.25	0.5	9.9	
MMSZ5244AS-AU	200	2	14	13.72	14.28	15	9	600	0.25	0.1	10.5	
MMSZ5245AS-AU	200	2	15	14.7	15.3	16	8.5	600	0.25	0.1	11	
MMSZ5246AS-AU	200	2	16	15.68	16.32	17	7.8	600	0.25	0.1	12	
MMSZ5247AS-AU	200	2	17	16.66	17.34	19	7.5	600	0.25	0.1	13	
MMSZ5248AS-AU	200	2	18	17.64	18.36	21	7	600	0.25	0.1	14	
MMSZ5250AS-AU	200	2	20	19.6	20.4	25	6.2	600	0.25	0.1	15	
MMSZ5251AS-AU	200	2	22	21.56	22.44	29	5.6	600	0.25	0.1	17	
MMSZ5252AS-AU	200	2	24	23.52	24.48	33	5.2	600	0.25	0.1	18	
MMSZ5254AS-AU	200	2	27	26.46	27.54	41	5	600	0.25	0.1	21	
MMSZ5255AS-AU	200	2	28	27.44	28.56	44	4.5	600	0.25	0.1	21	
MMSZ5256AS-AU	200	2	30	29.4	30.6	49	4.2	600	0.25	0.1	23	
MMSZ5257AS-AU	200	2	33	32.34	33.66	58	3.8	700	0.25	0.1	25	
MMSZ5258AS-AU	200	2	36	35.28	36.72	70	3.4	700	0.25	0.1	27	
MMSZ5259AS-AU	200	2	39	38.22	39.78	80	3.2	800	0.25	0.1	30	
MMSZ5260AS-AU	200	2	43	42.14	43.86	93	3	900	0.25	0.1	33	
MMSZ5261AS-AU	200	2	47	46.06	47.94	105	2.7	1000	0.25	0.1	36	
MMSZ5262AS-AU	200	2	51	49.98	52.02	125	2.5	1100	0.25	0.1	39	

Zener Diodes

Part Number	P _D	V _Z	V _Z @ I _{ZT} (V)			Z _{VT} @ I _{ZT} Max.	I _{ZT}	Z _{ZK} @ I _{ZK} Max.	I _{ZK}	I _R @ V _R Max.		Package
	mW	%	TYP.	Min.	Max.	Ω	mA	Ω	mA	μA	V	
BZX84C2V4W-AU	200	5	2.4	2.28	2.52	100	5	600	1	50	1	SOT-323
BZX84C2V7W-AU	200	5	2.7	2.57	2.84	100	5	600	1	20	1	
BZX84C3W-AU	200	5	3	2.85	3.15	95	5	600	1	10	1	
BZX84C3V3W-AU	200	5	3.3	3.14	3.47	95	5	600	1	5	1	
BZX84C3V6W-AU	200	5	3.6	3.42	3.78	90	5	600	1	5	1	
BZX84C3V9W-AU	200	5	3.9	3.71	4.1	90	5	600	1	3	1	
BZX84C4V3W-AU	200	5	4.3	4.09	4.52	90	5	600	1	3	1	
BZX84C4V7W-AU	200	5	4.7	4.47	4.94	80	5	500	1	3	2	
BZX84C5V1W-AU	200	5	5.1	4.85	5.36	60	5	480	1	2	2	
BZX84C5V6W-AU	200	5	5.6	5.32	5.88	40	5	400	1	1	2	
BZX84C6V2W-AU	200	5	6.2	5.89	6.51	10	5	150	1	3	4	
BZX84C6V8W-AU	200	5	6.8	6.46	7.14	15	5	80	1	2	4	
BZX84C7V5W-AU	200	5	7.5	7.13	7.88	15	5	80	1	1	5	
BZX84C8V2W-AU	200	5	8.2	7.79	8.61	15	5	80	1	0.7	5	
BZX84C8V7W-AU	200	5	8.7	8.27	9.14	15	5	100	1	0.7	5	
BZX84C9V1W-AU	200	5	9.1	8.65	9.56	15	5	100	1	0.5	6	
BZX84C10W-AU	200	5	10	9.5	10.5	20	5	150	1	0.2	7	
BZX84C11W-AU	200	5	11	10.45	11.55	20	5	150	1	0.1	8	
BZX84C12W-AU	200	5	12	11.4	12.6	25	5	150	1	0.1	8	
BZX84C13W-AU	200	5	13	12.35	13.65	30	5	170	1	0.1	8	
BZX84C14W-AU	200	5	14	13.3	14.7	30	5	170	1	0.1	10	
BZX84C15W-AU	200	5	15	14.25	15.75	30	5	200	1	0.1	10.5	
BZX84C16W-AU	200	5	16	15.2	16.8	40	5	200	1	0.1	11.2	
BZX84C17W-AU	200	5	17	16.15	17.85	40	5	200	1	0.1	12.2	
BZX84C18W-AU	200	5	18	17.1	18.9	45	5	225	1	0.1	12.6	
BZX84C20W-AU	200	5	20	19	21	55	5	225	1	0.1	14	
BZX84C22W-AU	200	5	22	20.9	23.1	55	5	250	1	0.1	15.4	
BZX84C24W-AU	200	5	24	22.8	25.2	70	5	250	1	0.1	16.8	
BZX84C27W-AU	200	5	27	25.65	28.35	80	5	300	1	0.05	18.9	
BZX84C28W-AU	200	5	28	26.6	29.4	80	5	300	1	0.05	20.5	
BZX84C30W-AU	200	5	30	28.5	31.5	80	5	300	1	0.05	21	
BZX84C33W-AU	200	5	33	31.35	34.65	80	5	325	1	0.05	23.1	
BZX84C36W-AU	200	5	36	34.2	37.8	90	5	350	1	0.05	25.2	
BZX84C39W-AU	200	5	39	37.05	40.95	130	5	350	1	0.05	27.3	
BZX84C43W-AU	200	5	43	40.85	45.15	150	5	375	1	0.05	30.1	
BZX84C47W-AU	200	5	47	44.65	49.35	170	5	375	1	0.05	32.9	
BZX84C51W-AU	200	5	51	48.45	53.55	100	5	400	1	0.1	38	
BZX84C56W-AU	200	5	56	53.2	58.8	135	2.5	1000	1	0.1	42	
BZX84C62W-AU	200	5	62	58.9	65.1	150	2.5	1000	1	0.1	46	
BZX84C68W-AU	200	5	68	64.6	71.4	200	2.5	1000	1	0.1	51	
BZX84C75W-AU	200	5	75	71.25	78.75	250	2.5	1000	1	0.1	56	
BZX84B2V4W-AU	200	2	2.4	2.35	2.45	100	5	600	1	50	1	
BZX84B2V7W-AU	200	2	2.7	2.64	2.75	100	5	600	1	20	1	
BZX84B3W-AU	200	2	3	2.94	3.06	95	5	600	1	10	1	
BZX84B3V3W-AU	200	2	3.3	3.23	3.37	95	5	600	1	5	1	
BZX84B3V6W-AU	200	2	3.6	3.52	3.67	90	5	600	1	5	1	
BZX84B3V9W-AU	200	2	3.9	3.82	3.98	90	5	600	1	3	1	
BZX84B4V3W-AU	200	2	4.3	4.21	4.39	90	5	600	1	3	1	
BZX84B4V7W-AU	200	2	4.7	4.61	4.79	80	5	500	1	3	2	
BZX84B5V1W-AU	200	2	5.1	5	5.2	60	5	480	1	2	2	

Zener Diodes

Part Number	P _D	V _Z	V _Z @ I _{ZT} (V)			Z _{VT} @ I _{ZT} Max.	I _{ZT}	Z _{ZK} @ I _{ZK} Max.	I _{ZK}	I _R @ V _R Max.		Package
	mW	%	TYP.	Min.	Max.	Ω	mA	Ω	mA	μA	V	
BZX84B5V6W-AU	200	2	5.6	5.49	5.71	40	5	400	1	1	2	SOT-323
BZX84B6V2W-AU	200	2	6.2	6.08	6.32	10	5	150	1	3	4	
BZX84B6V8W-AU	200	2	6.8	6.66	6.94	15	5	80	1	2	4	
BZX84B7V5W-AU	200	2	7.5	7.35	7.65	15	5	80	1	1	5	
BZX84B8V2W-AU	200	2	8.2	8.04	8.36	15	5	80	1	0.7	5	
BZX84B8V7W-AU	200	2	8.7	8.53	8.87	15	5	100	1	0.7	5	
BZX84B9V1W-AU	200	2	9.1	8.92	9.28	15	5	100	1	0.5	6	
BZX84B10W-AU	200	2	10	9.8	10.2	20	5	150	1	0.2	7	
BZX84B11W-AU	200	2	11	10.78	11.22	20	5	150	1	0.1	8	
BZX84B12W-AU	200	2	12	11.76	12.24	25	5	150	1	0.1	8	
BZX84B13W-AU	200	2	13	12.74	13.26	30	5	170	1	0.1	8	
BZX84B14W-AU	200	2	14	13.72	14.28	30	5	170	1	0.1	10	
BZX84B15W-AU	200	2	15	14.7	15.3	30	5	200	1	0.1	10.5	
BZX84B16W-AU	200	2	16	15.68	16.32	40	5	200	1	0.1	11.2	
BZX84B17W-AU	200	2	17	16.66	17.34	40	5	200	1	0.1	12.2	
BZX84B18W-AU	200	2	18	17.64	18.36	45	5	225	1	0.1	12.6	
BZX84B20W-AU	200	2	20	19.6	20.4	55	5	225	1	0.1	14	
BZX84B22W-AU	200	2	22	21.56	22.44	55	5	250	1	0.1	15.4	
BZX84B24W-AU	200	2	24	23.52	24.48	70	5	250	1	0.1	16.8	
BZX84B27W-AU	200	2	27	26.46	27.54	80	5	300	1	0.05	18.9	
BZX84B28W-AU	200	2	28	27.44	28.56	80	5	300	1	0.05	20.5	
BZX84B30W-AU	200	2	30	29.4	30.6	80	5	300	1	0.05	21	
BZX84B33W-AU	200	2	33	32.34	33.66	80	5	325	1	0.05	23.1	
BZX84B36W-AU	200	2	36	35.28	36.72	90	5	350	1	0.05	25.2	
BZX84B39W-AU	200	2	39	38.22	39.78	130	5	350	1	0.05	27.3	
BZX84B43W-AU	200	2	43	42.14	43.86	150	5	375	1	0.1	30.1	
BZX84B47W-AU	200	2	47	46.06	47.94	170	5	375	1	0.1	32.9	
BZX84B51W-AU	200	2	51	49.98	52.02	100	5	400	1	0.1	38	
BZX84B56W-AU	200	2	56	54.88	57.12	135	2.5	1000	1	0.05	42	
BZX84B62W-AU	200	2	62	60.76	63.24	150	2.5	1000	1	0.1	46	
BZX84B68W-AU	200	2	68	66.64	69.36	200	2.5	1000	1	0.1	51	
BZX84B75W-AU	200	2	75	73.5	76.5	250	2.5	1000	1	0.1	56	
PZD22B2V4C-AU	200	5	2.4	2.28	2.52	100	5	600	1	50	1	
PZD22B2V7C-AU	200	5	2.7	2.57	2.84	100	5	600	1	20	1	
PZD22B3V0C-AU	200	5	3	2.85	3.15	95	5	600	1	10	1	
PZD22B3V3C-AU	200	5	3.3	3.13	3.47	95	5	600	1	5	1	
PZD22B3V6C-AU	200	5	3.6	3.42	3.78	90	5	600	1	5	1	
PZD22B3V9C-AU	200	5	3.9	3.7	4.1	90	5	600	1	3	1	
PZD22B4V3C-AU	200	5	4.3	4.08	4.52	88	5	600	1	3	1	
PZD22B4V7C-AU	200	5	4.7	4.46	4.94	70	5	500	1	3	2	
PZD22B5V1C-AU	200	5	5.1	4.84	5.36	50	5	480	1	2	2	
PZD22B5V6C-AU	200	5	5.6	5.32	5.88	25	5	400	1	1	2	
PZD22B6V2C-AU	200	5	6.2	5.89	6.51	10	5	150	1	3	4	
PZD22B6V8C-AU	200	5	6.8	6.46	7.14	8	5	80	1	2	4	
PZD22B7V5C-AU	200	5	7.5	7.12	7.88	7	5	80	1	0.1	5	
PZD22B8V2C-AU	200	5	8.2	7.79	8.61	7	5	80	1	0.1	6	
PZD22B8V7C-AU	200	5	8.7	8.26	9.14	9	5	100	1	0.1	6.5	
PZD22B9V1C-AU	200	5	9.1	8.64	9.56	10	5	100	1	0.1	7	
PZD22B10C-AU	200	5	10	9.5	10.5	15	5	150	1	0.1	7.5	
PZD22B11C-AU	200	5	11	10.45	11.55	18	5	150	1	0.1	8.5	

Zener Diodes

Part Number	P _D	V _Z	V _Z @ I _{ZT} (V)			Z _{VT} @ I _{ZT} Max.	I _{ZT}	Z _{ZK} @ I _{ZK} Max.	I _{ZK}	I _R @ V _R Max.		Package
	mW	%	TYP.	Min.	Max.	Ω	mA	Ω	mA	μA	V	
PZD22B12C-AU	200	5	12	11.4	12.6	22	5	150	1	0.1	9	SOT-323
PZD22B13C-AU	200	5	13	12.35	13.65	25	5	170	1	0.1	10	
PZD22B14C-AU	200	5	14	13.3	14.7	28	5	170	1	0.1	10.5	
PZD22B15C-AU	200	5	15	14.25	15.75	32	5	200	1	0.1	11	
PZD22B16C-AU	200	5	16	15.2	16.8	36	5	200	1	0.1	12	
PZD22B17C-AU	200	5	17	16.15	17.85	39	5	200	1	0.1	13	
PZD22B18C-AU	200	5	18	17.1	18.9	42	5	225	1	0.1	14	
PZD22B20C-AU	200	5	20	19	21	48	5	225	1	0.1	15	
PZD22B22C-AU	200	5	22	20.9	23.1	55	5	250	1	0.1	17	
PZD22B24C-AU	200	5	24	22.8	25.2	62	5	250	1	0.1	18	
PZD22B27C-AU	200	5	27	25.65	28.35	70	5	300	1	0.1	20	
PZD22B28C-AU	200	5	28	26.6	29.4	74	5	300	1	0.1	22	
PZD22B30C-AU	200	5	30	28.5	31.5	78	5	300	1	0.1	22.5	
PZD22B33C-AU	200	5	33	31.35	34.65	88	5	325	1	0.1	25	
PZD22B36C-AU	200	5	36	34.2	37.8	95	5	350	1	0.1	27	
PZD22B39C-AU	200	5	39	37.05	40.95	130	5	350	1	0.1	29	
PZD22B43C-AU	200	5	43	40.85	45.15	150	5	375	1	0.1	32	
PZD22B47C-AU	200	5	47	44.65	49.35	170	5	375	1	0.1	35	
PZD22B51C-AU	200	5	51	48.45	53.55	180	5	400	1	0.1	38	
PZD22B56C-AU	200	5	56	53.2	58.8	200	2.5	1000	1	0.1	42	
PZD22B62C-AU	200	5	62	58.9	65.1	225	2.5	1000	1	0.1	46	
PZD22B68C-AU	200	5	68	64.6	71.4	240	2.5	1000	1	0.1	51	
PZD22B75C-AU	200	5	75	71.25	78.75	265	2.5	1000	1	0.1	56	
BZX84C2V4TW-AU	200	5	2.4	2.28	2.52	100	5	600	1	50	1	SOT-363
BZX84C2V7TW-AU	200	5	2.7	2.565	2.835	100	5	600	1	20	1	
BZX84C3TW-AU	200	5	3	2.85	3.15	95	5	600	1	10	1	
BZX84C3V3TW-AU	200	5	3.3	3.135	3.465	95	5	600	1	5	1	
BZX84C3V6TW-AU	200	5	3.6	3.42	3.78	90	5	600	1	5	1	
BZX84C3V9TW-AU	200	5	3.9	3.705	4.095	90	5	600	1	3	1	
BZX84C4V3TW-AU	200	5	4.3	4.085	4.515	90	5	600	1	3	1	
BZX84C4V7TW-AU	200	5	4.7	4.465	4.935	80	5	500	1	3	2	
BZX84C5V1TW-AU	200	5	5.1	4.845	5.355	60	5	480	1	2	2	
BZX84C5V6TW-AU	200	5	5.6	5.32	5.88	40	5	400	1	1	2	
BZX84C6V2TW-AU	200	5	6.2	5.89	6.51	10	5	150	1	3	4	
BZX84C6V8TW-AU	200	5	6.8	6.46	7.14	15	5	80	1	2	4	
BZX84C7V5TW-AU	200	5	7.5	7.125	7.875	15	5	80	1	1	5	
BZX84C8V2TW-AU	200	5	8.2	7.79	8.61	15	5	80	1	0.7	5	
BZX84C8V7TW-AU	200	5	8.7	8.265	9.135	15	5	100	1	0.7	5	
BZX84C9V1TW-AU	200	5	9.1	8.645	9.555	15	5	100	1	0.5	6	
BZX84C10TW-AU	200	5	10	9.5	10.5	20	5	150	1	0.2	7	
BZX84C11TW-AU	200	5	11	10.45	11.55	20	5	150	1	0.1	8	
BZX84C12TW-AU	200	5	12	11.4	12.6	25	5	150	1	0.1	8	
BZX84C13TW-AU	200	5	13	12.35	13.65	30	5	170	1	0.1	8	
BZX84C14TW-AU	200	5	14	13.3	14.7	30	5	170	1	0.05	10	
BZX84C15TW-AU	200	5	15	14.25	15.75	30	5	200	1	0.05	10.5	
BZX84C16TW-AU	200	5	16	15.2	16.8	40	5	200	1	0.05	11.2	
BZX84C17TW-AU	200	5	17	16.15	17.85	40	5	200	1	0.05	12.2	
BZX84C18TW-AU	200	5	18	17.1	18.9	45	5	225	1	0.05	12.6	
BZX84C20TW-AU	200	5	20	19	21	55	5	225	1	0.05	14	
BZX84C22TW-AU	200	5	22	20.9	23.1	55	5	250	1	0.05	15.4	

Zener Diodes

Part Number	P _D	V _Z	V _Z @ I _{ZT} (V)			Z _{YT} @ I _{ZT} Max.	I _{ZT}	Z _{ZK} @ I _{ZK} Max.	I _{ZK}	I _R @ V _R Max.		Package
	mW	%	TYP.	Min.	Max.	Ω	mA	Ω	mA	μA	V	
BZX84C24TW-AU	200	5	24	22.8	25.2	70	5	250	1	0.05	16.8	SOT-363
BZX84C27TW-AU	200	5	27	25.65	28.35	80	5	300	1	0.05	18.9	
BZX84C28TW-AU	200	5	28	26.6	29.4	80	5	300	1	0.05	20.5	
BZX84C30TW-AU	200	5	30	28.5	31.5	80	5	300	1	0.05	21	
BZX84C33TW-AU	200	5	33	31.35	34.65	80	5	325	1	0.05	23.1	
BZX84C36TW-AU	200	5	36	34.2	37.8	90	5	350	1	0.05	25.2	
BZX84C39TW-AU	200	5	39	37.05	40.95	130	5	350	1	0.05	27.3	
BZX84C43TW-AU	200	5	43	40.85	45.15	150	5	375	1	0.05	30.1	
BZX84C47TW-AU	200	5	47	44.65	49.35	170	5	375	1	0.05	32.9	
BZX84C51TW-AU	200	5	51	48.45	53.55	100	5	400	1	0.05	38	
BZX84C56TW-AU	200	5	56	53.2	58.8	135	2.5	1000	1	0.05	42	
BZX84C62TW-AU	200	5	62	58.9	65.1	150	2.5	1000	1	0.05	46	
BZX84C68TW-AU	200	5	68	64.6	71.4	200	2.5	1000	1	0.05	51	
BZX84C75TW-AU	200	5	75	71.25	78.75	250	2.5	1000	1	0.05	56	
BZT52-B5V1FN2-AU	250	2	5.1	5	5.2	60	5	480	1	2	2	DFN 2L
BZT52-B5V6FN2-AU	250	2	5.6	5.49	5.71	40	5	400	1	1	2	
AZ23C2V4-AU	300	5	2.4	2.28	2.52	85	5	600	1	100	1	SOT-23
AZ23C2V7-AU	300	5	2.7	2.57	2.84	83	5	600	1	75	1	
AZ23C3V0-AU	300	5	3	2.85	3.15	95	5	600	1	50	1	
AZ23C3V3-AU	300	5	3.3	3.14	3.47	95	5	600	1	25	1	
AZ23C3V6-AU	300	5	3.6	3.42	3.78	95	5	600	1	15	1	
AZ23C3V9-AU	300	5	3.9	3.71	4.1	95	5	600	1	10	1	
AZ23C4V3-AU	300	5	4.3	4.09	4.52	95	5	600	1	5	1	
AZ23C4V7-AU	300	5	4.7	4.47	4.94	78	5	500	1	5	1	
AZ23C5V1-AU	300	5	5.1	4.85	5.36	60	5	480	1	0.1	0.8	
AZ23C5V6-AU	300	5	5.6	5.32	5.88	40	5	400	1	0.1	1	
AZ23C6V2-AU	300	5	6.2	5.89	6.51	10	5	150	1	0.1	2	
AZ23C6V8-AU	300	5	6.8	6.46	7.14	8	5	80	1	0.1	3	
AZ23C7V5-AU	300	5	7.5	7.13	7.88	7	5	80	1	0.1	5	
AZ23C8V2-AU	300	5	8.2	7.79	8.61	7	5	80	1	0.1	6	
AZ23C9V1-AU	300	5	9.1	8.65	9.56	10	5	100	1	0.1	7	
AZ23C10-AU	300	5	10	9.5	10.5	15	5	150	1	0.1	7.5	
AZ23C11-AU	300	5	11	10.45	11.55	20	5	150	1	0.1	8.5	
AZ23C12-AU	300	5	12	11.4	12.6	20	5	150	1	0.1	9	
AZ23C13-AU	300	5	13	12.35	13.65	25	5	170	1	0.1	10	
AZ23C15-AU	300	5	15	14.25	15.75	30	5	200	1	0.1	11	
AZ23C16-AU	300	5	16	15.2	16.8	40	5	200	1	0.1	12	
AZ23C18-AU	300	5	18	17.1	18.9	50	5	225	1	0.1	14	
AZ23C20-AU	300	5	20	19	21	50	5	225	1	0.1	15	
AZ23C22-AU	300	5	22	20.9	23.1	55	5	250	1	0.1	17	
AZ23C24-AU	300	5	24	22.8	25.2	80	5	250	1	0.1	18	
AZ23C27-AU	300	5	27	25.65	28.35	80	5	300	1	0.1	20	
AZ23C36-AU	300	5	36	34.2	37.8	90	5	350	1	0.1	27	
DZ23C27-AU	300	5	27	25.65	28.35	80	5	300	1	0.1	20	
PDZ4.7B-AU	400	2	4.7	4.55	4.75	90	5	600	1	0.75	1.5	SOD-323
PDZ5.1B-AU	400	2	5.1	4.96	5.2	60	5	800	0.5	0.75	1.5	
PDZ5.6B-AU	400	2	5.6	5.48	5.73	50	5	400	0.5	0.5	3	
PDZ6.2B-AU	400	2	6.2	6.06	6.33	50	5	80	0.5	0.5	3	
PDZ6.8B-AU	400	2	6.8	6.65	6.93	40	5	60	0.5	0.5	3.5	
PDZ7.5B-AU	400	2	7.4	7.28	7.6	10	5	60	0.5	0.5	4	

Zener Diodes

Part Number	P _D	V _Z	V _Z @ I _{ZT} (V)			Z _{YT} @ I _{ZT} Max.	I _{ZT}	Z _{ZK} @ I _{ZK} Max.	I _{ZK}	I _R @ V _R Max.		Package
	mW	%	TYP.	Min.	Max.	Ω	mA	Ω	mA	μA	V	
PDZ8.2B-AU	400	2	8.2	8.02	8.36	10	5	60	0.5	0.5	5	SOD-323
PDZ9.1B-AU	400	2	9	8.85	9.23	10	5	60	0.5	0.5	6	
PDZ10B-AU	400	2	10	9.77	10.21	10	5	60	0.5	0.1	7	
PDZ11B-AU	400	2	11	10.78	11.22	10	5	60	0.5	0.1	8	
PDZ12B-AU	400	2	12	11.74	12.24	10	5	80	0.5	0.1	9	
PDZ13B-AU	400	2	13.2	12.91	13.49	10	5	80	0.5	0.1	10	
PDZ15B-AU	400	2	14.7	14.34	14.98	15	5	80	0.5	0.05	11	
PDZ16B-AU	400	2	16.2	15.85	16.51	20	5	80	0.5	0.05	12	
PDZ18B-AU	400	2	18	17.56	18.35	20	5	80	0.5	0.05	13	
PDZ20B-AU	400	2	20	19.52	20.39	20	5	100	0.5	0.05	15	
PDZ22B-AU	400	2	22	21.54	22.47	25	5	100	0.5	0.05	17	
PDZ24B-AU	400	2	24.3	23.72	24.78	30	5	120	0.5	0.05	19	
PDZ27B-AU	400	2	26.9	26.19	27.53	40	5	150	0.5	0.05	21	
PDZ30B-AU	400	2	29.9	29.19	30.69	40	5	200	0.5	0.05	23	
PDZ33B-AU	400	2	33	32.15	33.79	40	5	250	0.5	0.05	25	
PDZ36B-AU	400	2	36	35.07	36.87	60	5	300	0.5	0.05	27	
BZT52-C2V4-AU	410	5	2.4	2.28	2.52	85	5	600	1	100	1	
BZT52-C2V7-AU	410	5	2.7	2.57	2.84	83	5	600	1	75	1	
BZT52-C3-AU	410	5	3	2.85	3.15	95	5	600	1	50	1	
BZT52-C3V3-AU	410	5	3.3	3.14	3.47	95	5	600	1	25	1	
BZT52-C3V6-AU	410	5	3.6	3.42	3.78	95	5	600	1	15	1	
BZT52-C3V9-AU	410	5	3.9	3.71	4.1	95	5	600	1	10	1	
BZT52-C4V3-AU	410	5	4.3	4.09	4.52	95	5	600	1	5	1	
BZT52-C4V7-AU	410	5	4.7	4.47	4.94	78	5	500	1	5	1	
BZT52-C5V1-AU	410	5	5.1	4.85	5.36	60	5	480	1	0.1	0.8	
BZT52-C5V6-AU	410	5	5.6	5.32	5.88	40	5	400	1	0.1	1	
BZT52-C6V2-AU	410	5	6.2	5.89	6.51	10	5	150	1	0.1	2	
BZT52-C6V8-AU	410	5	6.8	6.46	7.14	8	5	80	1	0.1	3	
BZT52-C7V5-AU	410	5	7.5	7.13	7.88	7	5	80	1	0.1	5	
BZT52-C8V2-AU	410	5	8.2	7.79	8.61	7	5	80	1	0.1	6	
BZT52-C8V7-AU	410	5	8.7	8.27	9.14	7	5	100	1	0.1	6.5	
BZT52-C9V1-AU	410	5	9.1	8.65	9.56	10	5	100	1	0.1	7	
BZT52-C10-AU	410	5	10	9.5	10.5	15	5	150	1	0.1	7.5	
BZT52-C11-AU	410	5	11	10.45	11.55	20	5	150	1	0.1	8.5	
BZT52-C12-AU	410	5	12	11.4	12.6	20	5	150	1	0.1	9	
BZT52-C13-AU	410	5	13	12.35	13.65	25	5	170	1	0.1	10	
BZT52-C14-AU	410	5	14	13.3	14.7	25	5	170	1	0.1	10.5	
BZT52-C15-AU	410	5	15	14.25	15.75	30	5	200	1	0.1	11	
BZT52-C16-AU	410	5	16	15.2	16.8	40	5	200	1	0.1	12	
BZT52-C17-AU	410	5	17	16.15	17.85	40	5	200	1	0.1	13	
BZT52-C18-AU	410	5	18	17.1	18.9	50	5	225	1	0.1	14	
BZT52-C20-AU	410	5	20	19	21	50	5	225	1	0.1	15	
BZT52-C22-AU	410	5	22	20.9	23.1	55	5	250	1	0.1	17	
BZT52-C24-AU	410	5	24	22.8	25.2	80	5	250	1	0.1	18	
BZT52-C27-AU	410	5	27	25.65	28.35	80	5	300	1	0.1	20	
BZT52-C28-AU	410	5	28	26.6	29.4	80	5	300	1	0.1	22	
BZT52-C30-AU	410	5	30	28.5	31.5	80	5	300	1	0.1	22.5	
BZT52-C33-AU	410	5	33	31.35	34.65	80	5	325	1	0.1	25	
BZT52-C36-AU	410	5	36	34.2	37.8	90	5	350	1	0.1	27	
BZT52-C39-AU	410	5	39	37.05	40.95	90	5	350	1	0.1	29	

Zener Diodes

Part Number	P _D	V _Z	V _Z @ I _{ZT} (V)			Z _{VT} @ I _{ZT} Max.	I _{ZT}	Z _{ZK} @ I _{ZK} Max.	I _{ZK}	I _R @ V _R Max.		Package
	mW	%	TYP.	Min.	Max.	Ω	mA	Ω	mA	μA	V	
BZT52-C43-AU	410	5	43	40.85	45.15	100	5	375	1	0.1	32	SOD-123
BZT52-C47-AU	410	5	47	44.65	49.35	100	5	375	1	0.1	35	
BZT52-C51-AU	410	5	51	48.45	53.55	100	5	400	1	0.1	38	
BZT52-C56-AU	410	5	56	53.2	58.8	135	2.5	1000	1	0.1	42	
BZT52-C62-AU	410	5	62	58.9	65.1	150	2.5	1000	1	0.1	46	
BZT52-C68-AU	410	5	68	64.6	71.4	200	2.5	1000	1	0.1	51	
BZT52-C75-AU	410	5	75	71.25	78.75	250	2.5	1000	1	0.1	56	
BZT52-B2V4-AU	410	2	2.4	2.35	2.45	85	5	600	1	100	1	
BZT52-B2V7-AU	410	2	2.7	2.64	2.75	83	5	600	1	75	1	
BZT52-B3-AU	410	2	3	2.94	3.06	95	5	600	1	50	1	
BZT52-B3V3-AU	410	2	3.3	3.23	3.37	95	5	600	1	25	1	
BZT52-B3V6-AU	410	2	3.6	3.52	3.67	95	5	600	1	15	1	
BZT52-B3V9-AU	410	2	3.9	3.82	3.98	95	5	600	1	10	1	
BZT52-B4V3-AU	410	2	4.3	4.21	4.39	95	5	600	1	5	1	
BZT52-B4V7-AU	410	2	4.7	4.61	4.79	78	5	500	1	5	1	
BZT52-B5V1-AU	410	2	5.1	5	5.2	60	5	480	1	0.1	0.8	
BZT52-B5V6-AU	410	2	5.6	5.49	5.71	40	5	400	1	0.1	1	
BZT52-B6V2-AU	410	2	6.2	6.08	6.32	10	5	150	1	0.1	2	
BZT52-B6V8-AU	410	2	6.8	6.66	6.94	8	5	80	1	0.1	3	
BZT52-B7V5-AU	410	2	7.5	7.35	7.65	7	5	80	1	0.1	5	
BZT52-B8V2-AU	410	2	8.2	8.04	8.36	7	5	80	1	0.1	6	
BZT52-B8V7-AU	410	2	8.7	8.53	8.87	7	5	100	1	0.1	6.5	
BZT52-B9V1-AU	410	2	9.1	8.92	9.28	10	5	100	1	0.1	7	
BZT52-B10-AU	410	2	10	9.8	10.2	15	5	150	1	0.1	7.5	
BZT52-B11-AU	410	2	11	10.78	11.22	20	5	150	1	0.1	8.5	
BZT52-B12-AU	410	2	12	11.76	12.24	20	5	150	1	0.1	9	
BZT52-B13-AU	410	2	13	12.74	13.26	25	5	170	1	0.1	10	
BZT52-B14-AU	410	2	14	13.72	14.28	25	5	170	1	0.1	10.5	
BZT52-B15-AU	410	2	15	14.7	15.3	30	5	200	1	0.1	11	
BZT52-B16-AU	410	2	16	15.68	16.32	40	5	200	1	0.1	12	
BZT52-B17-AU	410	2	17	16.66	17.34	40	5	200	1	0.1	13	
BZT52-B18-AU	410	2	18	17.64	18.36	50	5	225	1	0.1	14	
BZT52-B20-AU	410	2	20	19.6	20.4	50	5	225	1	0.1	15	
BZT52-B22-AU	410	2	22	21.56	22.44	55	5	250	1	0.1	17	
BZT52-B24-AU	410	2	24	23.52	24.48	80	5	250	1	0.1	18	
BZT52-B27-AU	410	2	27	26.46	27.54	80	5	300	1	0.1	20	
BZT52-B28-AU	410	2	28	27.44	28.56	80	5	300	1	0.1	22	
BZT52-B30-AU	410	2	30	29.4	30.6	80	5	300	1	0.1	22.5	
BZT52-B33-AU	410	2	33	32.34	33.66	80	5	325	1	0.1	25	
BZT52-B36-AU	410	2	36	35.28	36.72	90	5	350	1	0.1	27	
BZT52-B39-AU	410	2	39	38.22	39.78	90	5	350	1	0.1	29	
BZT52-B43-AU	410	2	43	42.14	43.86	100	5	375	1	0.1	32	
BZT52-B47-AU	410	2	47	46.06	47.94	100	5	375	1	0.1	35	
BZT52-B51-AU	410	2	51	49.98	52.02	100	5	400	1	0.1	38	
BZT52-B56-AU	410	2	56	54.88	57.12	135	2.5	1000	1	0.1	42	
BZT52-B62-AU	410	2	62	60.76	63.24	150	2.5	1000	1	0.1	46	
BZT52-B68-AU	410	2	68	66.64	69.36	200	2.5	1000	1	0.1	51	
BZT52-B75-AU	410	2	75	73.5	76.5	250	2.5	1000	1	0.1	56	

Zener Diodes

Part Number	P _D	V _Z	V _Z @ I _{ZT} (V)			Z _{VT} @ I _{ZT} Max.	I _{ZT}	Z _{ZK} @ I _{ZK} Max.	I _{ZK}	I _R @ V _R Max.		Package
	mW	%	TYP.	Min.	Max.	Ω	mA	Ω	mA	μA	V	
BZX84C2V4-AU	410	5	2.4	2.28	2.52	100	5	600	1	50	1	SOT-23
BZX84C2V7-AU	410	5	2.7	2.57	2.84	100	5	600	1	20	1	
BZX84C3-AU	410	5	3	2.85	3.15	95	5	600	1	10	1	
BZX84C3V3-AU	410	5	3.3	3.14	3.47	95	5	600	1	5	1	
BZX84C3V6-AU	410	5	3.6	3.42	3.78	90	5	600	1	5	1	
BZX84C3V9-AU	410	5	3.9	3.71	4.1	90	5	600	1	3	1	
BZX84C4V3-AU	410	5	4.3	4.09	4.52	90	5	600	1	3	1	
BZX84C4V7-AU	410	5	4.7	4.47	4.94	80	5	500	1	3	2	
BZX84C5V1-AU	410	5	5.1	4.85	5.36	60	5	480	1	2	2	
BZX84C5V6-AU	410	5	5.6	5.32	5.88	40	5	400	1	1	2	
BZX84C6V2-AU	410	5	6.2	5.89	6.51	10	5	150	1	3	4	
BZX84C6V8-AU	410	5	6.8	6.46	7.14	15	5	80	1	2	4	
BZX84C7V5-AU	410	5	7.5	7.13	7.88	15	5	80	1	1	5	
BZX84C8V2-AU	410	5	8.2	7.79	8.61	15	5	80	1	0.7	5	
BZX84C8V7-AU	410	5	8.7	8.27	9.14	15	5	100	1	0.7	5	
BZX84C9V1-AU	410	5	9.1	8.65	9.56	15	5	100	1	0.5	6	
BZX84C10-AU	410	5	10	9.5	10.5	20	5	150	1	0.2	7	
BZX84C11-AU	410	5	11	10.45	11.55	20	5	150	1	0.1	8	
BZX84C12-AU	410	5	12	11.4	12.6	25	5	150	1	0.1	8	
BZX84C13-AU	410	5	13	12.35	13.65	30	5	170	1	0.1	8	
BZX84C14-AU	410	5	14	13.3	14.7	30	5	170	1	0.1	10	
BZX84C15-AU	410	5	15	14.25	15.75	30	5	200	1	0.1	10.5	
BZX84C16-AU	410	5	16	15.2	16.8	40	5	200	1	0.1	11.2	
BZX84C17-AU	410	5	17	16.15	17.85	40	5	200	1	0.1	12.2	
BZX84C18-AU	410	5	18	17.1	18.9	45	5	225	1	0.1	12.6	
BZX84C20-AU	410	5	20	19	21	55	5	225	1	0.1	14	
BZX84C22-AU	410	5	22	20.9	23.1	55	5	250	1	0.1	15.4	
BZX84C24-AU	410	5	24	22.8	25.2	70	5	250	1	0.1	16.8	
BZX84C27-AU	410	5	27	25.65	28.35	80	5	300	1	0.05	18.9	
BZX84C28-AU	410	5	28	26.6	29.4	80	5	300	1	0.05	20.5	
BZX84C30-AU	410	5	30	28.5	31.5	80	5	300	1	0.05	21	
BZX84C33-AU	410	5	33	31.35	34.65	80	5	325	1	0.05	23.1	
BZX84C36-AU	410	5	36	34.2	37.8	90	5	350	1	0.05	25.2	
BZX84C39-AU	410	5	39	37.05	40.95	130	5	350	1	0.05	27.3	
BZX84C43-AU	410	5	43	40.85	45.15	150	5	375	1	0.1	30.1	
BZX84C47-AU	410	5	47	44.65	49.35	170	5	375	1	0.1	32.9	
BZX84C51-AU	410	5	51	48.45	53.55	100	5	400	1	0.1	38	
BZX84C56-AU	410	5	56	53.2	58.8	135	2.5	1000	1	0.1	42	
BZX84C62-AU	410	5	62	58.9	65.1	150	2.5	1000	1	0.1	46	
BZX84C68-AU	410	5	68	64.6	71.4	200	2.5	1000	1	0.1	51	
BZX84C75-AU	410	5	75	71.25	78.75	250	2.5	1000	1	0.1	56	
MMBZ5228B-AU	410	5	3.9	3.71	4.1	23	20	1900	0.25	10	1	
MMBZ5230B-AU	410	5	4.7	4.47	4.94	19	20	1900	0.25	5	2	
MMBZ5231B-AU	410	5	5.1	4.85	5.36	17	20	1600	0.25	5	2	
MMBZ5232B-AU	410	5	5.6	5.32	5.88	11	20	1600	0.25	5	3	
MMBZ5233B-AU	410	5	6	5.7	6.3	7	20	1600	0.25	5	3.5	
MMBZ5234B-AU	410	5	6.2	5.89	6.51	7	20	1000	0.25	5	4	
MMBZ5235B-AU	410	5	6.8	6.46	7.14	5	20	750	0.25	3	5	
MMBZ5236B-AU	410	5	7.5	7.13	7.88	6	20	500	0.25	3	6	
MMBZ5237B-AU	410	5	8.2	7.79	8.61	8	20	500	0.25	3	6	

Zener Diodes

Part Number	P _D	V _Z	V _Z @ I _{ZT} (V)			Z _{VT} @ I _{ZT} Max.	I _{ZT}	Z _{ZK} @ I _{ZK} Max.	I _{ZK}	I _R @ V _R Max.		Package
	mW	%	TYP.	Min.	Max.	Ω	mA	Ω	mA	μA	V	
MMBZ5238B-AU	410	5	8.7	8.27	9.14	8	20	600	0.25	3	6.5	SOT-23
MMBZ5239B-AU	410	5	9.1	8.65	9.56	10	20	600	0.25	3	6.5	
MMBZ5240B-AU	410	5	10	9.5	10.5	17	20	600	0.25	3	8	
MMBZ5241B-AU	410	5	11	10.45	11.55	22	20	600	0.25	2	8.4	
MMBZ5242B-AU	410	5	12	11.4	12.6	30	20	600	0.25	1	9.1	
MMBZ5243B-AU	410	5	13	12.35	13.65	13	9.5	600	0.25	0.5	9.9	
MMBZ5244B-AU	410	5	14	13.3	14.7	15	9	600	0.25	0.1	10.5	
MMBZ5245B-AU	410	5	15	14.25	15.75	16	8.5	600	0.25	0.1	11	
MMBZ5246B-AU	410	5	16	15.2	16.8	17	7.8	600	0.25	0.1	12	
MMBZ5247B-AU	410	5	17	16.15	17.85	19	7.5	600	0.25	0.1	13	
MMBZ5248B-AU	410	5	18	17.1	18.9	21	7	600	0.25	0.1	14	
MMBZ5250B-AU	410	5	20	19	21	25	6.2	600	0.25	0.1	15	
MMBZ5251B-AU	410	5	22	20.9	23.1	29	5.6	600	0.25	0.1	17	
MMBZ5252B-AU	410	5	24	22.8	25.2	33	5.2	600	0.25	0.1	18	
MMBZ5254B-AU	410	5	27	25.65	28.35	41	5	600	0.25	0.1	21	
MMBZ5255B-AU	410	5	28	26.6	29.4	44	4.5	600	0.25	0.1	21	
MMBZ5256B-AU	410	5	30	28.5	31.5	49	4.2	600	0.25	0.1	23	
MMBZ5257B-AU	410	5	33	31.35	34.65	58	3.8	700	0.25	0.1	25	
MMBZ5258B-AU	410	5	36	34.2	37.8	70	3.4	700	0.25	0.1	27	
MMBZ5259B-AU	410	5	39	37.05	40.95	80	3.2	800	0.25	0.1	30	
MMBZ5260B-AU	410	5	43	40.85	45.15	93	3	900	0.25	0.1	33	
MMBZ5261B-AU	410	5	47	44.65	49.35	105	2.7	1000	0.25	0.1	36	
MMBZ5262B-AU	410	5	51	48.45	53.55	125	2.5	1100	0.25	0.1	39	
BZX84B2V4-AU	410	2	2.4	2.35	2.45	100	5	600	1	50	1	
BZX84B2V7-AU	410	2	2.7	2.64	2.75	100	5	600	1	20	1	
BZX84B3-AU	410	2	3	2.94	3.06	95	5	600	1	10	1	
BZX84B3V3-AU	410	2	3.3	3.23	3.37	95	5	600	1	5	1	
BZX84B3V6-AU	410	2	3.6	3.52	3.67	90	5	600	1	5	1	
BZX84B3V9-AU	410	2	3.9	3.82	3.98	90	5	600	1	3	1	
BZX84B4V3-AU	410	2	4.3	4.21	4.39	90	5	600	1	3	1	
BZX84B4V7-AU	410	2	4.7	4.61	4.79	80	5	500	1	3	2	
BZX84B5V1-AU	410	2	5.1	5	5.2	60	5	480	1	2	2	
BZX84B5V6-AU	410	2	5.6	5.49	5.71	40	5	400	1	1	2	
BZX84B6V2-AU	410	2	6.2	6.08	6.32	10	5	150	1	3	4	
BZX84B6V8-AU	410	2	6.8	6.66	6.94	15	5	80	1	2	4	
BZX84B7V5-AU	410	2	7.5	7.35	7.65	15	5	80	1	1	5	
BZX84B8V2-AU	410	2	8.2	8.04	8.36	15	5	80	1	0.7	5	
BZX84B8V7-AU	410	2	8.7	8.53	8.87	15	5	100	1	0.7	5	
BZX84B9V1-AU	410	2	9.1	8.92	9.28	15	5	100	1	0.5	6	
BZX84B10-AU	410	2	10	9.8	10.2	20	5	150	1	0.2	7	
BZX84B11-AU	410	2	11	10.78	11.22	20	5	150	1	0.1	8	
BZX84B12-AU	410	2	12	11.76	12.24	25	5	150	1	0.1	8	
BZX84B13-AU	410	2	13	12.74	13.26	30	5	170	1	0.1	8	
BZX84B14-AU	410	2	14	13.72	14.28	30	5	170	1	0.1	10	
BZX84B15-AU	410	2	15	14.7	15.3	30	5	200	1	0.1	10.5	
BZX84B16-AU	410	2	16	15.68	16.32	40	5	200	1	0.1	11.2	
BZX84B17-AU	410	2	17	16.66	17.34	40	5	200	1	0.1	12.2	
BZX84B18-AU	410	2	18	17.64	18.36	45	5	225	1	0.1	12.6	
BZX84B20-AU	410	2	20	19.6	20.4	55	5	225	1	0.1	14	
BZX84B22-AU	410	2	22	21.56	22.44	55	5	250	1	0.1	15.4	

Zener Diodes

Part Number	P _D	V _Z	V _Z @ I _{ZT} (V)			Z _{VT} @ I _{ZT} Max.	I _{ZT}	Z _{ZK} @ I _{ZK} Max.	I _{ZK}	I _R @ V _R Max.		Package
	mW	%	TYP.	Min.	Max.	Ω	mA	Ω	mA	μA	V	
BZX84B24-AU	410	2	24	23.52	24.48	70	5	250	1	0.1	16.8	SOT-23
BZX84B27-AU	410	2	27	26.46	27.54	80	5	300	1	0.05	18.9	
BZX84B28-AU	410	2	28	27.44	28.56	80	5	300	1	0.05	20.5	
BZX84B30-AU	410	2	30	29.4	30.6	80	5	300	1	0.05	21	
BZX84B33-AU	410	2	33	32.34	33.66	80	5	325	1	0.05	23.1	
BZX84B36-AU	410	2	36	35.28	36.72	90	5	350	1	0.05	25.2	
BZX84B39-AU	410	2	39	38.22	39.78	130	5	350	1	0.05	27.3	
BZX84B43-AU	410	2	43	42.14	43.86	150	5	375	1	0.05	30.1	
BZX84B47-AU	410	2	47	46.06	47.94	170	5	375	1	0.05	32.9	
BZX84B51-AU	410	2	51	49.98	52.02	100	5	400	1	0.05	38	
BZX84B56-AU	410	2	56	54.88	57.12	135	2.5	1000	1	0.1	42	
BZX84B62-AU	410	2	62	60.76	63.24	150	2.5	1000	1	0.1	46	
BZX84B68-AU	410	2	68	66.64	69.36	200	2.5	1000	1	0.1	51	
BZX84B75-AU	410	2	75	73.5	76.5	250	2.5	1000	1	0.1	56	
PZS513V9BCH-AU	500	5	3.9	3.71	4.1	-	0.05	-	-	5	2	SOD-323HE
PZS514V3BCH-AU	500	5	4.3	4.09	4.52	-	0.05	-	-	4	2	
PZS514V7BCH-AU	500	5	4.7	4.47	4.94	-	0.05	-	-	10	3	
PZS515V1BCH-AU	500	5	5.1	4.85	5.36	-	0.05	-	-	10	3	
PZS515V3BCH-AU	500	5	5.3	5.03	5.57	-	0.05	-	-	10	4	
PZS515V6BCH-AU	500	5	5.6	5.32	5.88	-	0.05	-	-	7	4.2	
PZS516V2BCH-AU	500	5	6.2	5.89	6.51	-	0.05	-	-	10	5	
PZS516V8BCH-AU	500	5	6.8	6.46	7.14	-	0.05	-	-	10	5.1	
PZS517V5BCH-AU	500	5	7.5	7.13	7.88	-	0.05	-	-	10	5.7	
PZS518V2BCH-AU	500	5	8.2	7.79	8.61	-	0.05	-	-	1	6.2	
PZS518V7BCH-AU	500	5	8.7	8.27	9.14	-	0.05	-	-	1	6.6	
PZS519V1BCH-AU	500	5	9.1	8.65	9.56	-	0.05	-	-	1	6.9	
PZS5110BCH-AU	500	5	10	9.5	10.5	-	0.05	-	-	1	7.6	
PZS5111BCH-AU	500	5	11	10.5	11.6	-	0.05	-	-	0.05	8.4	
PZS5112BCH-AU	500	5	12	11.4	12.6	-	0.05	-	-	0.05	9.1	
PZS5113BCH-AU	500	5	13	12.4	13.7	-	0.05	-	-	0.05	9.8	
PZS5114BCH-AU	500	5	14	13.3	14.7	-	0.05	-	-	0.05	10.6	
PZS5115BCH-AU	500	5	15	14.3	15.8	-	0.05	-	-	0.05	11.4	
PZS5116BCH-AU	500	5	16	15.2	16.8	-	0.05	-	-	0.05	12.1	
PZS5117BCH-AU	500	5	17	16.2	17.9	-	0.05	-	-	0.05	12.9	
PZS5118BCH-AU	500	5	18	17.1	18.9	-	0.05	-	-	0.05	13.6	
PZS5119BCH-AU	500	5	19	18.1	20	-	0.05	-	-	0.05	14.4	
PZS5120BCH-AU	500	5	20	19	21	-	0.05	-	-	0.01	15.2	
PZS5122BCH-AU	500	5	22	20.9	23.1	-	0.05	-	-	0.01	16.7	
PZS5124BCH-AU	500	5	24	22.8	25.2	-	0.05	-	-	0.01	18.2	
PZS5125BCH-AU	500	5	25	23.8	26.3	-	0.05	-	-	0.01	19	
PZS5127BCH-AU	500	5	27	25.7	28.4	-	0.05	-	-	0.01	20.4	
PZS5128BCH-AU	500	5	28	26.6	29.4	-	0.05	-	-	0.01	21.2	
PZS5130BCH-AU	500	5	30	28.5	31.5	-	0.05	-	-	0.01	22.8	
PZS5133BCH-AU	500	5	33	31.4	34.7	-	0.05	-	-	0.01	25	
PZS5136BCH-AU	500	5	36	34.2	37.8	-	0.05	-	-	0.01	27.3	
PZS5139BCH-AU	500	5	39	37.1	41	-	0.05	-	-	0.01	29.6	
PZS5143BCH-AU	500	5	43	40.9	45.2	-	0.05	-	-	0.01	32.6	
MMSZ4687-V-AU	500	5	4.3	4.09	4.52	-	0.05	-	-	4	2	SOD-123
MMSZ4688-V-AU	500	5	4.7	4.47	4.94	-	0.05	-	-	10	3	
MMSZ4689-V-AU	500	5	5.1	4.85	5.36	-	0.05	-	-	10	3	

Zener Diodes

Part Number	P _D	V _Z	V _Z @ I _{ZT} (V)			Z _{VT} @ I _{ZT} Max.	I _{ZT}	Z _{ZK} @ I _{ZK} Max.	I _{ZK}	I _R @ V _R Max.		Package
	mW	%	TYP.	Min.	Max.	Ω	mA	Ω	mA	μA	V	
MMSZ46895-V-AU	500	5	5.3	5.03	5.57	-	0.05	-	-	4	2	SOD-123
MMSZ4690-V-AU	500	5	5.6	5.32	5.88	-	0.05	-	-	10	4	
MMSZ4691-V-AU	500	5	6.2	5.89	6.51	-	0.05	-	-	10	5	
MMSZ4692-V-AU	500	5	6.8	6.46	7.14	-	0.05	-	-	10	5.1	
MMSZ4694-V-AU	500	5	8.2	7.79	8.61	-	0.05	-	-	1	6.2	
MMSZ4696-V-AU	500	5	9.1	8.65	9.56	-	0.05	-	-	1	6.9	
MMSZ4697-V-AU	500	5	10	9.5	10.5	-	0.05	-	-	1	7.6	
MMSZ4699-V-AU	500	5	12	11.4	12.6	-	0.05	-	-	0.05	9.1	
MMSZ4700-V-AU	500	5	13	12.4	13.7	-	0.05	-	-	0.05	9.8	
MMSZ4701-V-AU	500	5	14	13.3	14.7	-	0.05	-	-	0.05	10.6	
MMSZ4702-V-AU	500	5	15	14.3	15.8	-	0.05	-	-	0.05	11.4	
MMSZ4703-V-AU	500	5	16	15.2	16.8	-	0.05	-	-	0.05	12.1	
MMSZ4704-V-AU	500	5	17	16.2	17.9	-	0.05	-	-	0.05	12.9	
MMSZ4705-V-AU	500	5	18	17.1	18.9	-	0.05	-	-	0.05	13.6	
MMSZ4707-V-AU	500	5	20	19	21	-	0.05	-	-	0.01	15.2	
MMSZ4708-V-AU	500	5	22	20.9	23.1	-	0.05	-	-	0.01	16.7	
MMSZ4709-V-AU	500	5	24	22.8	25.2	-	0.05	-	-	0.01	18.2	
MMSZ4710-V-AU	500	5	25	23.8	26.3	-	0.05	-	-	0.01	19	
MMSZ4711-V-AU	500	5	27	25.7	28.4	-	0.05	-	-	0.01	20.4	
MMSZ4712-V-AU	500	5	28	26.6	29.4	-	0.05	-	-	0.01	21.2	
MMSZ4713-V-AU	500	5	30	28.5	31.5	-	0.05	-	-	0.01	22.8	
MMSZ4714-V-AU	500	5	33	31.4	34.7	-	0.05	-	-	0.01	25	
MMSZ4715-V-AU	500	5	36	34.2	37.8	-	0.05	-	-	0.01	27.3	
MMSZ4717-V-AU	500	5	43	40.9	45.2	-	0.05	-	-	0.01	32.6	
MMSZ5221B-AU	500	5	2.4	2.28	2.52	30	20	1200	0.25	100	1	
MMSZ5222B-AU	500	5	2.5	2.38	2.63	30	20	1250	0.25	100	1	
MMSZ5223B-AU	500	5	2.7	2.57	2.84	30	20	1300	0.25	75	1	
MMSZ5224B-AU	500	5	2.8	2.66	2.94	30	20	1400	0.25	75	1	
MMSZ5225B-AU	500	5	3	2.85	3.15	30	20	1600	0.25	50	1	
MMSZ5226B-AU	500	5	3.3	3.14	3.47	28	20	1600	0.25	25	1	
MMSZ5227B-AU	500	5	3.6	3.42	3.78	24	20	1700	0.25	15	1	
MMSZ5228B-AU	500	5	3.9	3.71	4.1	23	20	1900	0.25	10	1	
MMSZ5229B-AU	500	5	4.3	4.09	4.52	22	20	2000	0.25	5	1	
MMSZ5230B-AU	500	5	4.7	4.47	4.94	19	20	1900	0.25	5	2	
MMSZ5231B-AU	500	5	5.1	4.85	5.36	17	20	1600	0.25	5	2	
MMSZ5232B-AU	500	5	5.6	5.32	5.88	11	20	1600	0.25	5	3	
MMSZ5233B-AU	500	5	6	5.7	6.3	7	20	1600	0.25	5	3.5	
MMSZ5234B-AU	500	5	6.2	5.89	6.51	7	20	1000	0.25	5	4	
MMSZ5235B-AU	500	5	6.8	6.46	7.14	5	20	750	0.25	3	5	
MMSZ5236B-AU	500	5	7.5	7.13	7.88	6	20	500	0.25	3	6	
MMSZ5237B-AU	500	5	8.2	7.79	8.61	8	20	500	0.25	3	6	
MMSZ5238B-AU	500	5	8.7	8.27	9.14	8	20	600	0.25	3	6.5	
MMSZ5239B-AU	500	5	9.1	8.65	9.56	10	20	600	0.25	3	6.5	
MMSZ5240B-AU	500	5	10	9.5	10.5	17	20	600	0.25	3	8	
MMSZ5241B-AU	500	5	11	10.45	11.55	22	20	600	0.25	2	8.4	
MMSZ5242B-AU	500	5	12	11.4	12.6	30	20	600	0.25	1	9.1	
MMSZ5243B-AU	500	5	13	12.35	13.65	13	9.5	600	0.25	0.5	9.9	
MMSZ5244B-AU	500	5	14	13.3	14.7	15	9	600	0.25	0.1	10.5	
MMSZ5245B-AU	500	5	15	14.25	15.75	16	8.5	600	0.25	0.1	11	
MMSZ5246B-AU	500	5	16	15.2	16.8	17	7.8	600	0.25	0.1	12	

Zener Diodes

Part Number	P _D	V _Z	V _Z @ I _{ZT} (V)			Z _{VT} @ I _{ZT} Max.	I _{ZT}	Z _{ZK} @ I _{ZK} Max.	I _{ZK}	I _R @ V _R Max.		Package
	mW	%	TYP.	Min.	Max.	Ω	mA	Ω	mA	μA	V	
MMSZ5247B-AU	500	5	17	16.15	17.85	19	7.5	600	0.25	0.1	13	SOD-123
MMSZ5248B-AU	500	5	18	17.1	18.9	21	7	600	0.25	0.1	14	
MMSZ5249B-AU	500	5	19	18.05	19.95	23	6.6	600	0.25	0.1	14	
MMSZ5250B-AU	500	5	20	19	21	25	6.2	600	0.25	0.1	15	
MMSZ5251B-AU	500	5	22	20.9	23.1	29	5.6	600	0.25	0.1	17	
MMSZ5252B-AU	500	5	24	22.8	25.2	33	5.2	600	0.25	0.1	18	
MMSZ5253B-AU	500	5	25	23.75	26.25	35	5	600	0.25	0.1	19	
MMSZ5254B-AU	500	5	27	25.65	28.35	41	5	600	0.25	0.1	21	
MMSZ5255B-AU	500	5	28	26.6	29.4	44	4.5	600	0.25	0.1	21	
MMSZ5256B-AU	500	5	30	28.5	31.5	49	4.2	600	0.25	0.1	23	
MMSZ5257B-AU	500	5	33	31.35	34.65	58	3.8	700	0.25	0.1	25	
MMSZ5258B-AU	500	5	36	34.2	37.8	70	3.4	700	0.25	0.1	27	
MMSZ5259B-AU	500	5	39	37.05	40.95	80	3.2	800	0.25	0.1	30	
MMSZ5260B-AU	500	5	43	40.85	45.15	93	3	900	0.25	0.1	33	
MMSZ5261B-AU	500	5	47	44.65	49.35	105	2.7	1000	0.25	0.1	36	
MMSZ5262B-AU	500	5	51	48.45	53.55	125	2.5	1100	0.25	0.1	39	
PZS513V9BAS-AU	500	5	3.9	3.71	4.1	-	0.05	-	-	5	2	
PZS514V3BAS-AU	500	5	4.3	4.09	4.52	-	0.05	-	-	4	2	
PZS514V7BAS-AU	500	5	4.7	4.47	4.94	-	0.05	-	-	10	3	
PZS515V1BAS-AU	500	5	5.1	4.85	5.36	-	0.05	-	-	10	3	
PZS515V3BAS-AU	500	5	5.3	5.03	5.57	-	0.05	-	-	10	4	
PZS515V6BAS-AU	500	5	5.6	5.32	5.88	-	0.05	-	-	7	4.2	
PZS516V2BAS-AU	500	5	6.2	5.89	6.51	-	0.05	-	-	10	5	
PZS516V8BAS-AU	500	5	6.8	6.46	7.14	-	0.05	-	-	10	5.1	
PZS517V5BAS-AU	500	5	7.5	7.13	7.88	-	0.05	-	-	10	5.7	
PZS518V2BAS-AU	500	5	8.2	7.79	8.61	-	0.05	-	-	1	6.2	
PZS518V7BAS-AU	500	5	8.7	8.27	9.14	-	0.05	-	-	1	6.6	
PZS519V1BAS-AU	500	5	9.1	8.65	9.56	-	0.05	-	-	1	6.9	
PZS5110BAS-AU	500	5	10	9.5	10.5	-	0.05	-	-	1	7.6	
PZS5111BAS-AU	500	5	11	10.5	11.6	-	0.05	-	-	0.05	8.4	
PZS5112BAS-AU	500	5	12	11.4	12.6	-	0.05	-	-	0.05	9.1	
PZS5113BAS-AU	500	5	13	12.4	13.7	-	0.05	-	-	0.05	9.8	
PZS5114BAS-AU	500	5	14	13.3	14.7	-	0.05	-	-	0.05	10.6	
PZS5115BAS-AU	500	5	15	14.3	15.8	-	0.05	-	-	0.05	11.4	
PZS5116BAS-AU	500	5	16	15.2	16.8	-	0.05	-	-	0.05	12.1	
PZS5117BAS-AU	500	5	17	16.2	17.9	-	0.05	-	-	0.05	12.9	
PZS5118BAS-AU	500	5	18	17.1	18.9	-	0.05	-	-	0.05	13.6	
PZS5119BAS-AU	500	5	19	18.1	20	-	0.05	-	-	0.05	14.4	
PZS5120BAS-AU	500	5	20	19	21	-	0.05	-	-	0.01	15.2	
PZS5122BAS-AU	500	5	22	20.9	23.1	-	0.05	-	-	0.01	16.7	
PZS5124BAS-AU	500	5	24	22.8	25.2	-	0.05	-	-	0.01	18.2	
PZS5125BAS-AU	500	5	25	23.8	26.3	-	0.05	-	-	0.01	19	
PZS5127BAS-AU	500	5	27	25.7	28.4	-	0.05	-	-	0.01	20.4	
PZS5128BAS-AU	500	5	28	26.6	29.4	-	0.05	-	-	0.01	21.2	
PZS5130BAS-AU	500	5	30	28.5	31.5	-	0.05	-	-	0.01	22.8	
PZS5133BAS-AU	500	5	33	31.4	34.7	-	0.05	-	-	0.01	25	
PZS5136BAS-AU	500	5	36	34.2	37.8	-	0.05	-	-	0.01	27.3	
PZS5139BAS-AU	500	5	39	37.1	41	-	0.05	-	-	0.01	29.6	
PZS5143BAS-AU	500	5	43	40.9	45.2	-	0.05	-	-	0.01	32.6	

Zener Diodes

Part Number	P _D	V _Z	V _Z @ I _{ZT} (V)			Z _{VT} @ I _{ZT} Max.	I _{ZT}	Z _{ZK} @ I _{ZK} Max.	I _{ZK}	I _R @ V _R Max.		Package
	mW	%	TYP.	Min.	Max.	Ω	mA	Ω	mA	μA	V	
MMSZ5229A-AU	500	2	4.3	4.21	4.39	22	20	2000	0.25	5	1	SOD-123
MMSZ5230A-AU	500	2	4.7	4.61	4.79	19	20	1900	0.25	5	2	
MMSZ5231A-AU	500	2	5.1	5	5.2	17	20	1600	0.25	5	2	
MMSZ5232A-AU	500	2	5.6	5.49	5.71	11	20	1600	0.25	5	3	
MMSZ5234A-AU	500	2	6.2	6.08	6.32	7	20	1000	0.25	5	4	
MMSZ5235A-AU	500	2	6.8	6.66	6.94	5	20	750	0.25	3	5	
MMSZ5236A-AU	500	2	7.5	7.35	7.65	6	20	500	0.25	3	6	
MMSZ5237A-AU	500	2	8.2	8.04	8.36	8	20	500	0.25	3	6	
MMSZ5238A-AU	500	2	8.7	8.53	8.87	8	20	600	0.25	3	6.5	
MMSZ5239A-AU	500	2	9.1	8.92	9.28	10	20	600	0.25	3	6.5	
MMSZ5240A-AU	500	2	10	9.8	10.2	17	20	600	0.25	3	8	
MMSZ5241A-AU	500	2	11	10.78	11.22	22	20	600	0.25	2	8.4	
MMSZ5242A-AU	500	2	12	11.76	12.24	30	20	600	0.25	1	9.1	
MMSZ5243A-AU	500	2	13	12.74	13.26	13	9.5	600	0.25	0.5	9.9	
MMSZ5244A-AU	500	2	14	13.72	14.28	15	9	600	0.25	0.1	10.5	
MMSZ5245A-AU	500	2	15	14.7	15.3	16	8.5	600	0.25	0.1	11	
MMSZ5246A-AU	500	2	16	15.68	16.32	17	7.8	600	0.25	0.1	12	
MMSZ5247A-AU	500	2	17	16.66	17.34	19	7.5	600	0.25	0.1	13	
MMSZ5248A-AU	500	2	18	17.64	18.36	21	7	600	0.25	0.1	14	
MMSZ5250A-AU	500	2	20	19.6	20.4	25	6.2	600	0.25	0.1	15	
MMSZ5251A-AU	500	2	22	21.56	22.44	29	5.6	600	0.25	0.1	17	
MMSZ5252A-AU	500	2	24	23.52	24.48	33	5	600	0.25	0.1	18	
MMSZ5254A-AU	500	2	27	26.46	27.54	41	5	600	0.25	0.1	21	
MMSZ5255A-AU	500	2	28	27.44	28.56	44	4.5	600	0.25	0.1	21	
MMSZ5256A-AU	500	2	30	29.4	30.6	49	4.2	600	0.25	0.1	23	
MMSZ5257A-AU	500	2	33	32.34	33.66	58	3.8	700	0.25	0.1	25	
MMSZ5258A-AU	500	2	36	35.28	36.72	70	3.4	700	0.25	0.1	27	
MMSZ5259A-AU	500	2	39	38.22	39.78	80	3.2	800	0.25	0.1	30	
MMSZ5260A-AU	500	2	43	42.14	43.86	93	3	900	0.25	0.1	33	
MMSZ5261A-AU	500	2	47	46.06	47.94	105	2.7	1000	0.25	0.1	36	
MMSZ5262A-AU	500	2	51	49.98	52.02	125	2.5	1100	0.25	0.1	39	
PZ1AH3V6B-AU	1000	5	3.6	3.42	3.78	8	100	400	1	100	1	SOD-123HE
PZ1AH3V9B-AU	1000	5	3.9	3.71	4.1	8	100	400	1	50	1	
PZ1AH4V3B-AU	1000	5	4.3	4.09	4.52	7	100	400	1	25	1	
PZ1AH4V7B-AU	1000	5	4.7	4.47	4.94	7	100	400	1	10	1	
PZ1AH5V1B-AU	1000	5	5.1	4.85	5.36	6	100	550	1	5	1	
PZ1AH5V6B-AU	1000	5	5.6	5.32	5.88	4	100	600	1	10	2	
PZ1AH6V0B-AU	1000	5	6	5.7	6.3	3	100	600	1	8	2	
PZ1AH6V2B-AU	1000	5	6.2	5.89	6.51	3	100	700	1	5	2	
PZ1AH6V8B-AU	1000	5	6.8	6.46	7.14	3	100	700	1	10	3	
PZ1AH7V5B-AU	1000	5	7.5	7.13	7.88	2	100	700	0.5	50	3	
PZ1AH8V2B-AU	1000	5	8.2	7.79	8.61	2	100	700	0.5	10	3	
PZ1AH8V7B-AU	1000	5	8.7	8.27	9.14	3	50	700	0.5	10	4	
PZ1AH9V1B-AU	1000	5	9.1	8.65	9.56	4	50	700	0.5	10	5	
PZ1AH10B-AU	1000	5	10	9.5	10.5	4	50	700	0.25	7	7.5	
PZ1AH11B-AU	1000	5	11	10.45	11.55	7	50	700	0.25	4	8.2	
PZ1AH12B-AU	1000	5	12	11.4	12.6	7	50	700	0.25	3	9.1	
PZ1AH13B-AU	1000	5	13	12.35	13.65	10	50	700	0.25	2	10	
PZ1AH14B-AU	1000	5	14	13.3	14.7	10	50	700	0.25	2	11	
PZ1AH15B-AU	1000	5	15	14.25	15.75	10	50	700	0.25	1	11	

Zener Diodes

Part Number	P _D	V _Z	V _Z @ I _{ZT} (V)			Z _{VT} @ I _{ZT} Max.	I _{ZT}	Z _{ZK} @ I _{ZK} Max.	I _{ZK}	I _R @ V _R Max.		Package
	mW	%	TYP.	Min.	Max.	Ω	mA	Ω	mA	μA	V	
PZ1AH16B-AU	1000	5	16	15.2	16.8	15	25	700	0.25	1	12	SOD-123HE
PZ1AH17B-AU	1000	5	17	16.15	17.85	15	25	750	0.25	1	13	
PZ1AH18B-AU	1000	5	18	17.1	18.9	15	25	750	0.25	1	13	
PZ1AH19B-AU	1000	5	19	18.05	19.95	15	25	750	0.25	1	14	
PZ1AH20B-AU	1000	5	20	19	21	15	25	750	0.25	1	15	
PZ1AH22B-AU	1000	5	22	20.9	23.1	15	25	750	0.25	1	16	
PZ1AH24B-AU	1000	5	24	22.8	25.2	15	25	750	0.25	1	18	
PZ1AH25B-AU	1000	5	25	23.75	26.25	15	25	750	0.25	1	19	
PZ1AH27B-AU	1000	5	27	25.65	28.35	15	25	750	0.25	1	20	
PZ1AH28B-AU	1000	5	28	26.6	29.4	15	25	1000	0.25	1	21	
PZ1AH30B-AU	1000	5	30	28.5	31.5	15	25	1000	0.25	1	22	
PZ1AH33B-AU	1000	5	33	31.35	34.65	15	25	1000	0.25	1	24	
PZ1AH36B-AU	1000	5	36	34.2	37.8	40	10	1000	0.25	1	27	
PZ1AH39B-AU	1000	5	39	37.05	40.95	40	10	1000	0.25	1	30	
PZ1AH43B-AU	1000	5	43	40.85	45.15	45	10	1500	0.25	1	33	
PZ1AH47B-AU	1000	5	47	44.65	49.35	45	10	1500	0.25	1	36	
PZ1AH51B-AU	1000	5	51	48.45	53.55	60	10	1500	0.25	1	39	
PZ1AH56B-AU	1000	5	56	53.2	58.8	60	10	2000	0.25	1	43	
PZ1AH62B-AU	1000	5	62	58.9	65.1	80	10	2000	0.25	1	47	
PZ1AH68B-AU	1000	5	68	64.6	71.4	80	10	2000	0.25	1	51	
PZ1AH75B-AU	1000	5	75	71.25	78.75	100	10	2000	0.25	1	56	
PZ1AL3V6B-AU	1000	5	3.6	3.42	3.78	8	100	400	1	100	1	SOD-123FL
PZ1AL3V9B-AU	1000	5	3.9	3.71	4.1	8	100	400	1	50	1	
PZ1AL4V3B-AU	1000	5	4.3	4.09	4.52	7	100	400	1	25	1	
PZ1AL4V7B-AU	1000	5	4.7	4.47	4.94	7	100	400	1	10	1	
PZ1AL5V1B-AU	1000	5	5.1	4.85	5.36	6	100	550	1	5	1	
PZ1AL5V6B-AU	1000	5	5.6	5.32	5.88	4	100	600	1	10	2	
PZ1AL6V0B-AU	1000	5	6	5.7	6.3	3	100	600	1	8	2	
PZ1AL6V2B-AU	1000	5	6.2	5.89	6.51	3	100	700	1	5	2	
PZ1AL6V8B-AU	1000	5	6.8	6.46	7.14	3	100	700	1	10	3	
PZ1AL7V5B-AU	1000	5	7.5	7.13	7.88	2	100	700	0.5	50	3	
PZ1AL8V2B-AU	1000	5	8.2	7.79	8.61	2	100	700	0.5	10	3	
PZ1AL8V7B-AU	1000	5	8.7	8.27	9.14	3	50	700	0.5	10	4	
PZ1AL9V1B-AU	1000	5	9.1	8.65	9.56	4	50	700	0.5	10	5	
PZ1AL10B-AU	1000	5	10	9.5	10.5	4	50	700	0.25	7	7.5	
PZ1AL11B-AU	1000	5	11	10.45	11.55	7	50	700	0.25	4	8.2	
PZ1AL12B-AU	1000	5	12	11.4	12.6	7	50	700	0.25	3	9.1	
PZ1AL13B-AU	1000	5	13	12.35	13.65	10	50	700	0.25	2	10	
PZ1AL14B-AU	1000	5	14	13.3	14.7	10	50	700	0.25	2	11	
PZ1AL15B-AU	1000	5	15	14.25	15.75	10	50	700	0.25	1	11	
PZ1AL16B-AU	1000	5	16	15.2	16.8	15	25	700	0.25	1	12	
PZ1AL17B-AU	1000	5	17	16.15	17.85	15	25	750	0.25	1	13	
PZ1AL18B-AU	1000	5	18	17.1	18.9	15	25	750	0.25	1	13	
PZ1AL19B-AU	1000	5	19	18.05	19.95	15	25	750	0.25	1	14	
PZ1AL20B-AU	1000	5	20	19	21	15	25	750	0.25	1	15	
PZ1AL22B-AU	1000	5	22	20.9	23.1	15	25	750	0.25	1	16	
PZ1AL24B-AU	1000	5	24	22.8	25.2	15	25	750	0.25	1	18	
PZ1AL25B-AU	1000	5	25	23.75	26.25	15	25	750	0.25	1	19	
PZ1AL27B-AU	1000	5	27	25.65	28.35	15	25	750	0.25	1	20	
PZ1AL28B-AU	1000	5	28	26.6	29.4	15	25	1000	0.25	1	21	

Zener Diodes

Part Number	P _D	V _Z	V _Z @ I _{ZT} (V)			Z _{VT} @ I _{ZT} Max.	I _{ZT}	Z _{ZK} @ I _{ZK} Max.	I _{ZK}	I _R @ V _R Max.		Package
	mW	%	TYP.	Min.	Max.	Ω	mA	Ω	mA	μA	V	
PZ1AL30B-AU	1000	5	30	28.5	31.5	15	25	1000	0.25	1	22	SOD-123FL
PZ1AL33B-AU	1000	5	33	31.35	34.65	15	25	1000	0.25	1	24	
PZ1AL36B-AU	1000	5	36	34.2	37.8	40	10	1000	0.25	1	27	
PZ1AL39B-AU	1000	5	39	37.05	40.95	40	10	1000	0.25	1	30	
PZ1AL43B-AU	1000	5	43	40.85	45.15	45	10	1500	0.25	1	33	
PZ1AL47B-AU	1000	5	47	44.65	49.35	45	10	1500	0.25	1	36	
PZ1AL51B-AU	1000	5	51	48.45	53.55	60	10	1500	0.25	1	39	
PZ1AL56B-AU	1000	5	56	53.2	58.8	60	10	2000	0.25	1	43	
PZ1AL62B-AU	1000	5	62	58.9	65.1	80	10	2000	0.25	1	47	
PZ1AL68B-AU	1000	5	68	64.6	71.4	80	10	2000	0.25	1	51	
PZ1AL75B-AU	1000	5	75	71.25	78.75	100	10	2000	0.25	1	56	
1SMA4728-AU	1000	5	3.3	3.1	3.5	10	76	400	1	100	1	SMA
1SMA4730-AU	1000	5	3.9	3.7	4.1	9	64	400	1	50	1	
1SMA4731-AU	1000	5	4.3	4.1	4.5	9	58	400	1	10	1	
1SMA4732-AU	1000	5	4.7	4.5	4.9	8	53	500	1	10	1	
1SMA4733-AU	1000	5	5.1	4.8	5.4	7	49	550	1	10	1	
1SMA4734-AU	1000	5	5.6	5.3	5.9	5	45	600	1	10	2	
1SMA4735-AU	1000	5	6.2	5.9	6.5	2	41	700	1	10	3	
1SMA4736-AU	1000	5	6.8	6.46	7.14	3.5	37	700	1	5	4	
1SMA4737-AU	1000	5	7.5	7.125	7.875	4	34	700	0.5	5	5	
1SMA4738-AU	1000	5	8.2	7.79	8.61	4.5	31	700	0.5	5	6	
1SMA4739-AU	1000	5	9.1	8.645	9.555	5	28	700	0.5	0.5	7	
1SMA4740-AU	1000	5	10	9.5	10.5	7	25	700	0.25	0.5	7.6	
1SMA4741-AU	1000	5	11	10.45	11.55	8	23	700	0.25	0.1	8.4	
1SMA4742-AU	1000	5	12	11.4	12.6	9	21	700	0.25	0.1	9.1	
1SMA4743-AU	1000	5	13	12.35	13.65	10	19	700	0.25	0.1	9.9	
1SMA4744-AU	1000	5	15	14.25	15.75	14	17	700	0.25	0.1	11.4	
1SMA4745-AU	1000	5	16	15.2	16.8	16	15.5	700	0.25	0.1	12.2	
1SMA4746-AU	1000	5	18	17.1	18.9	20	14	750	0.25	0.1	13.7	
1SMA4747-AU	1000	5	20	19	21	22	12.5	750	0.25	0.1	15.2	
1SMA4748-AU	1000	5	22	20.9	23.1	23	11.5	750	0.25	0.1	16.7	
1SMA4749-AU	1000	5	24	22.8	25.2	25	10.5	750	0.25	0.1	18.2	
1SMA4750-AU	1000	5	27	25.65	28.35	35	9.5	750	0.25	0.1	20.6	
1SMA4751-AU	1000	5	30	28.5	31.5	40	8.5	1000	0.25	0.1	22.8	
1SMA4752-AU	1000	5	33	31.35	34.65	45	7.5	1000	0.25	0.1	25.1	
1SMA4753-AU	1000	5	36	34.2	37.8	50	7	1000	0.25	0.1	27.4	
1SMA4754-AU	1000	5	39	37.05	40.95	60	6.5	1000	0.25	0.1	29.7	
1SMA4755-AU	1000	5	43	40.85	45.15	70	6	1500	0.25	0.1	32.7	
1SMA4756-AU	1000	5	47	44.65	49.35	80	5.5	1500	0.25	0.1	35.8	
1SMA4757-AU	1000	5	51	48.45	53.55	95	5	1500	0.25	0.1	38.8	
1SMA5914-AU	1500	5	3.6	3.42	3.78	104.2	9	500	1	75	1	
1SMA5915-AU	1500	5	3.9	3.71	4.1	96.1	8	500	1	25	1	
1SMA5916-AU	1500	5	4.3	4.09	4.52	87.2	6	500	1	5	1	
1SMA5917-AU	1500	5	4.7	4.47	4.94	79.8	5	500	1	5	1.5	
1SMA5918-AU	1500	5	5.1	4.85	5.36	73.5	4	350	1	5	2	
1SMA5919-AU	1500	5	5.6	5.32	5.88	66.9	2	250	1	5	3	
1SMA5920-AU	1500	5	6.2	5.89	6.51	60.5	2	200	1	5	4	
1SMA5921-AU	1500	5	6.8	6.46	7.14	3	55.1	200	1	5	5.2	
1SMA5922-AU	1500	5	7.5	7.13	7.88	3	50	400	0.5	5	6	
1SMA5923-AU	1500	5	8.2	7.79	8.61	4	45.7	400	0.5	5	6.5	

Zener Diodes

Part Number	P _D	V _Z	V _Z @ I _{ZT} (V)			Z _{VT} @ I _{ZT} Max.	I _{ZT}	Z _{ZK} @ I _{ZK} Max.	I _{ZK}	I _R @ V _R Max.		Package
	mW	%	TYP.	Min.	Max.	Ω	mA	Ω	mA	μA	V	
1SMA5924-AU	1500	5	9.1	8.65	9.56	4	41.2	500	0.5	5	7	SMA
1SMA5925-AU	1500	5	10	9.5	10.5	5	37.5	500	0.25	5	8	
1SMA5926-AU	1500	5	11	10.45	11.55	6	34.1	550	0.25	1	8.4	
1SMA5927-AU	1500	5	12	11.4	12.6	7	31.2	550	0.25	1	9.1	
1SMA5928-AU	1500	5	13	12.35	13.65	7	28.8	550	0.25	1	9.9	
1SMA5929-AU	1500	5	15	14.25	15.75	9	25	600	0.25	1	11.4	
1SMA5930-AU	1500	5	16	15.2	16.8	10	23.4	600	0.25	1	12.2	
1SMA5931-AU	1500	5	18	17.1	18.9	12	20.8	650	0.25	1	13.7	
1SMA5932-AU	1500	5	20	19	21	14	18.7	650	0.25	1	15.2	
1SMA5933-AU	1500	5	22	20.9	23.1	18	17	650	0.25	1	16.7	
1SMA5934-AU	1500	5	24	22.8	25.2	19	15.6	700	0.25	1	18.2	
1SMA5935-AU	1500	5	27	25.65	28.35	23	13.9	700	0.25	1	20.6	
1SMA5936-AU	1500	5	30	28.5	31.5	26	12.5	750	0.25	1	22.8	
1SMA5937-AU	1500	5	33	31.35	34.65	33	11.4	800	0.25	1	25.1	
1SMA5938-AU	1500	5	36	34.2	37.8	38	10.4	850	0.25	1	27.4	
1SMA5939-AU	1500	5	39	37.05	40.95	45	9.6	900	0.25	1	29.7	
1SMA5940-AU	1500	5	43	40.85	45.15	53	8.7	950	0.25	1	32.7	
1SMA5941-AU	1500	5	47	44.65	49.35	67	8	1000	0.25	1	35.8	
1SMA5942-AU	1500	5	51	48.45	53.55	70	7.3	1100	0.25	1	38.8	
1SMA5943-AU	1500	5	56	53.2	58.8	86	6.7	1300	0.25	1	42.6	
1SMA5944-AU	1500	5	62	58.9	65.1	100	6	1500	0.25	1	47.1	
1SMA5945-AU	1500	5	68	64.6	71.4	120	5.5	1700	0.25	1	51.7	
1SMB5921-AU	1500	5	6.8	6.46	7.14	3	55.1	200	1	5	5.2	SMB
1SMB5922-AU	1500	5	7.5	7.13	7.88	3	50	400	0.5	5	6	
1SMB5923-AU	1500	5	8.2	7.79	8.61	4	45.7	400	0.5	5	6.5	
1SMB5924-AU	1500	5	9.1	8.65	9.56	4	41.2	500	0.5	5	7	
1SMB5925-AU	1500	5	10	9.5	10.5	5	37.5	500	0.25	5	8	
1SMB5926-AU	1500	5	11	10.45	11.55	6	34.1	550	0.25	1	8.4	
1SMB5927-AU	1500	5	12	11.4	12.6	7	31.2	550	0.25	1	9.1	
1SMB5928-AU	1500	5	13	12.35	13.65	7	28.8	550	0.25	1	9.9	
1SMB5929-AU	1500	5	15	14.25	15.75	9	25	600	0.25	1	11.4	
1SMB5930-AU	1500	5	16	15.2	16.8	10	23.4	600	0.25	1	12.2	
1SMB5931-AU	1500	5	18	17.1	18.9	12	20.8	650	0.25	1	13.7	
1SMB5932-AU	1500	5	20	19	21	14	18.7	650	0.25	1	15.2	
1SMB5933-AU	1500	5	22	20.9	23.1	18	17	650	0.25	1	16.7	
1SMB5934-AU	1500	5	24	22.8	25.2	19	15.6	700	0.25	1	18.2	
1SMB5935-AU	1500	5	27	25.65	28.35	23	13.9	700	0.25	1	20.6	
1SMB5936-AU	1500	5	30	28.5	31.5	26	12.5	750	0.25	1	22.8	
1SMB5937-AU	1500	5	33	31.35	34.65	33	11.4	800	0.25	1	25.1	
1SMB5938-AU	1500	5	36	34.2	37.8	38	10.4	850	0.25	1	27.4	
1SMB5939-AU	1500	5	39	37.05	40.95	45	9.6	900	0.25	1	29.7	
1SMB5940-AU	1500	5	43	40.85	45.15	53	8.7	950	0.25	1	32.7	
1SMB5941-AU	1500	5	47	44.65	49.35	67	8	1000	0.25	1	35.8	
1SMB5942-AU	1500	5	51	48.45	53.55	70	7.3	1100	0.25	1	38.8	
1SMB2EZ6.8-AU	2000	5	6.8	6.46	7.14	2	73.5	700	1	5	4	
1SMB2EZ7.5-AU	2000	5	7.5	7.125	7.875	2	66.5	700	0.5	5	5	
1SMB2EZ8.2-AU	2000	5	8.2	7.79	8.61	2.3	61	700	0.5	5	6	
1SMB2EZ8.7-AU	2000	5	8.7	8.265	9.135	2.4	58	700	0.5	4	6.6	
1SMB2EZ9.1-AU	2000	5	9.1	8.645	9.555	2.5	55	700	0.5	3	7	
1SMB2EZ10-AU	2000	5	10	9.5	10.5	3.5	50	700	0.25	3	7.6	







Zener Diodes

Part Number	P _D	V _Z	V _Z @ I _{ZT} (V)			Z _{VT} @ I _{ZT} Max.	I _{ZT}	Z _{ZK} @ I _{ZK} Max.	I _{ZK}	I _R @ V _R Max.		Package
	mW	%	TYP.	Min.	Max.	Ω	mA	Ω	mA	μA	V	
1SMB2EZ11-AU	2000	5	11	10.45	11.55	4	45.5	700	0.25	1	8.4	SMB
1SMB2EZ12-AU	2000	5	12	11.4	12.6	4.5	41.5	700	0.25	1	9.1	
1SMB2EZ13-AU	2000	5	13	12.35	13.65	5	38.5	700	0.25	0.5	9.9	
1SMB2EZ14-AU	2000	5	14	13.3	14.7	5.5	35.7	700	0.25	0.5	10.6	
1SMB2EZ15-AU	2000	5	15	14.25	15.75	7	33.4	700	0.25	0.5	11.4	
1SMB2EZ16-AU	2000	5	16	15.2	16.8	8	31.2	700	0.25	0.5	12.2	
1SMB2EZ17-AU	2000	5	17	16.15	17.85	9	29.4	750	0.25	0.5	13	
1SMB2EZ18-AU	2000	5	18	17.1	18.9	10	27.8	750	0.25	0.5	13.7	
1SMB2EZ19-AU	2000	5	19	18.05	19.95	11	26.3	750	0.25	0.5	14.4	
1SMB2EZ20-AU	2000	5	20	19	21	11	25	750	0.25	0.5	15.2	
1SMB2EZ22-AU	2000	5	22	20.9	23.1	12	22.8	750	0.25	0.5	16.7	
1SMB2EZ24-AU	2000	5	24	22.8	25.2	13	20.8	750	0.25	0.5	18.2	
1SMB2EZ25-AU	2000	5	25	23.75	26.25	14	20	750	0.25	0.5	19	
1SMB2EZ27-AU	2000	5	27	25.65	28.35	18	18.5	750	0.25	0.5	20.6	
1SMB2EZ28-AU	2000	5	28	26.6	29.4	18	17	750	0.25	0.5	21.3	
1SMB2EZ30-AU	2000	5	30	28.5	31.5	20	16.6	1000	0.25	0.5	22.5	
1SMB2EZ33-AU	2000	5	33	31.35	34.65	23	15.1	1000	0.25	0.5	25.1	
1SMB2EZ36-AU	2000	5	36	34.2	37.8	25	13.9	1000	0.25	0.5	27.4	
1SMB2EZ39-AU	2000	5	39	37.05	40.95	30	12.8	1000	0.25	0.5	29.7	
1SMB2EZ43-AU	2000	5	43	40.85	45.15	35	11.6	1500	0.25	0.5	32.7	
1SMB2EZ47-AU	2000	5	47	44.65	49.35	40	10.6	1500	0.25	0.5	35.8	
1SMB2EZ51-AU	2000	5	51	48.45	53.55	48	9.8	1500	0.25	0.5	38.8	
1SMB3EZ5.6-AU	3000	5	5.6	5.32	5.88	2	134	700	1	5	3	
1SMB3EZ6.2-AU	3000	5	6.2	5.89	6.51	2	120	700	1	5	4	
1SMB3EZ6.8-AU	3000	5	6.8	6.46	7.14	2	110	700	1	5	4	
1SMB3EZ7.5-AU	3000	5	7.5	7.125	7.875	2	100	700	0.5	5	5	
1SMB3EZ8.2-AU	3000	5	8.2	7.79	8.61	2.3	91	700	0.5	5	6	
1SMB3EZ8.7-AU	3000	5	8.7	8.265	9.135	2.4	85	700	0.5	4	6.6	
1SMB3EZ9.1-AU	3000	5	9.1	8.645	9.555	2.5	82	700	0.5	3	7	
1SMB3EZ10-AU	3000	5	10	9.5	10.5	3.5	75	700	0.25	3	7.6	
1SMB3EZ11-AU	3000	5	11	10.45	11.55	4	68	700	0.25	1	8.4	
1SMB3EZ12-AU	3000	5	12	11.4	12.6	4.5	63	700	0.25	1	9.1	
1SMB3EZ13-AU	3000	5	13	12.35	13.65	4.5	58	700	0.25	0.5	9.9	
1SMB3EZ14-AU	3000	5	14	13.3	14.7	5	53	700	0.25	0.5	10.6	
1SMB3EZ15-AU	3000	5	15	14.25	15.75	5.5	50	700	0.25	0.5	11.4	
1SMB3EZ16-AU	3000	5	16	15.2	16.8	5.5	47	700	0.25	0.5	12.2	
1SMB3EZ17-AU	3000	5	17	16.15	17.85	6	44	750	0.25	0.5	13	
1SMB3EZ18-AU	3000	5	18	17.1	18.9	6	42	750	0.25	0.5	13.7	
1SMB3EZ19-AU	3000	5	19	18.05	19.95	7	40	750	0.25	0.5	14.4	
1SMB3EZ20-AU	3000	5	20	19	21	7	37	750	0.25	0.5	15.2	
1SMB3EZ22-AU	3000	5	22	20.9	23.1	8	34	750	0.25	0.5	16.7	
1SMB3EZ24-AU	3000	5	24	22.8	25.2	9	31	750	0.25	0.5	18.2	
1SMB3EZ25-AU	3000	5	25	23.75	26.25	9.5	30	750	0.25	0.5	19	
1SMB3EZ27-AU	3000	5	27	25.65	28.35	10	28	750	0.25	0.5	20.6	
1SMB3EZ28-AU	3000	5	28	26.6	29.4	12	27	750	0.25	0.5	21.3	
1SMB3EZ30-AU	3000	5	30	28.5	31.5	16	25	1000	0.25	0.5	22.5	
1SMB3EZ33-AU	3000	5	33	31.35	34.65	20	23	1000	0.25	0.5	25.1	
1SMB3EZ36-AU	3000	5	36	34.2	37.8	22	21	1000	0.25	0.5	27.4	
1SMB3EZ39-AU	3000	5	39	37.05	40.95	28	19	1000	0.25	0.5	29.7	
1SMB3EZ43-AU	3000	5	43	40.85	45.15	33	17	1500	0.25	0.5	32.7	
1SMB3EZ47-AU	3000	5	47	44.65	49.35	38	16	1500	0.25	0.5	35.8	
1SMB3EZ51-AU	3000	5	51	48.45	53.55	45	15	1500	0.25	0.5	38.8	




Zener Diodes

Part Number	P _D	V _Z	V _Z @ I _{ZT} (V)			Z _{VT} @ I _{ZT} Max.	I _{ZT}	Z _{ZK} @ I _{ZK} Max.	I _{ZK}	I _R @ V _R Max.		Package
	mW	%	TYP.	Min.	Max.	Ω	mA	Ω	mA	μA	V	
1SMC5338-AU	5000	5	5.1	4.85	5.36	2	240	400	1	10	1	SMC
1SMC5339-AU	5000	5	5.6	5.32	5.88	1	220	400	1	10	2	
1SMC5340-AU	5000	5	6	5.7	6.3	1	200	300	1	10	3	
1SMC5341-AU	5000	5	6.2	5.89	6.51	1	200	200	1	10	3	
1SMC5342-AU	5000	5	6.8	6.46	7.14	1	175	200	1	10	5.2	
1SMC5343-AU	5000	5	7.5	7.13	7.88	2	175	200	1	10	5.7	
1SMC5344-AU	5000	5	8.2	7.79	8.61	2	150	200	1	10	6.2	
1SMC5345-AU	5000	5	8.7	8.27	9.14	2	150	200	1	10	6.6	
1SMC5346-AU	5000	5	9.1	8.65	9.56	2	150	150	1	7.5	6.9	
1SMC5347-AU	5000	5	10	9.5	10.5	2	125	125	1	5	7.6	
1SMC5348-AU	5000	5	11	10.45	11.55	3	125	125	1	5	8.4	
1SMC5349-AU	5000	5	12	11.4	12.6	3	100	125	1	2	9.1	
1SMC5350-AU	5000	5	13	12.35	13.65	3	100	100	1	1	9.9	
1SMC5351-AU	5000	5	14	13.3	14.7	3	100	75	1	1	10.6	
1SMC5352-AU	5000	5	15	14.25	15.75	3	75	75	1	1	11.5	
1SMC5353-AU	5000	5	16	15.2	16.8	3	75	75	1	1	12.2	
1SMC5354-AU	5000	5	17	16.15	17.85	3	70	75	1	0.5	12.9	
1SMC5355-AU	5000	5	18	17.1	18.9	3	65	75	1	0.5	13.7	
1SMC5356-AU	5000	5	19	18.05	19.95	3	65	75	1	0.5	14.4	
1SMC5357-AU	5000	5	20	19	21	3	65	75	1	0.5	15.2	
1SMC5358-AU	5000	5	22	20.9	23.1	4	50	75	1	0.5	16.7	
1SMC5359-AU	5000	5	24	22.8	25.2	4	50	100	1	0.5	18.2	
1SMC5360-AU	5000	5	25	23.75	26.25	4	50	110	1	0.5	19	
1SMC5361-AU	5000	5	27	25.65	28.35	5	50	120	1	0.5	20.6	
1SMC5362-AU	5000	5	28	26.6	29.4	6	50	130	1	0.5	21.2	
1SMC5363-AU	5000	5	30	28.5	31.5	8	40	140	1	0.5	22.8	
1SMC5364-AU	5000	5	33	31.35	34.65	10	40	150	1	0.5	25.1	
1SMC5365-AU	5000	5	36	34.2	37.8	11	30	160	1	0.5	27.4	
1SMC5366-AU	5000	5	39	37.05	40.95	14	30	170	1	0.5	29.7	
1SMC5367-AU	5000	5	43	40.85	45.15	20	30	190	1	0.5	32.7	
1SMC5368-AU	5000	5	47	44.65	49.35	25	25	210	1	0.5	35.8	
1SMC5369-AU	5000	5	51	48.45	53.55	27	25	230	1	0.5	38.8	

ESD Protection

Part Number	UNI/BI	Ch.	V _{RWM} Max.	V _{BR} Min.	I _R @ V _{RWM} Max.	V _C @ I _{PP} Max.	I _{PP}	C _J Max.	Package	Circuit Figure
			V	V	μA	V	A	pF		
PJSD03W-AU	UNI	1	3	4	125	6.5	1	540	SOD-323	
PJSD05W-AU	UNI	1	5	6	10	9.8	1	360		
PJSD08W-AU	UNI	1	8	8.5	10	13.4	1	180		
PJSD12W-AU	UNI	1	12	13.3	1	19	1	160		
PJSD15W-AU	UNI	1	15	16.7	1	24	1	150		
PJSD24W-AU	UNI	1	24	26.6	1	43	1	100		
PJSD36W-AU	UNI	1	36	39.9	1	60	1	40		
PJSD03TS-AU	UNI	1	3.3	4	200	6.5	5	200	SOD-523	
PJSD05TS-AU	UNI	1	5	6	5	9	5	110		
PJSD07TS-AU	UNI	1	7	7.5	0.15	22.7	8.8	85		
PJSD08TS-AU	UNI	1	8	8.5	5	13	5	70		
PJSD12TS-AU	UNI	1	12	13.3	5	17	5	60		
PJSD15TS-AU	UNI	1	15	16.6	5	22	5	50		
PJSD24TS-AU	UNI	1	24	26.7	5	32	3	25		
PJSD36TS-AU	UNI	1	36	40	5	55	1	20		
PE4136C2A-AU	UNI	2	36	40	0.8	60	1	100	SOT-23	
PJMBZ15V-AU	UNI	2	12	14.3	0.1	24	6	80		
PJMBZ27V-AU	UNI	2	22	25.65	0.05	36	4	50		
PJEC12VM1TA-AU	BI	2	12	14	0.05	25	3	10		
PJGBLC03-AU	UNI	1	3	4.75	20	7.5	1	3	SOD-323	
PJGBLC05-AU	UNI	1	5	7.03	5	9.8	1	3		
PJGBLC08-AU	UNI	1	8	8.93	1	13.4	1	3		
PJGBLC12-AU	UNI	1	12	13.97	1	19	1	3		
PJGBLC15-AU	UNI	1	15	17.39	1	24	1	3		
PJGBLC24-AU	UNI	1	24	27.27	1	43	1	3		
PJGBLC03C-AU	BI	1	3	4.75	20	7.5	1	3		
PJGBLC05C-AU	BI	1	5	7.03	5	9.8	1	3		
PJGBLC08C-AU	BI	1	8	8.93	1	13.4	1	3		
PJGBLC12C-AU	BI	1	12	13.97	1	19	1	3		
PJGBLC15C-AU	BI	1	15	17.39	1	24	1	3		
PJGBLC24C-AU	BI	1	24	27.27	1	43	1	3		
PJSD05CW-AU	BI	1	5	6.37	5	14.5	24	200		
PJSD12CW-AU	BI	1	12	13.3	1	24	15	100		
PJSD15CW-AU	BI	1	15	16.72	1	29	10	75		
PJSD24CW-AU	BI	1	24	26.6	1	42	4	50		
PJSD36CW-AU	BI	1	36	40.57	1	71	3	45		
PJEC2415VM1WS-AU	BI	1	24	25.4	0.05	50	3	17		
PEC3212C1CS-AU	BI	1	12	13	0.1	23	5	20		

ESD Protection

Part Number	UNI/BI	Ch.	V_{RWM} Max.	V_{BR} Min.	$I_R @ V_{RWM}$ Max.	$V_C @ I_{PP}$ Max.	I_{PP}	C_J Max.	Package	Circuit Figure
			V	V	μA	V	A	pF		
PJSD05LCTS-AU	UNI	1	5	6	20	13	5	3	SOD-523	
PEC1605M1Q-AU	BI	1	5.5	6.8	0.075	12	1	0.6	DFN 2L	
PEC3124C2A-AU	BI	2	24	25.4	0.05	60	3	15	SOT-23	
PEC3215C2A-AU	BI	2	15	17	1	24	1	20		
PEC3324C2A-AU	BI	2	24	26.2	0.05	34	1	30		
PJE5UFN10A-AU	UNI	4	5	6	1	13	2.5	0.8	DFN2510-10L	
PE1805M4Q-AU	UNI	4	5.5	6.5	0.1	12	1	0.8		
PE1605C4A6-AU	UNI	4	5.5	6	1	10	1	0.6	SOT-23 6L	
PE1605C4C6-AU	UNI	4	5.5	6	1	10	1	0.6	SOT-363	
PE1605C4E6-AU	UNI	4	5.5	6	1	15	4	0.6	SOT-563	

Transient Voltage Suppressors

Part Number		P _D	V _{RWM}	V _{BR} @ I _T (V)		I _T	I _R @ V _{RWM} (μA)		V _C @ I _{PP} Max.	I _{PP}	Package
UNI	BI	W	V	Min.	Max.	mA	UNI	BI	V	A	
P1CH3.3A-AU	-	150	3.3	5.2	6	10	50	-	8.5	17.6	SOD-323HE
P1CH5.0A-AU	-	150	5	6.4	7	10	5	-	9.2	16.3	
P1CH6.0A-AU	-	150	6	6.67	7.37	10	5	-	10.3	14.5	
P1CH6.5A-AU	-	150	6.5	7.22	7.98	10	4	-	11.2	13.4	
P1CH7.0A-AU	-	150	7	7.78	8.6	10	4	-	12	12.5	
P1CH7.5A-AU	-	150	7.5	8.33	9.21	1	3	-	12.9	11.6	
P1CH8.0A-AU	-	150	8	8.89	9.83	1	2	-	13.6	11	
P1CH8.5A-AU	-	150	8.5	9.44	10.4	1	2	-	14.4	10.4	
P1CH9.0A-AU	-	150	9	10	11.1	1	1	-	15.4	9.7	
P1CH10A-AU	-	150	10	11.1	12.3	1	1	-	17	8.8	
P1CH11A-AU	-	150	11	12.2	13.5	1	1	-	18.2	8.2	
P1CH12A-AU	-	150	12	13.3	14.7	1	1	-	19.9	7.5	
P1CH13A-AU	-	150	13	14.4	15.9	1	0.5	-	21.5	7	
P1CH14A-AU	-	150	14	15.6	17.2	1	0.5	-	23.2	6.5	
P1CH15A-AU	-	150	15	16.7	18.5	1	0.5	-	24.4	6.1	
P1CH16A-AU	-	150	16	17.8	19.7	1	0.5	-	26	5.8	
P1CH17A-AU	-	150	17	18.9	20.9	1	0.5	-	27.6	5.3	
P1CH18A-AU	-	150	18	20	22.1	1	0.5	-	29.2	5.1	
P1CH20A-AU	-	150	20	22	24.5	1	0.5	-	32.4	4.6	
P1CH22A-AU	-	150	22	24.4	26.9	1	0.5	-	35.5	4.2	
P1CH24A-AU	-	150	24	26.7	29.5	1	0.5	-	38.9	3.9	
P1CH26A-AU	-	150	26	28.9	31.9	1	0.5	-	42.1	3.6	
P1CH28A-AU	-	150	28	31.1	34.4	1	0.5	-	45.4	3.3	
P1CH30A-AU	-	150	30	33.3	36.8	1	0.5	-	48.4	3.1	
P1CH33A-AU	-	150	33	36.7	40.6	1	0.5	-	53.3	2.8	
P1CH36A-AU	-	150	36	40	44.2	1	0.5	-	58.1	2.6	
SMF5.0A-AU	-	200	5	6.4	7	10	200	-	9.2	21.7	SOD-123FL
SMF6.0A-AU	-	200	6	6.7	7.4	10	100	-	10.3	19.4	
SMF6.5A-AU	-	200	6.5	7.2	8	10	75	-	11.2	17.9	
SMF7.0A-AU	-	200	7	7.8	8.6	10	50	-	12	16.7	
SMF7.5A-AU	-	200	7.5	8.3	9.2	1	50	-	12.9	15.5	
SMF8.0A-AU	-	200	8	8.9	9.8	1	25	-	13.6	14.7	
SMF8.5A-AU	-	200	8.5	9.4	10.4	1	10	-	14.4	13.9	
SMF9.0A-AU	-	200	9	10	11.1	1	5	-	15.4	13	
SMF10A-AU	-	200	10	11.1	12.3	1	2.5	-	17	11.8	
SMF11A-AU	-	200	11	12.2	13.5	1	2.5	-	18.2	11	
SMF12A-AU	-	200	12	13.3	14.7	1	2.5	-	19.9	10.1	
SMF13A-AU	-	200	13	14.4	15.9	1	1	-	21.5	9.3	
SMF14A-AU	-	200	14	15.6	17.2	1	1	-	23.2	8.6	
SMF15A-AU	-	200	15	16.7	18.5	1	1	-	24.4	8.2	
SMF16A-AU	-	200	16	17.8	19.7	1	1	-	26	7.7	
SMF17A-AU	-	200	17	18.9	20.9	1	1	-	27.6	7.2	
SMF18A-AU	-	200	18	20	22.1	1	1	-	29.2	6.8	
SMF20A-AU	-	200	20	22.2	24.5	1	1	-	32.4	6.2	
SMF22A-AU	-	200	22	24.4	26.9	1	1	-	35.5	5.6	
SMF24A-AU	-	200	24	26.7	29.5	1	1	-	38.9	5.1	
SMF26A-AU	-	200	26	28.9	31.9	1	1	-	42.1	4.8	
SMF28A-AU	-	200	28	31.1	34.4	1	1	-	45.4	4.4	
SMF30A-AU	-	200	30	33.3	36.8	1	1	-	48.4	4.1	
SMF33A-AU	-	200	33	36.7	40.6	1	1	-	53.3	3.8	

Transient Voltage Suppressors

Part Number		P _D	V _{RWM}	V _{BR} @ I _T (V)		I _T	I _R @ V _{RWM} (μA)		V _C @ I _{PP} Max.	I _{PP}	Package
UNI	BI	W	V	Min.	Max.	mA	UNI	BI	V	A	
SMF36A-AU	-	200	36	40	44.2	1	1	-	58.1	3.4	SOD-123FL
SMF40A-AU	-	200	40	44.4	49.1	1	1	-	64.5	3.1	
SMF43A-AU	-	200	43	47.8	52.8	1	1	-	69.4	2.9	
SMF45A-AU	-	200	45	50	55.3	1	1	-	72.7	2.8	
SMF48A-AU	-	200	48	53.3	58.9	1	1	-	77.4	2.6	
SMF51A-AU	-	200	51	56.7	62.7	1	1	-	82.4	2.4	
SMF54A-AU	-	200	54	60	66.3	1	1	-	87.1	2.3	
SMF58A-AU	-	200	58	64.4	71.2	1	1	-	93.6	2.1	
SMF60A-AU	-	200	60	66.7	73.7	1	1	-	96.8	1.8	
SMF64A-AU	-	200	64	71.1	78.6	1	1	-	103	1.7	
SMF70A-AU	-	200	70	77.8	86	1	1	-	113	1.5	
P2AL3.3A-AU	-	200	3.3	5.2	6	10	50	-	8.5	23.5	
P2AL5.0A-AU	-	200	5	6.4	7	10	25	-	9.2	21.7	
P2AL6.0A-AU	-	200	6	6.67	7.37	10	25	-	10.3	19.4	
P2AL6.5A-AU	-	200	6.5	7.22	7.98	10	20	-	11.2	17.9	
P2AL7.0A-AU	-	200	7	7.78	8.6	10	20	-	12	16.7	
P2AL7.5A-AU	-	200	7.5	8.33	9.21	1	15	-	12.9	15.5	
P2AL8.0A-AU	-	200	8	8.89	9.83	1	2	-	13.6	14.7	
P2AL8.5A-AU	-	200	8.5	9.44	10.4	1	2	-	14.4	13.9	
P2AL9.0A-AU	-	200	9	10	11.1	1	0.5	-	15.4	13	
P2AL10A-AU	-	200	10	11.1	12.3	1	0.5	-	17	11.8	
P2AL11A-AU	-	200	11	12.2	13.5	1	0.5	-	18.2	11	
P2AL12A-AU	-	200	12	13.3	14.7	1	0.5	-	19.9	10.1	
P2AL13A-AU	-	200	13	14.4	15.9	1	0.1	-	21.5	9.3	
P2AL14A-AU	-	200	14	15.6	17.2	1	0.1	-	23.2	8.6	
P2AL15A-AU	-	200	15	16.7	18.5	1	0.1	-	24.4	8.2	
P2AL16A-AU	-	200	16	17.8	19.7	1	0.1	-	26	7.7	
P2AL17A-AU	-	200	17	18.9	20.9	1	0.1	-	27.6	7.2	
P2AL18A-AU	-	200	18	20	22.1	1	0.1	-	29.2	6.8	
P2AL20A-AU	-	200	20	22	24.5	1	0.1	-	32.4	6.2	
P2AL22A-AU	-	200	22	24.4	26.9	1	0.1	-	35.5	5.6	
P2AL24A-AU	-	200	24	26.7	29.5	1	0.1	-	38.9	5.1	
P2AL26A-AU	-	200	26	28.9	31.9	1	0.1	-	42.1	4.8	
P2AL28A-AU	-	200	28	31.1	34.4	1	0.1	-	45.4	4.4	
P2AL30A-AU	-	200	30	33.3	36.8	1	0.1	-	48.4	4.1	
P2AL33A-AU	-	200	33	36.7	40.6	1	0.1	-	53.3	3.8	
P2AL36A-AU	-	200	36	40	44.2	1	0.1	-	58.1	3.4	
P2AL40A-AU	-	200	40	44.4	49.1	1	0.1	-	64.5	3.1	
P4FL3.3A-AU	-	400	3.3	5.2	6	10	100	-	8.5	47	
P4FL5.0A-AU	-	400	5	6.4	7	10	50	-	9.2	43.5	
P4FL6.0A-AU	-	400	6	6.67	7.37	10	50	-	10.3	38.8	
P4FL6.5A-AU	-	400	6.5	7.22	7.98	10	40	-	11.2	35.7	
P4FL7.0A-AU	-	400	7	7.78	8.6	10	40	-	12	33.3	
P4FL7.5A-AU	-	400	7.5	8.33	9.21	1	30	-	12.9	31	
P4FL8.0A-AU	-	400	8	8.89	9.83	1	5	-	13.6	29.4	
P4FL8.5A-AU	-	400	8.5	9.44	10.4	1	5	-	14.4	27.8	
P4FL9.0A-AU	-	400	9	10	11.1	1	0.5	-	15.4	26	
P4FL10A-AU	-	400	10	11.1	12.3	1	0.5	-	17	23.5	
P4FL11A-AU	-	400	11	12.2	13.5	1	0.5	-	18.2	22	
P4FL12A-AU	-	400	12	13.3	14.7	1	0.5	-	19.9	20.1	

Transient Voltage Suppressors

Part Number		P _D	V _{RWM}	V _{BR} @ I _T (V)		I _T	I _R @ V _{RWM} (μA)		V _C @ I _{PP} Max.	I _{PP}	Package
UNI	BI	W	V	Min.	Max.	mA	UNI	BI	V	A	
P4FL13A-AU	-	400	13	14.4	15.9	1	0.1	-	21.5	18.6	SOD-123FL
P4FL14A-AU	-	400	14	15.6	17.2	1	0.1	-	23.2	17.2	
P4FL15A-AU	-	400	15	16.7	18.5	1	0.1	-	24.4	16.4	
P4FL16A-AU	-	400	16	17.8	19.7	1	0.1	-	26	15.4	
P4FL17A-AU	-	400	17	18.9	20.9	1	0.1	-	27.6	14.5	
P4FL18A-AU	-	400	18	20	22.1	1	0.1	-	29.2	13.7	
P4FL20A-AU	-	400	20	22	24.5	1	0.1	-	32.4	12.3	
P4FL22A-AU	-	400	22	24.4	26.9	1	0.1	-	35.5	11.3	
P4FL24A-AU	-	400	24	26.7	29.5	1	0.1	-	38.9	10.3	
P4FL26A-AU	-	400	26	28.9	31.9	1	0.1	-	42.1	9.5	
P4FL28A-AU	-	400	28	31.1	34.4	1	0.1	-	45.4	8.8	
P4FL30A-AU	-	400	30	33.3	36.8	1	0.1	-	48.4	8.3	
P4FL33A-AU	-	400	33	36.7	40.6	1	0.1	-	53.3	7.5	
P4FL36A-AU	-	400	36	40	44.2	1	0.1	-	58.1	6.9	
P4FL40A-AU	-	400	40	44.4	49.1	1	0.1	-	64.5	6.2	
P4FL43A-AU	-	400	43	47.8	52.8	1	0.1	-	69.4	5.8	
P4FL45A-AU	-	400	45	50	55.3	1	0.1	-	72.2	5.5	
P4FL48A-AU	-	400	48	53.3	58.9	1	0.1	-	77.4	5.2	
P4FL51A-AU	-	400	51	56.7	62.7	1	0.1	-	82.4	4.9	
P4FL54A-AU	-	400	54	60	66.3	1	0.1	-	87.1	4.6	
P4FL58A-AU	-	400	58	64.4	71.2	1	0.1	-	93.6	4.3	
P4FL60A-AU	-	400	60	66.7	73.7	1	0.1	-	96.8	4.1	
P4FL64A-AU	-	400	64	71.1	78.6	1	0.1	-	103	3.9	
P4HE3.3A-AU	-	400	3.3	5.2	6	10	100	-	8.5	47	SOD-123HE
P4HE5.0A-AU	-	400	5	6.4	7	10	50	-	9.2	43.5	
P4HE6.0A-AU	-	400	6	6.67	7.37	10	50	-	10.3	38.8	
P4HE6.5A-AU	-	400	6.5	7.22	7.98	10	40	-	11.2	35.7	
P4HE7.0A-AU	-	400	7	7.78	8.6	10	40	-	12	33.3	
P4HE7.5A-AU	-	400	7.5	8.33	9.21	1	30	-	12.9	31	
P4HE8.0A-AU	-	400	8	8.89	9.83	1	5	-	13.6	29.4	
P4HE8.5A-AU	-	400	8.5	9.44	10.4	1	5	-	14.4	27.8	
P4HE9.0A-AU	-	400	9	10	11.1	1	0.5	-	15.4	26	
P4HE10A-AU	-	400	10	11.1	12.3	1	0.5	-	17	23.5	
P4HE11A-AU	-	400	11	12.2	13.5	1	0.5	-	18.2	22	
P4HE12A-AU	-	400	12	13.3	14.7	1	0.5	-	19.9	20.1	
P4HE13A-AU	-	400	13	14.4	15.9	1	0.1	-	21.5	18.6	
P4HE14A-AU	-	400	14	15.6	17.2	1	0.1	-	23.2	17.2	
P4HE15A-AU	-	400	15	16.7	18.5	1	0.1	-	24.4	16.4	
P4HE16A-AU	-	400	16	17.8	19.7	1	0.1	-	26	15.4	
P4HE17A-AU	-	400	17	18.9	20.9	1	0.1	-	27.6	14.5	
P4HE18A-AU	-	400	18	20	22.1	1	0.1	-	29.2	13.7	
P4HE20A-AU	-	400	20	22.2	24.5	1	0.1	-	32.4	12.3	
P4HE22A-AU	-	400	22	24.4	26.9	1	0.1	-	35.5	11.3	
P4HE24A-AU	-	400	24	26.7	29.5	1	0.1	-	38.9	10.3	
P4HE26A-AU	-	400	26	28.9	31.9	1	0.1	-	42.1	9.5	
P4HE28A-AU	-	400	28	31.1	34.4	1	0.1	-	45.4	8.8	
P4HE30A-AU	-	400	30	33.3	36.8	1	0.1	-	48.4	8.3	
P4HE33A-AU	-	400	33	36.7	40.6	1	0.1	-	53.3	7.5	
P4HE36A-AU	-	400	36	40	44.2	1	0.1	-	58.1	6.9	
P4HE40A-AU	-	400	40	44.4	49.1	1	0.1	-	64.5	6.2	

Transient Voltage Suppressors

Part Number		P _D	V _{RWM}	V _{BR} @ I _T (V)		I _T	I _R @ V _{RWM} (μA)		V _C @ I _{PP} Max.	I _{PP}	Package
UNI	BI	W	V	Min.	Max.	mA	UNI	BI	V	A	
P4HE43A-AU	-	400	43	47.8	52.8	1	0.1	-	69.4	5.8	SOD-123HE
P4HE45A-AU	-	400	45	50	55.3	1	0.1	-	72.7	5.5	
P4HE48A-AU	-	400	48	53.3	58.9	1	0.1	-	77.4	5.2	
P4HE51A-AU	-	400	51	56.7	62.7	1	0.1	-	82.4	4.9	
P4HE54A-AU	-	400	54	60	66.3	1	0.1	-	87.1	4.6	
P4HE58A-AU	-	400	58	64.4	71.2	1	0.1	-	93.6	4.3	
P4HE60A-AU	-	400	60	66.7	73.7	1	0.1	-	96.8	4.1	
P4HE64A-AU	-	400	64	71.1	78.6	1	0.1	-	103	3.9	
P4SMAFJ33A-AU	-	400	33	36.7	42.2	1	1	-	53.3	7.5	SMAF
P4SMA6.8A-AU	P4SMA6.8CA-AU	400	5.8	6.45	7.14	10	1000	2000	10.5	40	SMA
P4SMA7.5A-AU	P4SMA7.5CA-AU	400	6.4	7.13	7.88	10	500	1000	11.3	37	
P4SMA8.2A-AU	P4SMA8.2CA-AU	400	7.02	7.79	8.61	10	200	400	12.1	35	
P4SMA9.1A-AU	P4SMA9.1CA-AU	400	7.78	8.65	9.5	1	50	100	13.4	31	
P4SMA10A-AU	P4SMA10CA-AU	400	8.55	9.5	10.5	1	10	20	14.5	29	
P4SMA11A-AU	P4SMA11CA-AU	400	9.4	10.5	11.6	1	5	10	15.6	27	
P4SMA12A-AU	P4SMA12CA-AU	400	10.2	11.4	12.6	1	1	1	16.7	25	
P4SMA13A-AU	P4SMA13CA-AU	400	11.1	12.4	13.7	1	1	1	18.2	23	
P4SMA15A-AU	P4SMA15CA-AU	400	12.8	14.3	15.8	1	1	1	21.2	20	
P4SMA16A-AU	P4SMA16CA-AU	400	13.6	15.2	16.8	1	1	1	22.5	19	
P4SMA18A-AU	P4SMA18CA-AU	400	15.3	17.1	18.9	1	1	1	25.2	17	
P4SMA20A-AU	P4SMA20CA-AU	400	17.1	19	21	1	1	1	27.7	15	
P4SMA22A-AU	P4SMA22CA-AU	400	18.8	20.9	23.1	1	1	1	30.6	14	
P4SMA24A-AU	P4SMA24CA-AU	400	20.5	22.8	25.2	1	1	1	33.2	13	
P4SMA27A-AU	P4SMA27CA-AU	400	23.1	25.7	28.4	1	1	1	37.5	11.2	
P4SMA30A-AU	P4SMA30CA-AU	400	25.6	28.5	31.5	1	1	1	41.4	10	
P4SMA33A-AU	P4SMA33CA-AU	400	28.2	31.4	34.7	1	1	1	45.7	9	
P4SMA36A-AU	P4SMA36CA-AU	400	30.8	34.2	37.8	1	1	1	49.9	8.4	
P4SMA39A-AU	P4SMA39CA-AU	400	33.3	37.1	41	1	1	1	53.9	7.8	
P4SMA43A-AU	P4SMA43CA-AU	400	36.8	40.9	45.2	1	1	1	59.3	7.1	
P4SMA47A-AU	P4SMA47CA-AU	400	40.2	44.7	49.4	1	1	1	64.8	5	
P4SMA51A-AU	P4SMA51CA-AU	400	43.6	48.5	53.6	1	1	1	70.1	6	
P4SMA56A-AU	P4SMA56CA-AU	400	47.8	53.2	58.8	1	1	1	77	5.5	
P4SMA62A-AU	P4SMA62CA-AU	400	53	58.9	65.1	1	1	1	85	5	
P4SMA68A-AU	P4SMA68CA-AU	400	58.1	64.6	71.4	1	1	1	92	4.6	
P4SMA75A-AU	P4SMA75CA-AU	400	64.1	71.3	78.8	1	1	1	103	4.1	
P4SMA82A-AU	P4SMA82CA-AU	400	70.1	77.9	86.1	1	1	1	113	3.7	
P4SMAJ5.0A-AU	P4SMAJ5.0CA-AU	400	5	6.4	7	10	800	1600	9.2	43.5	
P4SMAJ6.0A-AU	P4SMAJ6.0CA-AU	400	6	6.67	7.37	10	800	1600	10.3	38.8	
P4SMAJ6.5A-AU	P4SMAJ6.5CA-AU	400	6.5	7.22	7.98	10	500	1000	11.2	35.7	
P4SMAJ7.0A-AU	P4SMAJ7.0CA-AU	400	7	7.78	8.6	10	200	400	12	33.3	
P4SMAJ7.5A-AU	P4SMAJ7.5CA-AU	400	7.5	8.33	9.21	1	100	200	12.9	31	
P4SMAJ8.0A-AU	P4SMAJ8.0CA-AU	400	8	8.89	9.83	1	50	100	13.6	29.4	
P4SMAJ8.5A-AU	P4SMAJ8.5CA-AU	400	8.5	9.44	10.4	1	10	20	14.4	27.7	
P4SMAJ9.0A-AU	P4SMAJ9.0CA-AU	400	9	10	11.1	1	5	5	15.4	26	
P4SMAJ10A-AU	P4SMAJ10CA-AU	400	10	11.1	12.3	1	5	5	17	23.5	
P4SMAJ11A-AU	P4SMAJ11CA-AU	400	11	12.2	13.5	1	1	1	18.2	22	
P4SMAJ12A-AU	P4SMAJ12CA-AU	400	12	13.3	14.7	1	1	1	19.9	20.1	
P4SMAJ13A-AU	P4SMAJ13CA-AU	400	13	14.4	15.9	1	1	1	21.5	18.6	
P4SMAJ14A-AU	P4SMAJ14CA-AU	400	14	15.6	17.2	1	1	1	23.2	17.2	
P4SMAJ15A-AU	P4SMAJ15CA-AU	400	15	16.7	18.5	1	1	1	24.4	16.4	

Transient Voltage Suppressors

Part Number		P _D	V _{RWM}	V _{BR} @ I _T (V)		I _T	I _R @ V _{RWM} (μA)		V _C @ I _{PP} Max.	I _{PP}	Package
UNI	BI	W	V	Min.	Max.	mA	UNI	BI	V	A	
P4SMAJ16A-AU	P4SMAJ16CA-AU	400	16	17.8	19.7	1	1	1	26	15.3	SMA
P4SMAJ17A-AU	P4SMAJ17CA-AU	400	17	18.9	20.9	1	1	1	27.6	14.5	
P4SMAJ18A-AU	P4SMAJ18CA-AU	400	18	20	22.1	1	1	1	29.2	13.7	
P4SMAJ20A-AU	P4SMAJ20CA-AU	400	20	22.2	24.5	1	1	1	32.4	12.3	
P4SMAJ22A-AU	P4SMAJ22CA-AU	400	22	24.4	26.9	1	1	1	35.5	11.2	
P4SMAJ24A-AU	P4SMAJ24CA-AU	400	24	26.7	29.5	1	1	1	38.9	10.3	
P4SMAJ26A-AU	P4SMAJ26CA-AU	400	26	28.9	31.9	1	1	1	42.1	9.5	
P4SMAJ28A-AU	P4SMAJ28CA-AU	400	28	31.1	34.4	1	1	1	45.4	8.8	
P4SMAJ30A-AU	P4SMAJ30CA-AU	400	30	33.3	36.8	1	1	1	48.4	8.3	
P4SMAJ33A-AU	P4SMAJ33CA-AU	400	33	36.7	40.6	1	1	1	53.3	7.5	
P4SMAJ36A-AU	P4SMAJ36CA-AU	400	36	40	44.2	1	1	1	58.1	6.9	
P4SMAJ40A-AU	P4SMAJ40CA-AU	400	40	44.4	49.1	1	1	1	64.5	6.2	
P4SMAJ43A-AU	P4SMAJ43CA-AU	400	43	47.8	52.8	1	5	5	69.4	5.7	
P4SMAJ45A-AU	P4SMAJ45CA-AU	400	45	50	55.3	1	5	5	72.7	5.5	
P4SMAJ48A-AU	P4SMAJ48CA-AU	400	48	53.3	58.9	1	5	5	77.4	5.2	
P4SMAJ51A-AU	P4SMAJ51CA-AU	400	51	56.7	62.7	1	5	5	82.4	4.9	
P4SMAJ54A-AU	P4SMAJ54CA-AU	400	54	60	66.3	1	5	5	87.1	4.6	
P4SMAJ58A-AU	P4SMAJ58CA-AU	400	58	64.4	71.2	1	5	5	93.6	4.3	
P4SMAJ60A-AU	P4SMAJ60CA-AU	400	60	66.7	73.7	1	5	5	96.8	4.1	
P4SMAJ64A-AU	P4SMAJ64CA-AU	400	64	71.1	78.6	1	5	5	103	3.9	
P4SMAJ70A-AU	P4SMAJ70CA-AU	400	70	77.8	86	1	5	5	113	3.5	
P6AF3.3A-AU	-	600	3.3	5.2	6	10	100	-	8	75	SMAF
P6AF5.0A-AU	-	600	5	6.4	7	10	50	-	9.2	65.2	
P6AF6.0A-AU	-	600	6	6.67	7.37	10	50	-	10.3	58.3	
P6AF6.5A-AU	-	600	6.5	7.22	7.98	10	40	-	11.2	53.6	
P6AF7.0A-AU	-	600	7	7.78	8.6	10	40	-	12	50	
P6AF7.5A-AU	-	600	7.5	8.33	9.21	1	30	-	12.9	46.5	
P6AF8.0A-AU	-	600	8	8.89	9.83	1	5	-	13.6	44.1	
P6AF8.5A-AU	-	600	8.5	9.44	10.4	1	5	-	14.4	41.7	
P6AF9.0A-AU	-	600	9	10	11.1	1	0.5	-	15.4	39	
P6AF10A-AU	-	600	10	11.1	12.3	1	0.5	-	17	35.3	
P6AF11A-AU	-	600	11	12.2	13.5	1	0.5	-	18.2	33	
P6AF12A-AU	-	600	12	13.3	14.7	1	0.5	-	19.9	30.2	
P6AF13A-AU	-	600	13	14.4	15.9	1	0.1	-	21.5	27.9	
P6AF14A-AU	-	600	14	15.6	17.2	1	0.1	-	23.2	25.9	
P6AF15A-AU	-	600	15	16.7	18.5	1	0.1	-	24.4	24.6	
P6AF16A-AU	-	600	16	17.8	19.7	1	0.1	-	26	23.1	
P6AF17A-AU	-	600	17	18.9	20.9	1	0.1	-	27.6	21.7	
P6AF18A-AU	-	600	18	20	22.1	1	0.1	-	29.2	20.5	
P6AF20A-AU	-	600	20	22.2	24.5	1	0.1	-	32.4	18.5	
P6AF22A-AU	-	600	22	24.4	26.9	1	0.1	-	35.5	16.9	
P6AF24A-AU	-	600	24	26.7	29.5	1	0.1	-	38.9	15.4	
P6AF26A-AU	-	600	26	28.9	31.9	1	0.1	-	42.1	14.3	
P6AF28A-AU	-	600	28	31.1	34.4	1	0.1	-	45.4	13.2	
P6AF30A-AU	-	600	30	33.3	36.8	1	0.1	-	48.4	12.4	
P6AF33A-AU	-	600	33	36.7	40.6	1	0.1	-	53.3	11.3	
P6AF36A-AU	-	600	36	40	44.2	1	0.1	-	58.1	10.3	
P6AF40A-AU	-	600	40	44.4	49.1	1	0.1	-	64.5	9.3	
P6AF43A-AU	-	600	43	47.8	52.8	1	0.1	-	69.4	8.6	
P6AF45A-AU	-	600	45	50	55.3	1	0.1	-	72.7	8.3	

Transient Voltage Suppressors

Part Number		P _D	V _{RWM}	V _{BR} @ I _T (V)		I _T	I _R @ V _{RWM} (μA)		V _C @ I _{PP} Max.	I _{PP}	Package
UNI	BI	W	V	Min.	Max.	mA	UNI	BI	V	A	
P6AF48A-AU	-	600	48	53.3	58.9	1	0.1	-	77.4	7.8	SMAF
P6AF51A-AU	-	600	51	56.7	62.7	1	0.1	-	82.4	7.3	
P6AF54A-AU	-	600	54	60	66.3	1	0.1	-	87.1	6.9	
P6AF58A-AU	-	600	58	64.4	71.2	1	0.1	-	93.6	6.4	
P6AF60A-AU	-	600	60	66.7	73.7	1	0.1	-	96.8	6.2	
P6AF64A-AU	-	600	64	71.1	78.6	1	0.1	-	103	5.8	
P6SMAFJ5.0A-AU	-	600	5	6.4	7	10	400	-	9.2	65.2	
P6SMB6.8A-AU	P6SMB6.8CA-AU	600	5.8	6.45	7.14	10	1000	2000	10.5	57	SMB
P6SMB7.5A-AU	P6SMB7.5CA-AU	600	6.4	7.13	7.88	10	500	1000	11.3	53	
P6SMB8.2A-AU	P6SMB8.2CA-AU	600	7.02	7.79	8.61	10	200	400	12.1	50	
P6SMB9.1A-AU	P6SMB9.1CA-AU	600	7.78	8.65	9.5	1	50	100	13.4	45	
P6SMB10A-AU	P6SMB10CA-AU	600	8.55	9.5	10.5	1	10	20	14.5	41	
P6SMB11A-AU	P6SMB11CA-AU	600	9.4	10.5	11.6	1	5	10	15.6	38	
P6SMB12A-AU	P6SMB12CA-AU	600	10.2	11.4	12.6	1	5	5	16.7	36	
P6SMB13A-AU	P6SMB13CA-AU	600	11.1	12.4	13.7	1	1	1	18.2	33	
P6SMB15A-AU	P6SMB15CA-AU	600	12.8	14.3	15.8	1	1	1	21.2	28	
P6SMB16A-AU	P6SMB16CA-AU	600	13.6	15.2	16.8	1	1	1	22.5	27	
P6SMB18A-AU	P6SMB18CA-AU	600	15.3	17.1	18.9	1	1	1	25.2	24	
P6SMB20A-AU	P6SMB20CA-AU	600	17.1	19	21	1	1	1	27.7	22	
P6SMB22A-AU	P6SMB22CA-AU	600	18.8	20.9	23.1	1	1	1	30.6	20	
P6SMB24A-AU	P6SMB24CA-AU	600	20.5	22.8	25.2	1	1	1	33.2	18	
P6SMB27A-AU	P6SMB27CA-AU	600	23.1	25.7	28.4	1	1	1	37.5	16	
P6SMB30A-AU	P6SMB30CA-AU	600	25.6	28.5	31.5	1	1	1	41.4	14.4	
P6SMB33A-AU	P6SMB33CA-AU	600	28.2	31.4	34.7	1	1	1	45.7	13.2	
P6SMB36A-AU	P6SMB36CA-AU	600	30.8	34.2	37.8	1	1	1	49.9	12	
P6SMB39A-AU	P6SMB39CA-AU	600	33.3	37.1	41	1	1	1	53.9	11.2	
P6SMB43A-AU	P6SMB43CA-AU	600	36.8	40.9	45.2	1	1	1	59.3	10.1	
P6SMB47A-AU	P6SMB47CA-AU	600	40.2	44.7	49.4	1	1	1	64.8	9.3	
P6SMB51A-AU	P6SMB51CA-AU	600	43.6	48.5	53.6	1	1	1	70.1	8.6	
P6SMB56A-AU	P6SMB56CA-AU	600	47.8	53.2	58.8	1	1	1	77	7.8	
P6SMB62A-AU	P6SMB62CA-AU	600	53	58.9	65.1	1	1	1	85	7.1	
P6SMB68A-AU	P6SMB68CA-AU	600	58.1	64.6	71.4	1	1	1	92	6.5	
P6SMB75A-AU	P6SMB75CA-AU	600	64.1	71.3	78.8	1	1	1	103	5.8	
P6SMB82A-AU	P6SMB82CA-AU	600	70.1	77.9	86.1	1	1	1	113	5.3	
P6SMBJ5.0A-AU	P6SMBJ5.0CA-AU	600	5	6.4	7.07	10	800	1600	9.2	65.2	
P6SMBJ6.0A-AU	P6SMBJ6.0CA-AU	600	6	6.67	7.37	10	800	1600	10.3	58.3	
P6SMBJ6.5A-AU	P6SMBJ6.5CA-AU	600	6.5	7.22	7.98	10	500	1000	11.2	53.6	
P6SMBJ7.0A-AU	P6SMBJ7.0CA-AU	600	7	7.78	8.6	10	200	400	12	50	
P6SMBJ7.5A-AU	P6SMBJ7.5CA-AU	600	7.5	8.33	9.21	1	100	200	12.9	46.5	
P6SMBJ8.0A-AU	P6SMBJ8.0CA-AU	600	8	8.89	9.83	1	50	100	13.6	44.1	
P6SMBJ8.5A-AU	P6SMBJ8.5CA-AU	600	8.5	9.44	10.4	1	10	20	14.4	41.7	
P6SMBJ9.0A-AU	P6SMBJ9.0CA-AU	600	9	10	11.1	1	5	5	15.4	39	
P6SMBJ10A-AU	P6SMBJ10CA-AU	600	10	11.1	12.3	1	5	5	17	35.3	
P6SMBJ11A-AU	P6SMBJ11CA-AU	600	11	12.2	13.5	1	1	1	18.2	33	
P6SMBJ12A-AU	P6SMBJ12CA-AU	600	12	13.3	14.7	1	1	1	19.9	30.2	
P6SMBJ13A-AU	P6SMBJ13CA-AU	600	13	14.4	15.9	1	1	1	21.5	27.9	
P6SMBJ14A-AU	P6SMBJ14CA-AU	600	14	15.6	17.2	1	1	1	23.2	25.8	
P6SMBJ15A-AU	P6SMBJ15CA-AU	600	15	16.7	18.5	1	1	1	24.4	24	
P6SMBJ16A-AU	P6SMBJ16CA-AU	600	16	17.8	19.7	1	1	1	26	23.1	
P6SMBJ17A-AU	P6SMBJ17CA-AU	600	17	18.9	20.9	1	1	1	27.6	21.7	

Transient Voltage Suppressors

Part Number		P _D	V _{RWM}	V _{BR} @ I _T (V)		I _T	I _R @ V _{RWM} (μA)		V _C @ I _{PP} Max.	I _{PP}	Package
UNI	BI	W	V	Min.	Max.	mA	UNI	BI	V	A	
P6SMBJ18A-AU	P6SMBJ18CA-AU	600	18	20	22.1	1	1	1	29.2	20.5	SMB
P6SMBJ20A-AU	P6SMBJ20CA-AU	600	20	22.2	24.5	1	1	1	32.4	18.5	
P6SMBJ22A-AU	P6SMBJ22CA-AU	600	22	24.4	27	1	1	1	35.5	16.9	
P6SMBJ24A-AU	P6SMBJ24CA-AU	600	24	26.7	29.5	1	1	1	38.9	15.4	
P6SMBJ26A-AU	P6SMBJ26CA-AU	600	26	28.9	31.9	1	1	1	42.1	14.2	
P6SMBJ28A-AU	P6SMBJ28CA-AU	600	28	31.1	34.4	1	1	1	45.4	13.2	
P6SMBJ30A-AU	P6SMBJ30CA-AU	600	30	33.3	36.8	1	1	1	48.4	12.4	
P6SMBJ33A-AU	P6SMBJ33CA-AU	600	33	36.7	40.6	1	1	1	53.3	11.3	
P6SMBJ36A-AU	P6SMBJ36CA-AU	600	36	40	44.2	1	1	1	58.1	10.3	
P6SMBJ40A-AU	P6SMBJ40CA-AU	600	40	44.4	49.1	1	1	1	64.5	9.3	
P6SMBJ43A-AU	P6SMBJ43CA-AU	600	43	47.8	52.8	1	1	1	69.4	8.6	
P6SMBJ45A-AU	P6SMBJ45CA-AU	600	45	50	55.3	1	1	1	72.7	8.3	
P6SMBJ48A-AU	P6SMBJ48CA-AU	600	48	53.3	58.9	1	1	1	77.4	7.7	
P6SMBJ51A-AU	P6SMBJ51CA-AU	600	51	56.7	62.7	1	1	1	82.4	7.3	
P6SMBJ54A-AU	P6SMBJ54CA-AU	600	54	60	66.3	1	1	1	87.1	6.9	
P6SMBJ58A-AU	P6SMBJ58CA-AU	600	58	64.4	71.2	1	1	1	93.6	6.4	
P6SMBJ60A-AU	P6SMBJ60CA-AU	600	60	66.7	73.7	1	1	1	96.8	6.2	
P6SMBJ64A-AU	P6SMBJ64CA-AU	600	64	71.1	78.6	1	1	1	103	5.8	
P6SMBJ70A-AU	P6SMBJ70CA-AU	600	70	77.8	86	1	1	1	113	5.3	
1.5SMC6.8A-AU	1.5SMC6.8CA-AU	1500	5.8	6.45	7.14	10	1000	2000	10.5	143	SMC
1.5SMC7.5A-AU	1.5SMC7.5CA-AU	1500	6.4	7.13	7.88	10	500	1000	11.3	132	
1.5SMC8.2A-AU	1.5SMC8.2CA-AU	1500	7.02	7.79	8.61	10	200	400	12.1	124	
1.5SMC9.1A-AU	1.5SMC9.1CA-AU	1500	7.78	8.65	9.5	1	50	100	13.4	112	
1.5SMC10A-AU	1.5SMC10CA-AU	1500	8.55	9.5	10.5	1	10	20	14.5	103	
1.5SMC11A-AU	1.5SMC11CA-AU	1500	9.4	10.5	11.6	1	5	10	15.6	96	
1.5SMC12A-AU	1.5SMC12CA-AU	1500	10.2	11.4	12.6	1	5	5	16.7	90	
1.5SMC13A-AU	1.5SMC13CA-AU	1500	11.1	12.4	13.7	1	1	1	18.2	82	
1.5SMC15A-AU	1.5SMC15CA-AU	1500	12.8	14.3	15.8	1	1	1	21.2	71	
1.5SMC16A-AU	1.5SMC16CA-AU	1500	13.6	15.2	16.8	1	1	1	22.5	67	
1.5SMC18A-AU	1.5SMC18CA-AU	1500	15.3	17.1	18.9	1	1	1	25.2	59.5	
1.5SMC20A-AU	1.5SMC20CA-AU	1500	17.1	19	21	1	1	1	27.7	54	
1.5SMC22A-AU	1.5SMC22CA-AU	1500	18.8	20.9	23.1	1	1	1	30.6	49	
1.5SMC24A-AU	1.5SMC24CA-AU	1500	20.5	22.8	25.2	1	1	1	33.2	45	
1.5SMC27A-AU	1.5SMC27CA-AU	1500	23.1	25.7	28.4	1	1	1	37.5	40	
1.5SMC30A-AU	1.5SMC30CA-AU	1500	25.6	28.5	31.5	1	1	1	41.4	36	
1.5SMC33A-AU	1.5SMC33CA-AU	1500	28.2	31.4	34.7	1	1	1	45.7	33	
1.5SMC36A-AU	1.5SMC36CA-AU	1500	30.8	34.2	37.8	1	1	1	49.9	30	
1.5SMC39A-AU	1.5SMC39CA-AU	1500	33.3	37.1	41	1	1	1	53.9	28	
1.5SMC43A-AU	1.5SMC43CA-AU	1500	36.8	40.9	45.2	1	1	1	59.3	25.3	
1.5SMC47A-AU	1.5SMC47CA-AU	1500	40.2	44.7	49.4	1	1	1	64.8	23.2	
1.5SMC51A-AU	1.5SMC51CA-AU	1500	43.6	48.5	53.6	1	1	1	70.1	21.4	
1.5SMC56A-AU	1.5SMC56CA-AU	1500	47.8	53.2	58.8	1	1	1	77	19.5	
1.5SMC62A-AU	1.5SMC62CA-AU	1500	53	58.9	65.1	1	1	1	85	17.7	
1.5SMC68A-AU	1.5SMC68CA-AU	1500	58.1	64.6	71.4	1	1	1	92	16.3	
1.5SMC75A-AU	1.5SMC75CA-AU	1500	64.1	71.3	78.8	1	1	1	103	14.6	
1.5SMCJ5.0A-AU	1.5SMCJ5.0CA-AU	1500	5	6.4	7.25	10	1000	2000	9.2	163	
1.5SMCJ6.0A-AU	1.5SMCJ6.0CA-AU	1500	6	6.67	7.67	10	1000	2000	10.3	145.6	
1.5SMCJ6.5A-AU	1.5SMCJ6.5CA-AU	1500	6.5	7.22	8.3	10	500	1000	11.2	133.9	
1.5SMCJ7.0A-AU	1.5SMCJ7.0CA-AU	1500	7	7.78	8.95	10	200	400	12	125	
1.5SMCJ7.5A-AU	1.5SMCJ7.5CA-AU	1500	7.5	8.33	9.58	1	100	200	12.9	116.3	

Transient Voltage Suppressors

Part Number		P _D	V _{RWM}	V _{BR} @ I _T (V)		I _T	I _R @ V _{RWM} (μA)		V _C @ I _{PP} Max.	I _{PP}	Package
UNI	BI	W	V	Min.	Max.	mA	UNI	BI	V	A	
1.5SMCJ8.0A-AU	1.5SMCJ8.0CA-AU	1500	8	8.89	10.23	1	50	100	13.6	110.3	SMC
1.5SMCJ8.5A-AU	1.5SMCJ8.5CA-AU	1500	8.5	9.44	10.82	1	25	50	14.4	104.2	
1.5SMCJ9.0A-AU	1.5SMCJ9.0CA-AU	1500	9	10	11.5	1	10	20	15.4	97.4	
1.5SMCJ10A-AU	1.5SMCJ10CA-AU	1500	10	11.1	12.8	1	5	5	17	88.2	
1.5SMCJ11A-AU	1.5SMCJ11CA-AU	1500	11	12.2	14	1	1	1	18.2	82.4	
1.5SMCJ12A-AU	1.5SMCJ12CA-AU	1500	12	13.3	15.3	1	1	1	19.9	75.3	
1.5SMCJ13A-AU	1.5SMCJ13CA-AU	1500	13	14.4	16.5	1	1	1	21.5	69.7	
1.5SMCJ14A-AU	1.5SMCJ14CA-AU	1500	14	15.6	17.9	1	1	1	23.2	64.7	
1.5SMCJ15A-AU	1.5SMCJ15CA-AU	1500	15	16.7	19.2	1	1	1	24.4	61.5	
1.5SMCJ16A-AU	1.5SMCJ16CA-AU	1500	16	17.8	20.5	1	1	1	26	57.7	
1.5SMCJ17A-AU	1.5SMCJ17CA-AU	1500	17	18.9	21.7	1	1	1	27.6	53.3	
1.5SMCJ18A-AU	1.5SMCJ18CA-AU	1500	18	20	23.3	1	1	1	29.2	51.4	
1.5SMCJ20A-AU	1.5SMCJ20CA-AU	1500	20	22.2	25.5	1	1	1	32.4	46.3	
1.5SMCJ22A-AU	1.5SMCJ22CA-AU	1500	22	24.4	28	1	1	1	35.5	42.2	
1.5SMCJ24A-AU	1.5SMCJ24CA-AU	1500	24	26.7	30.7	1	1	1	38.9	38.6	
1.5SMCJ26A-AU	1.5SMCJ26CA-AU	1500	26	28.9	33.2	1	1	1	42.1	35.6	
1.5SMCJ28A-AU	1.5SMCJ28CA-AU	1500	28	31.1	35.8	1	1	1	45.4	33	
1.5SMCJ30A-AU	1.5SMCJ30CA-AU	1500	30	33.3	38.3	1	1	1	48.4	31	
1.5SMCJ33A-AU	1.5SMCJ33CA-AU	1500	33	36.7	42.2	1	1	1	53.3	28.1	
1.5SMCJ36A-AU	1.5SMCJ36CA-AU	1500	36	40	46	1	1	1	58.1	25.8	
1.5SMCJ40A-AU	1.5SMCJ40CA-AU	1500	40	44.4	51.1	1	1	1	64.5	23.2	
1.5SMCJ43A-AU	1.5SMCJ43CA-AU	1500	43	47.8	55	1	1	1	69.4	21.6	
1.5SMCJ45A-AU	1.5SMCJ45CA-AU	1500	45	50	57.5	1	1	1	72.7	20.6	
1.5SMCJ48A-AU	1.5SMCJ48CA-AU	1500	48	53.3	61.3	1	1	1	77.4	19.4	
1.5SMCJ51A-AU	1.5SMCJ51CA-AU	1500	51	56.7	65.2	1	1	1	82.4	18.2	
1.5SMCJ54A-AU	1.5SMCJ54CA-AU	1500	54	60	69	1	1	1	87.1	17.2	
1.5SMCJ58A-AU	1.5SMCJ58CA-AU	1500	58	64.4	74.1	1	1	1	93.6	16	
1.5SMCJ60A-AU	1.5SMCJ60CA-AU	1500	60	66.7	76.7	1	1	1	96.8	15.5	
1.5SMCJ64A-AU	1.5SMCJ64CA-AU	1500	64	71.1	81.8	1	1	1	103	14.6	
1.5SMCJ70A-AU	1.5SMCJ70CA-AU	1500	70	77.8	89.5	1	1	1	113	13.3	
3.0SMCJ10A-AU	3.0SMCJ10CA-AU	3000	10	11.1	12.8	1	3	3	17	176.4	
3.0SMCJ11A-AU	3.0SMCJ11CA-AU	3000	11	12.2	14	1	3	3	18.2	184.8	
3.0SMCJ12A-AU	3.0SMCJ12CA-AU	3000	12	13.3	15.3	1	3	3	19.9	150.6	
3.0SMCJ13A-AU	3.0SMCJ13CA-AU	3000	13	14.4	16.5	1	3	3	21.5	139.4	
3.0SMCJ14A-AU	3.0SMCJ14CA-AU	3000	14	15.6	17.9	1	3	3	23.2	129.4	
3.0SMCJ15A-AU	3.0SMCJ15CA-AU	3000	15	16.7	19.2	1	3	3	24.4	123	
3.0SMCJ16A-AU	3.0SMCJ16CA-AU	3000	16	17.8	20.5	1	3	3	26	115.4	
3.0SMCJ17A-AU	3.0SMCJ17CA-AU	3000	17	18.9	21.7	1	3	3	27.6	106.6	
3.0SMCJ18A-AU	3.0SMCJ18CA-AU	3000	18	20	23.3	1	3	3	29.2	102.8	
3.0SMCJ20A-AU	3.0SMCJ20CA-AU	3000	20	22.2	25.5	1	3	3	32.4	92.6	
3.0SMCJ22A-AU	3.0SMCJ22CA-AU	3000	22	24.4	28	1	3	3	35.5	84.4	
3.0SMCJ24A-AU	3.0SMCJ24CA-AU	3000	24	26.7	30.7	1	3	3	38.9	77.2	
3.0SMCJ26A-AU	3.0SMCJ26CA-AU	3000	26	28.9	33.2	1	3	3	42.1	71.2	
3.0SMCJ28A-AU	3.0SMCJ28CA-AU	3000	28	31.1	35.8	1	3	3	45.4	66	
3.0SMCJ30A-AU	3.0SMCJ30CA-AU	3000	30	33.3	38.3	1	3	3	48.4	62	
3.0SMCJ33A-AU	3.0SMCJ33CA-AU	3000	33	36.7	42.2	1	3	3	53.3	56.2	
3.0SMCJ36A-AU	3.0SMCJ36CA-AU	3000	36	40	46	1	3	3	58.1	51.6	
3.0SMCJ40A-AU	3.0SMCJ40CA-AU	3000	40	44.4	51.1	1	3	3	64.5	46.4	
3.0SMCJ43A-AU	3.0SMCJ43CA-AU	3000	43	47.8	54.9	1	3	3	69.4	43.2	
3.0SMCJ45A-AU	3.0SMCJ45CA-AU	3000	45	50	57.5	1	3	3	72.7	41.2	

Transient Voltage Suppressors

Part Number		P _D	V _{RWM}	V _{BR} @ I _T (V)		I _T	I _R @ V _{RWM} (μA)		V _C @ I _{PP} Max.	I _{PP}	Package
UNI	BI	W	V	Min.	Max.	mA	UNI	BI	V	A	
3.0SMCJ48A-AU	3.0SMCJ48CA-AU	3000	48	53.3	61.3	1	3	3	77.4	38.8	SMC
3.0SMCJ51A-AU	3.0SMCJ51CA-AU	3000	51	56.7	65.2	1	3	3	82.4	36.4	
3.0SMCJ54A-AU	3.0SMCJ54CA-AU	3000	54	60	69	1	3	3	87.1	34.4	
3.0SMCJ58A-AU	3.0SMCJ58CA-AU	3000	58	64.4	74.1	1	3	3	93.6	32	
3.0SMCJ60A-AU	3.0SMCJ60CA-AU	3000	60	66.7	76.7	1	3	3	96.8	31	
3.0SMCJ64A-AU	3.0SMCJ64CA-AU	3000	64	71.1	81.8	1	3	3	103	29.2	
3.0SMCJ70A-AU	3.0SMCJ70CA-AU	3000	70	77.8	89.5	1	3	3	113	26.6	
SM5S14A-AU	-	3600	14	15.6	17.2	5	1	-	23.2	198	DO-218AB
SM5S15A-AU	-	3600	15	16.7	18.5	5	1	-	24.4	189	
SM5S16A-AU	-	3600	16	17.8	19.7	5	1	-	26	177	
SM5S17A-AU	-	3600	17	18.9	20.9	5	1	-	27.6	167	
SM5S18A-AU	-	3600	18	20	22.1	5	0.5	-	29.2	158	
SM5S20A-AU	-	3600	20	22.2	24.5	5	0.5	-	32.4	142	
SM5S22A-AU	-	3600	22	24.4	26.9	5	0.5	-	35.5	130	
SM5S24A-AU	-	3600	24	26.7	29.5	5	0.5	-	38.9	118	
SM5S26A-AU	-	3600	26	28.9	31.9	5	0.5	-	42.1	109	
SM5S28A-AU	-	3600	28	31.1	34.4	5	0.5	-	45.4	101	
SM5S30A-AU	-	3600	30	33.3	36.8	5	0.5	-	48.4	95	
SM5S33A-AU	-	3600	33	36.7	40.6	5	0.5	-	53.3	86	
SM5S36A-AU	-	3600	36	40	44.2	5	0.5	-	58.1	79	
SM5S40A-AU	-	3600	40	44.4	49.1	5	0.5	-	64.5	71	
SM5S43A-AU	-	3600	43	47.8	52.8	5	0.5	-	69.4	66	
SM5S48A-AU	-	3600	48	53.3	58.7	5	0.5	-	80.6	57	
SM6S14A-AU	-	4600	14	15.6	17.2	5	1	-	23.2	198	
SM6S15A-AU	-	4600	15	16.7	18.5	5	1	-	24.4	189	
SM6S16A-AU	-	4600	16	17.8	19.7	5	1	-	26	177	
SM6S17A-AU	-	4600	17	18.9	20.9	5	1	-	27.6	167	
SM6S18A-AU	-	4600	18	20	22.1	5	0.5	-	29.2	158	
SM6S20A-AU	-	4600	20	22.2	24.5	5	0.5	-	32.4	142	
SM6S22A-AU	-	4600	22	24.4	26.9	5	0.5	-	35.5	130	
SM6S24A-AU	-	4600	24	26.7	29.5	5	0.5	-	38.9	118	
SM6S26A-AU	-	4600	26	28.9	31.9	5	0.5	-	42.1	109	
SM6S28A-AU	-	4600	28	31.1	34.4	5	0.5	-	45.4	101	
SM6S30A-AU	-	4600	30	33.3	36.8	5	0.5	-	48.4	95	
SM6S33A-AU	-	4600	33	36.7	40.6	5	0.5	-	53.3	86	
SM6S36A-AU	-	4600	36	40	44.2	5	0.5	-	58.1	79	
SM6S40A-AU	-	4600	40	44.4	49.1	5	0.5	-	64.5	71	
SM6S43A-AU	-	4600	43	47.8	52.8	5	0.5	-	69.4	66	
SM6S48A-AU	-	4600	48	53.3	58.7	5	0.5	-	80.6	57	
5.0SMCJ36A-AU	-	5000	36	40	46	1	3	-	58.1	86.1	SMC
SM8S14A-AU	-	6600	14	15.6	17.2	5	1	-	23.2	284	DO-218AB
SM8S15A-AU	-	6600	15	16.7	18.5	5	1	-	24.4	270	
SM8S16A-AU	-	6600	16	17.8	19.7	5	1	-	26	254	
SM8S17A-AU	-	6600	17	18.9	20.9	5	1	-	27.6	239	
SM8S18A-AU	-	6600	18	20	22.1	5	0.5	-	29.2	226	
SM8S20A-AU	-	6600	20	22.2	24.5	5	0.5	-	32.4	204	
SM8S22A-AU	-	6600	22	24.4	26.9	5	0.5	-	35.5	186	
SM8S24A-AU	-	6600	24	26.7	29.5	5	0.5	-	38.9	170	
SM8S26A-AU	-	6600	26	28.9	31.9	5	0.5	-	42.1	157	
SM8S28A-AU	-	6600	28	31.1	34.4	5	0.5	-	45.4	145	

Transient Voltage Suppressors

Part Number		P_D	V_{RWM}	$V_{BR} @ I_T$ (V)		I_T	$I_R @ V_{RWM}$ (μA)		$V_C @ I_{PP}$ Max.	I_{PP}	Package
UNI	BI	W	V	Min.	Max.	mA	UNI	BI	V	A	
SM8S30A-AU	-	6600	30	33.3	36.8	5	0.5	-	48.4	136	DO-218AB
SM8S33A-AU	-	6600	33	36.7	40.6	5	0.5	-	53.3	124	
SM8S36A-AU	-	6600	36	40	44.2	5	0.5	-	58.1	114	
SM8S40A-AU	-	6600	40	44.4	49.1	5	0.5	-	64.5	102	
SM8S43A-AU	-	6600	43	47.8	52.8	5	0.5	-	69.4	95	
SM8S48A-AU	-	6600	48	53.3	58.7	5	0.5	-	80.6	82	

Small Signal MOSFET

Part Number	Ch.	Config.	V _{DS}	V _{GS}	I _D	ESD	R _{DS(on)} Max. (mΩ)					Ciss Typ.	V _{GS(th)} Max.	Q _g Typ. (nC)		Package
			V	±V	A		10V	4.5V	2.5V	1.8V	1.2V	pF	V	10V	4.5V	
2N7002K-AU	N	Single	60	20	0.3	Y	3000	4000	-	-	-	35	2.5	-	0.8	SOT-23
PJA138K-AU	N	Single	50	20	0.5	Y	1600	2500	4500	-	-	25	1.5	-	0.63	
PJA3438-AU	N	Single	50	20	0.5	Y	1450	1950	4000	6000	-	36	1	-	0.95	
PJC138K-AU	N	Single	50	20	0.36	Y	1600	2500	4500	-	-	25	1.5	-	0.63	SOT-323
PJC7439-AU	P	Single	-60	20	-250	-	4000	6000	13000	-	-	51	-2.5	-	1.1	
PJT138K-AU	N/N	Dual	50	20	0.36	Y	1600	2500	4500	-	-	25	1.5	-	0.63	SOT-363
PJX138K-AU	N/N	Dual	50	20	0.35	Y	1600	2500	4500	-	-	25	1.5	-	0.63	
PJE138K-AU	N	Single	50	20	0.35	Y	1600	2500	4500	-	-	25	1.5	-	0.63	SOT-523

Low Voltage MOSFET

Part Number	Ch.	Config.	V _{DS}	V _{GS}	I _D	ESD	R _{DS(on)} Max. (mΩ)					Ciss Typ.	V _{GS(th)} Max.	Q _g Typ. (nC)		Package
			V	±V	A		10V	4.5V	2.5V	1.8V	1.2V	pF	V	10V	4.5V	
PJQ2405-AU	P	Single	-20	8	-7.2	-	-	32	39	48	-	1785	-0.9	-	18.9	DFN2020B-6L
PJQ2463A-AU	P	Single	-30	20	-3.2	-	105	145	-	-	-	785	-2.5	10	-	
PJQ4402P-AU	N	Single	30	20	100	-	3.8	5.5	-	-	-	2238	2.5	-	24	
PJQ4404P-AU	N	Single	30	20	60	-	6	9	-	-	-	1323	2.5	-	12	DFN3333-8L
PJQ4408P-AU	N	Single	30	20	42	-	9	13	-	-	-	763	2.5	-	7.1	
PJQ4442P-AU	N	Single	40	20	50	-	7.5	10.5	-	-	-	1759	2.5	-	17	
PJQ4444P-AU	N	Single	40	20	70	-	5.5	7.5	-	-	-	1258	2.5	-	25	
PJQ4446P-AU	N	Single	40	20	48	-	9	13	-	-	-	1258	2.5	22	-	
PJQ4401P-AU	P	Single	-30	20	-50	-	8.5	14	-	-	-	3228	-2.5	-	27	
PJQ4441P-AU	P	Single	-40	20	-44	-	17	25	-	-	-	2030	-2.5	-	19	
PJQ4443P-AU	P	Single	-40	20	-46	-	12	17.5	-	-	-	2767	-2.5	-	23	
PJQ4848P-AU	N/N	Dual	40	20	37	-	15	20	-	-	-	1040	2.5	-	10	DFN3333B-8L
PJQ5424-AU	N	Single	30	20	70	-	3.8	5.5	-	-	-	2436	2.5	-	23	DFN5060-8L
PJQ5440-AU	N	Single	40	20	100	-	2.8	3.5	-	-	-	5214	2.5	-	50	
PJQ5442-AU	N	Single	40	20	90	-	5.5	7.5	-	-	-	1258	2.5	-	25	
PJQ5444-AU	N	Single	40	20	70	-	6.5	9	-	-	-	1759	2.5	-	17	
PJQ5446-AU	N	Single	40	20	70	-	9.5	14	-	-	-	1258	2.5	22	-	
PJQ5448-AU	N	Single	40	20	50	-	11	15	-	-	-	1040	2.5	-	10	
PJQ5450-AU	N	Single	40	20	21	-	32	40	-	-	-	425	2.5	-	4.4	
PJQ5443-AU	P	Single	-40	20	-50	-	12	17.5	-	-	-	2767	-2.5	-	23	
PJQ5445-AU	P	Single	-40	20	-45	-	17	25	-	-	-	2030	-2.5	-	19	DFN5060B-8L
PJQ5844-AU	N	Dual	40	20	45	-	8	10.5	-	-	-	1759	2.5	-	17	
PJQ5846-AU	N	Dual	40	20	40	-	10.5	15	-	-	-	1258	2.5	22	-	
PJQ5848-AU	N	Dual	40	20	30	-	12	16	-	-	-	1040	2.5	-	10	
PJQ5850-AU	N/N	Dual	40	20	14	-	33	42	-	-	-	425	2.5	-	4.4	SOT-223
PJW7N04-AU	N	Single	40	20	6.5	Y	42	51	-	-	-	410	2.5	-	4.8	
PJA3412-AU	N	Single	20	12	4.1	-	-	56	68	95	-	350	1.2	-	4.6	SOT-23
PJA3416-AU	N	Single	20	12	5.8	-	-	27	40	80	-	513	1.2	-	6.7	
PJA3440-AU	N	Single	40	20	4.3	-	42	51	-	-	-	410	2.5	-	4.8	
PJA3405-AU	P	Single	-30	20	-3.6	-	73	97	-	-	-	417	-2.1	10	-	
PJA3409-AU	P	Single	-30	20	-2.9	-	110	150	-	-	-	396	-2.1	9.8	-	
PJA3411-AU	P	Single	-20	12	-3.1	-	-	100	135	190	-	416	-1.2	5.4	-	
PJA3415AE-AU	P	Single	-20	8	-4.3	Y	-	50	58	73	-	907	-1	-	24	
PJA3441-AU	P	Single	-40	20	-3.1	-	88	108	-	-	-	505	-2.5	-	6	
PJA3449-AU	P	Single	-40	20	-2.2	-	160	230	-	-	-	299	-2.1	7.3	-	SOT-23 6L
PJS6601-AU	N	Comple.	20	12	4.1	-	-	56	68	95	-	350	1.2	-	4.6	
	P	Comple.	-20	12	-3.1	-	-	100	135	190	-	416	-1.2	-	5.4	SOT-23 6L-1
PJS6421-AU	P	Single	-20	10	-7.4	-	-	26	32	40	-	1620	-1	-	16.5	
PJD100N04-AU	N	Single	40	20	100	-	3.8	5	-	-	-	5214	2.5	-	50	TO-252AA
PJD25N04-AU	N	Single	40	20	21	-	32	40	-	-	-	425	2.5	-	4.4	
PJD40N04-AU	N	Single	40	20	40	-	12	17	-	-	-	1040	2.5	-	10	
PJD50N04-AU	N	Single	40	20	50	-	9.5	14	-	-	-	1258	2.5	22	-	
PJD60N04-AU	N	Single	40	20	60	-	6.5	9	-	-	-	1759	2.5	-	17	
PJD80N04-AU	N	Single	40	20	80	-	5.5	7.5	-	-	-	1258	2.5	-	25	
PJD85N03-AU	N	Single	30	20	85	-	3.8	5.5	-	-	-	2436	2.5	-	23	
PJD45P04-AU	P	Single	-40	20	-45	-	17	25	-	-	-	2030	-2.5	-	19	
PJD50P04-AU	P	Single	-40	20	-50	-	12	17.5	-	-	-	2767	-2.5	-	23	

Medium Voltage MOSFET

Part Number	Ch.	Config.	V _{DS}	V _{GS}	I _D	ESD	R _{DS(on)} Max. (mΩ)		C _{iss} Typ.	V _{GS(th)} Max.	Q _g Typ. (nC)		Package
			V	±V	A		10V	4.5V	pF	V	10V	4.5V	
PJQ2460-AU	N	Single	60	20	3.2	-	75	90	509	2.5	9.3	-	DFN2020B-6L
PJQ2461-AU	P	Single	-60	20	-2.4	-	170	220	430	-2.5	8.3	-	
PJQ4460AP-AU	N	Single	60	20	11	-	72	88	509	2.5	9.3	-	
PJQ4464AP-AU	N	Single	60	20	33	-	17	20	1574	2.5	-	13.5	DFN3333-8L
PJQ4466AP-AU	N	Single	60	20	33	-	21	24	1680	2.5	28	-	
PJQ4468AP-AU	N	Single	60	20	18	-	34	40	1173	2.5	20	-	
PJQ4463AP-AU	P	Single	-60	20	-4.2	-	68	85	879	-2.5	17	-	
PJQ4465AP-AU	P	Single	-60	20	-16	-	48	65	1256	-2.5	22	-	
PJQ5458A-AU	N	Single	60	20	16	-	50	60	815	2.5	14	-	
PJQ5462A-AU	N	Single	60	20	42	-	12	15	2142	2.5	40	-	DFN5060-8L
PJQ5466A-AU	N	Single	60	20	40	-	21	24	1680	2.5	28	-	
PJQ5466A1-AU	N	Single	60	20	48	-	17	20	1574	2.5	-	13.5	
PJQ5468A-AU	N	Single	60	20	25	-	34	40	1173	2.5	20	-	
PJQ5461A-AU	P	Single	-60	20	-11.5	-	110	130	785	-2.5	10	-	
PJQ5463A-AU	P	Single	-60	20	-15	-	68	85	879	-2.5	17	-	
PJQ5465A-AU	P	Single	-60	20	-16	-	48	65	1256	-2.5	22	-	
PJQ5866A-AU	N/N	Dual	60	20	40	-	17	20	1574	2.5	-	13.5	DFN5060B-8L
PJW4N06A-AU	N	Single	60	20	4	-	100	110	509	2.5	-	5.1	SOT-223
PJW5N06A-AU	N	Single	60	20	5	-	75	90	509	2.5	9.3	-	
PJW5N10-AU	N	Single	100	20	5	-	130	-	707	3.5	12	-	
PJW7N06A-AU	N	Single	60	20	6.6	-	34	40	1173	2.5	20	-	
PJW3P06A-AU	P	Single	-60	20	-3	-	170	220	430	-2.5	8.3	-	
PJW4P06A-AU	P	Single	-60	20	-4	-	110	130	785	-2.5	10	-	
PJW5P06A-AU	P	Single	-60	20	-5	-	68	85	879	-2.5	17	-	
PJS6461-AU	P	Single	-60	20	-3.2	-	110	130	785	-2.5	10	-	SOT-23 6L
PJD11N06A-AU	N	Single	60	20	11	-	75	90	509	2.5	9.3	-	TO-252AA
PJD16N06A-AU	N	Single	60	20	16	-	50	60	815	2.5	14	-	
PJD25N06A-AU	N	Single	60	20	25	-	34	40	1173	2.5	20	-	
PJD35N06A-AU	N	Single	60	20	35	-	21	24	1680	2.5	28	-	
PJD40N06A-AU	N	Single	60	20	40	-	17	20	1574	2.5	-	13.5	
PJD45N06A-AU	N	Single	60	20	45	-	12	15	2256	2.5	39	-	
PJD12P06-AU	P	Single	-60	20	-12	-	155	-	385	-4	10.9	-	
PJD14P06A-AU	P	Single	-60	20	-14	-	110	130	785	-2.5	10	-	
PJD15P06A-AU	P	Single	-60	20	-15	-	68	85	879	-2.5	17	-	
PJD16P06A-AU	P	Single	-60	20	-16	-	48	65	1256	-2.5	22	-	
PJD9P06A-AU	P	Single	-60	20	-7	-	170	220	430	-2.5	8.3	-	

Small Signal Bipolar Junction Transistors (General purpose)

Part Number	Type	V _{CBO} Max. V	V _{CEO} Max. V	I _C Max.	V _{CE} (sat) Max.			h _{FE}				P _{TOT} Max.	f _T Min.	Package
		V	V	mA	V	I _C (mA)	I _B (mA)	Min.	Max.	V _{CE} (V)	I _C (mA)	mW	MHz	
2SC2411K-AU	NPN	40	32	500	0.6	500	50	120	390	3	100	225	250	SOT-23
BC807-16-AU	PNP	-50	-45	-500	-0.7	-500	-50	100	250	-1	-100	330	100	
BC807-25-AU	PNP	-50	-45	-500	-0.7	-500	-50	160	400	-1	-100	330	100	
BC807-40-AU	PNP	-50	-45	-500	-0.7	-500	-50	250	600	-1	-100	330	100	
BC817-16-AU	NPN	50	45	500	0.7	500	50	100	250	1	100	300	100	
BC817-25-AU	NPN	50	45	500	0.7	500	50	160	400	1	100	300	100	
BC817-40-AU	NPN	50	45	500	0.7	500	50	250	600	1	100	300	100	
BC846A-AU	NPN	80	65	100	0.25	10	0.5	110	220	5	2	330	100	
BC846B-AU	NPN	80	65	100	0.25	10	0.5	200	450	5	2	330	100	
BC847A-AU	NPN	50	45	100	0.25	10	0.5	110	220	5	2	330	100	
BC847B-AU	NPN	50	45	100	0.25	10	0.5	200	450	5	2	330	100	
BC847C-AU	NPN	50	45	100	0.25	10	0.5	420	800	5	2	330	100	
BC848A-AU	NPN	30	30	100	0.25	10	0.5	110	220	5	2	330	100	
BC848B-AU	NPN	30	30	100	0.25	10	0.5	200	450	5	2	330	100	
BC848C-AU	NPN	30	30	100	0.25	10	0.5	420	800	5	2	330	100	
BC849B-AU	NPN	30	30	100	0.25	10	0.5	200	450	5	2	330	100	
BC849C-AU	NPN	30	30	100	0.25	10	0.5	420	800	5	2	330	100	
BC850B-AU	NPN	50	45	100	0.25	10	0.5	200	450	5	2	330	100	
BC850C-AU	NPN	50	45	100	0.25	10	0.5	420	800	5	2	330	100	
BC856A-AU	PNP	-80	-65	-100	-0.3	-10	-0.5	125	250	-5	-2	330	100	
BC856B-AU	PNP	-80	-65	-100	-0.3	-10	-0.5	220	475	-5	-2	330	100	
BC857A-AU	PNP	-50	-45	-100	-0.3	-10	-0.5	125	250	-5	-2	330	100	
BC857B-AU	PNP	-50	-45	-100	-0.3	-10	-0.5	220	475	-5	-2	330	100	
BC857C-AU	PNP	-50	-45	-100	-0.3	-10	-0.5	420	800	-5	-2	330	100	
BC858A-AU	PNP	-30	-30	-100	-0.3	-10	-0.5	125	250	-5	-2	330	100	
BC858B-AU	PNP	-30	-30	-100	-0.3	-10	-0.5	220	475	-5	-2	330	100	
BC858C-AU	PNP	-30	-30	-100	-0.3	-10	-0.5	420	800	-5	-2	330	100	
BC859B-AU	PNP	-30	-30	-100	-0.3	-10	-0.5	220	475	-5	-2	330	100	
BC859C-AU	PNP	-30	-30	-100	-0.3	-10	-0.5	420	800	-5	-2	330	100	
MMBT2222A-AU	NPN	75	40	600	0.3	150	15	100	300	10	150	225	300	
MMBT2907A-AU	PNP	-60	-60	-600	-0.4	-150	-15	100	300	-10	-150	150	200	
MMBT3904-AU	NPN	60	40	200	0.3	50	5	100	300	1	10	225	300	
MMBT3906-AU	PNP	-40	-40	-200	-0.4	-50	-5	100	300	-1	-10	225	250	
MMBT4401-AU	NPN	60	40	600	0.4	150	15	100	300	1	150	225	250	
MMBT5401-AU	PNP	-160	-150	-600	-0.5	-50	-5	60	240	-10	-5	225	100	
MMBT5551-AU	NPN	180	160	600	0.15	10	1	80	250	5	10	250	300	
MMBTA05-AU	NPN	60	60	500	0.25	100	10	100	-	1	100	225	100	
MMBTA06-AU	NPN	80	80	500	0.25	100	10	100	-	1	100	225	100	
MMBTA55-AU	PNP	-60	-60	-500	-0.25	-100	-10	100	-	-1	-100	225	100	
MMBTA56-AU	PNP	-80	-80	-500	-0.25	-100	-10	100	-	-1	-100	225	100	
MMBTA42-AU	NPN	300	300	500	0.5	20	2	40	-	10	30	250	50	
MMBTA92-AU	PNP	-300	-300	-500	-0.5	-20	-2	25	-	-10	-30	225	50	
BC817DPN-AU	NPN+PNP	-50	-45	-500	-0.7	-500	-50	100	600	-1	-100	330	100	SOT-23 6L
BC817DPN-AU	NPN+PNP	50	45	500	0.7	500	50	100	600	1	100	330	100	
IMZ1AS-AU	PNP+NPN	50	60	150	-0.5	-50	-5	120	560	-6	-1	300	-	
BC807-16W-AU	PNP	-50	-45	-500	-0.7	-500	-50	100	250	-1	-100	300	100	SOT-323
BC807-25W-AU	PNP	-50	-45	-500	-0.7	-500	-50	160	400	-1	-100	300	100	
BC807-40W-AU	PNP	-50	-45	-500	-0.7	-500	-50	250	600	-1	-100	300	100	
BC817-16W-AU	NPN	50	45	500	0.7	500	50	100	250	1	100	300	100	
BC817-25W-AU	NPN	50	45	500	0.7	500	50	160	400	1	100	300	100	

Small Signal Bipolar Junction Transistors (General purpose)


Part Number	Type	V _{CBO} Max. V	V _{CEO} Max. V	I _C Max.	V _{CE} (sat) Max.			h _{FE}				P _{TOT} Max.	f _T Min.	Package
		V	V	mA	V	I _C (mA)	I _B (mA)	Min.	Max.	V _{CE} (V)	I _C (mA)	mW	MHz	
BC817-40W-AU	NPN	50	45	500	0.7	500	50	250	600	1	100	300	100	SOT-323
BC846AW-AU	NPN	80	65	100	0.25	10	0.5	110	220	5	2	250	100	
BC846BW-AU	NPN	80	65	100	0.25	10	0.5	200	450	5	2	250	100	
BC847AW-AU	NPN	50	45	100	0.25	10	0.5	110	220	5	2	250	100	
BC847BW-AU	NPN	50	45	100	0.25	10	0.5	200	450	5	2	250	100	
BC847CW-AU	NPN	50	45	100	0.25	10	0.5	420	800	5	2	250	100	
BC848AW-AU	NPN	30	30	100	0.25	10	0.5	110	220	5	2	250	100	
BC848BW-AU	NPN	30	30	100	0.25	10	0.5	200	450	5	2	250	100	
BC848CW-AU	NPN	30	30	100	0.25	10	0.5	420	800	5	2	250	100	
BC849BW-AU	NPN	30	30	100	0.25	10	0.5	200	450	5	2	250	100	
BC849CW-AU	NPN	30	30	100	0.25	10	0.5	420	800	5	2	250	100	
BC850BW-AU	NPN	50	45	100	0.25	10	0.5	200	450	5	2	250	100	
BC850CW-AU	NPN	50	45	100	0.25	10	0.5	420	800	5	2	250	100	
BC856BW-AU	PNP	-80	-65	-100	-0.3	-10	-0.5	220	475	-5	-2	250	200	
BC857AW-AU	PNP	-50	-45	-100	-0.3	-10	-0.5	125	250	-5	-2	250	200	
BC857BW-AU	PNP	-50	-45	-100	-0.3	-10	-0.5	220	475	-5	-2	250	200	
BC857CW-AU	PNP	-50	-45	-100	-0.3	-10	-0.5	420	800	-5	-2	250	200	
BC846AS-AU	NPN+NPN	80	65	100	0.25	10	0.5	110	220	5	2	150	100	SOT-363
BC846BPN-AU	NPN+PNP	-80	-65	-100	-0.3	-10	-0.5	220	475	-5	-2	225	100	
BC846BPN-AU	NPN+PNP	80	65	100	0.25	10	0.5	200	450	5	2	225	100	
BC846BS-AU	NPN+NPN	80	65	100	0.1	10	0.5	200	450	5	2	250	100	
BC847AS-AU	NPN+NPN	50	45	100	0.1	10	0.5	110	220	5	2	150	100	
BC847BPN-AU	NPN+PNP	-50	-45	-100	-0.3	-10	-0.5	200	475	-5	-2	200	100	
BC847BPN-AU	NPN+PNP	50	45	100	0.1	10	0.5	200	450	5	2	200	100	
BC847BS-AU	NPN+NPN	50	45	100	0.25	10	0.5	200	450	5	2	150	100	
BC847CPN-AU	NPN+PNP	-50	-45	-100	-0.3	-10	-0.5	420	800	-5	-2	380	100	
BC847CPN-AU	NPN+PNP	50	45	100	0.25	10	0.5	420	800	5	2	380	100	
BC857BS-AU	PNP+PNP	-50	-45	-100	-0.3	-10	-0.5	220	475	-5	-2	300	100	
BC857CS-AU	PNP+PNP	-50	-45	-100	-0.3	-10	-0.5	420	800	-5	-2	225	100	
DMMT3904W-AU	NPN+NPN	60	40	200	0.3	50	5	100	300	1	10	225	300	

Small Signal Bipolar Junction Transistors(Low VCEsat)


Part Number	Type	V _{CBO} Max. V	V _{CEO} Max. V	I _C Max.	V _{CE} (sat) Max.			h _{FE}				P _{TOT} Max.	f _T Min.	Package
		V	V	mA	V	I _C (mA)	I _B (mA)	Min.	Max.	V _{CE} (V)	I _C (mA)	mW	MHz	
BCX53-16-AU	PNP	-120	-100	-1000	-0.6	-1000	-100	100	250	-2	-150	1400	100	SOT-89
BCX56-16-AU	NPN	120	100	1000	0.5	1000	100	100	250	2	150	1400	100	
PBHV8110DH-AU	NPN	120	100	1000	0.45	1000	100	100	300	5	500	1400	100	
PBHV9110DH-AU	PNP	-120	-100	-1000	-0.6	-1000	-100	100	300	-5	-500	1400	100	
BCP53-16-AU	PNP	-120	-100	-1000	-0.6	-1000	-100	100	250	-2	-150	2600	100	SOT-223
BCP56-16-AU	NPN	120	100	1000	0.5	1000	100	100	250	2	150	2600	100	
PBHV8110DW-AU	NPN	120	100	1000	0.45	1000	100	100	300	5	500	2600	100	
PBHV9110DW-AU	PNP	-120	-100	-1000	-0.6	-1000	-100	100	300	-5	-500	2600	100	

Outline Drawing and Minimum Pad Layout


DFN 2L




DFN 2L




DFN2020B-6L




DFN2020B-6L




DFN2510-10L




DFN2510-10L



DFN3333-8L




DFN3333-8L




Unit: inch (mm)

Outline Drawing and Minimum Pad Layout


DFN3333B-8L




DFN3333B-8L




DFN5060-8L




DFN5060-8L




DFN5060B-8L




DFN5060B-8L



DO-218AB




DO-218AB




Unit: inch (mm)

Outline Drawing and Minimum Pad Layout


SOD-923




SOD-923




SOD-523




SOD-523




SOD-323HE




SOD-323HE



SOD-323




SOD-323




Unit: inch (mm)

Outline Drawing and Minimum Pad Layout


SOD-123HE




SOD-123HE




SOD-123FL




SOD-123FL




SOD-123




SOD-123



SOT-563




SOT-563




Unit: inch (mm)

Outline Drawing and Minimum Pad Layout


SOT-523




SOT-523




SOT-363




SOT-363




SOT-323




SOT-323



SOT-23 6L




SOT-23 6L




Unit: inch (mm)

Outline Drawing and Minimum Pad Layout


SOT-23 6L-1




SOT-23 6L-1




SOT-23




SOT-23




SOT-223




SOT-223



SOT-89




SOT-89




Unit: inch (mm)

Outline Drawing and Minimum Pad Layout


SMAF




SMAF




SMA




SMA




SMBF




SMBF



SMB




SMB




Unit: inch (mm)

Outline Drawing and Minimum Pad Layout


SMC




SMC




TO-263




TO-263





TO-252AA



TO-252AA




TO-220AB




Unit: inch (mm)

Outline Drawing and Minimum Pad Layout


TO-220AC




MICRO DIP




MICRO DIP




SDIP



SDIP



DO-41



Unit: inch (mm)

Packing Specifications

Package	Reel Size	Reel	Carton Size	Carton	Approx. Gross Weight
	(inch)	(pcs)	(mm)	(EA)	(kg)
Reel Packing					
DFN 2L	7	8,000	390 x 270 x 400	640,000	8.6
DFN2020B-6L	7	3,000	455 x 270 x 440	240,000	12.3
DFN2510-10L	7	5,000	390 x 270 x 400	400,000	10.5
	13	12,000	375 x 360 x 213	144,000	6.4
DFN3333-8L	13	5,000	375 x 360 x 422	80,000	10.5
DFN3333B-8L	13	5,000	375 x 360 x 422	80,000	10.5
DFN5060-8L	13	3,000	375 x 360 x 422	48,000	14.19
DFN5060B-8L	13	3,000	375 x 360 x 422	48,000	14.19
DO-218AB	13	600	375x360x422	4,800	19.7
SOD-923	7	8,000	390 x 270 x 400	640,000	7.7
SOD-523	7	5,000	390 x 270 x 400	400,000	9.1
	13	12,000	375 x 360 x 230	144,000	5.4
SOD-323HE	7	5,000	390 x 270 x 400	400,000	11.9
	13	12,000	375 x 360 x 230	144,000	8.3
SOD-323	7	5,000	390 x 270 x 400	400,000	9.4
	13	12,000	375 x 360 x 230	144,000	5.9
SOD-123HE	7	3,000	390 x 270 x 400	240,000	12.4
	13	10,000	375 x 360 x 230	120,000	8.1
SOD-123FL	7	3,000	390 x 270 x 400	240,000	10.6
	13	10,000	375 x 360 x 230	120,000	7.2
SOD-123	7	3,000	390 x 270 x 400	240,000	9.9
	13	10,000	375 x 360 x 230	120,000	6.5
SOT-563	7	4,000	390 x 270 x 400	320,000	10
	13	10,000	375 x 360 x 230	120,000	5.2
SOT-523	7	4,000	390 x 270 x 400	320,000	10
SOT-363	7	3,000	390 x 270 x 400	240,000	9.3
	13	10,000	375 x 360 x 230	120,000	7.1
SOT-323	7	3,000	390 x 270 x 400	240,000	7.9
	13	12,000	375 x 360 x 230	144,000	6.1
SOT-23 6L	7	3,000	390 x 270 x 400	240,000	14.5
	13	10,000	375 x 360 x 230	120,000	7.9
SOT-23 6L-1	7	3,000	390 x 270 x 400	240,000	14.9
	13	10,000	375 x 360 x 230	120,000	8.1
SOT-23	7	3,000	390 x 270 x 400	240,000	9.8
	13	12,000	375 x 360 x 230	144,000	7
SOT-223	13	2,500	375 x 360 x 422	40,000	14.96
SOT-89	7	1,000	455 x 270 x 440	80,000	15.64
SMAF	7	3,000	390 x 240 x 420	120,000	10.9
	13	10,000	375 x 360 x 422	160,000	17.1
SMBF	7	1,500	390 x 240 x 420	60,000	9.6
	13	5,000	375 x 360 x 422	80,000	15.6
SMA	7	1,800	390 x 220 x 370	72,000	9.98
	13	7,500	375 x 360 x 390	120,000	17.35
SMB	7	800	390 x 220 x 370	32,000	7.69
	13	3,000	375 x 360 x 390	48,000	13.23
SMC	7	800	390 x 220 x 370	24,000	10.79
	13	3,000	375 x 360 x 390	42,000	17.98
MICRO DIP	7	1,000	390 x 240 x 420	40,000	9.5
	13	4,000	375 x 360 x 422	64,000	17
SDIP	13	1,500	375 x 360 x 390	21,000	14.31
TO-252AA	13	3,000	375 x 360 x 422	48,000	24.16
TO-263	13	800	375 x 360 x 390	6,400	14.45

Packing Specifications

Package	Inner Box Size	Box	Carton Size	Carton	Approx. Gross Weight
	(mm)	(EA)	(mm)	(EA)	(kg)
Bulk Packing					
DO-41	198 x 84 x 20	1,000	459 x 214 x 256	50,000	19.3
TO-263	540 x 145 x 85	2,000	555 x 306 x 200	8,000	18.7
TO-220AB	540 x 145 x 85	2,000	555 x 306 x 200	8,000	22
TO-220AC	540 x 145 x 85	2,000	555 x 306 x 200	8,000	21.76

Package	Inner Box Size	Ammo	Carton Size	Carton	Approx. Gross Weight
	(mm)	(pcs)	(mm)	(EA)	(kg)
Ammunition Packing					
DO-41	255 x 75 x 150	5,000	339 x 276 x 330	40,000	15.9
	255 x 73 x 95	3,000	333 x 281 x 218	24,000	8.9

Sales Office

KAOHSIUNG, TAIWAN

PANJIT International Inc.
No.24, Gangshan N.Rd., Gangshan Dist.,
Kaohsiung City 82063, Taiwan
Tel.+886-7-621-3121 Fax.+886-7-621-3129
82063 高雄市岡山區岡山路24號

TAIPEI, TAIWAN

PANJIT International Inc.
9F., No.61, Zhouzi St., Neihu Dist., Taipei City 11493, Taiwan
Tel.+886-2-2627-1898 Fax.+886-2-2627-8856
11493 臺北市內湖區洲子街61號9樓

BEIJING, CHINA

PANJIT ELECTRONICS (BEIJING) CO., LTD
5F-3, Tower 1, Wangjing SOHO, Chaoyang Dist.,
Beijing 130508, China
Tel.+86-10-5707-7296 Fax.+86-10-5332-3319
130508 北京市朝陽區望京SOHO1號塔樓5層3單元

WUXI, CHINA

PANJIT ELECTRONICS (WUXI) CO., LTD
No.8, Hanjiang Road, Wuxi New District, Wuxi,
Jiangsu 214028, China
Tel.+86-510-8522-8922 Fax.+86-510-8521-1613
214028 江蘇省無錫市無錫新區漢江路8號

SUZHOU, CHINA

SUZHOU GRANDE ELECTRONICS CO., LTD
International Center of Jiangsu Province Room 905(&903),
No.88, Shishan Road, High-tech District, Suzhou, Jiangsu 215129, China
Tel.+86-512-6536-7711 Fax.+86-512-6536-7722
215129 江蘇省蘇州市高新區獅山路88號(金河國際中心905室(&903室))

SHENZHEN, CHINA

PANJIT Electronics (wuxi) Co.,LTD. Shenzhen
8 / F, Building 1, Jinjia Science Park, Jinke Road,
Pingli Boulevard Nanwan Street, Longgang District,
Shenzhen City, China
Tel.+86-755-8970-9768 Fax.+86-755-8970-9798
518111 深圳市龍崗區南灣街道平李大道金科路金積嘉科技園1棟8樓整層

HONGKONG, CHINA

PANJIT International (H.K.) Inc.
Unit F&G, 4F, Golden Bear Industrial Centre,
No.66-82 Chai Wan Kok Street, Tsuen Wan, N.T.290, Hong Kong
Tel.+852-2751-8413~5 Fax.+852-2751-8272
290 香港新界荃灣柴灣角街66-82號金熊工業中心4樓F-G室

ARIZONA, USA

PANJIT AMERICAS INC.
2507 West Erie Drive, Suite 101, Tempe Arizona 85282 USA
Tel.+1-480-379-2800 Fax.+1-480-379-2819

MUNICH, GERMANY

PANJIT EUROPE GmbH
Bgm.-Finsterwalder-Ring 10, 82515 Wolfratshausen, Germany
Tel.+49-8171-99-91-0 Fax.+49-8171-99-91-10

SUWON, KOREA

PANJIT KOREA CO.,LTD
Tower (A)3601,13, Heungdeok 1-ro, Young Tong-Dong,
Giheung-Gu, Yongin-Si, Gyeonggi-Do 446-908, Korea
Tel.+82-031-202-6270 Fax.+82-31-202-1974

Manufacturing Facilities

KAOHSIUNG, TAIWAN

PANJIT International Inc.
No.24, Gangshan N. Rd., Gangshan Dist.,
Kaohsiung City 82063, Taiwan
Tel.+886-7-621-3121 Fax.+886-7-621-3129
82063 高雄市岡山區岡山路24號

KAOHSIUNG, TAIWAN

PYNMAX TECHNOLOGY CO.,LTD. 《Wafer Foundry》
No.17, Yonggong 1st Rd., Yongan Dist.,
Kaohsiung City 82841, Taiwan
Tel.+886-7-624-3919 Fax.+886-7-621-4719
82841 高雄市永安區永安工業區永工一路17號

WUXI, CHINA

PANJIT ELECTRONICS (WUXI) CO., LTD
No.8, Hanjiang Road, Wuxi New District, Wuxi,
Jiangsu 214028, China
Tel.+86-510-8522-8922 Fax.+86-510-8521-1613
214028 江蘇省無錫市無錫新區漢江路8號



強茂股份有限公司
PANJIT International Inc.

